

DEPARTMENT OF SOCIAL WELFARE AND DEVELOPMENT FIELD OFFICE XII

PUROK BUMANAAG, BRGY. ZONE III, KORONADAL CITY, 9506

BIDDING DOCUMENTS FOR THE

Bidding for the Supply and Installation of ICT Equipment of Regional Operation Center

Project Reference No. 21-014

Table of Contents

	I. Invitation to Bid			
	II. Instructions to Bidd			
1.	Scope of Bid			
2.	Funding Information			
3.	Bidding Requirements			
4.	Corrupt, Fraudulent, Collusiv			10
5.	Eligible Bidders			
6.	Origin of Goods			
7.	Subcontracts			
8.	Pre-Bid Conference			
9.	Clarification and Amendmen	_		
10.	Documents comprising the B			=
11.	Documents comprising the B			
12.	Bid Prices			
13.	Bid and Payment Currencies			13
14.	Bid Security			
15.	Sealing and Marking of Bids			
16.	Deadline for Submission of I	Bids		14
17.	Opening and Preliminary Exa	amination of Bi	ds	
18.	Domestic Preference			14
19.	Detailed Evaluation and Con	parison of Bids	S	
20.	Post-Qualification			
21.	Signing of the Contract			
Section	III. Bid Data Sheet	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	16
Section	IV. General Conditions	of Contract	-	19
1.	Scope of Contract			20
2.	Advance Payment and Terms			
3.	Performance Security	2		
4.	Inspection and Tests			
5.	Warranty			
6.	Liability of the Supplier			
	V. Special Conditions of			
Section	-	Schedule	of	
	VII. Technical Specific			3/
Section	VIII. Checklist of Tech			

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid



INVITATION TO BID FOR THE

Bidding for the Supply and Installation of ICT Equipment of Regional Operation Center

- 1. The Department of Social Welfare and Development Field Office XII, through the Government of the Philippines (GOP) under General Appropriations Act (GAA) 2021 intends to apply the sum of Three Million Pesos Only (Php 3,000,000.00) being the ABC to payments under the contract for Procurement of Bidding for the Supply and Installation of ICT Equipment of Regional Operation Center. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The **Department of Social Welfare and Development Field Office XII** now invites bids for the above Procurement Project. Delivery of the Goods is required by *Forty-five (45) calendar days upon receipt of the Purchase Order*. Bidders should have completed, within *Two (2) years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from *DSWD FO XII Bids and Awards Committee (BAC) Secretariat* and inspect the Bidding Documents at the address given below during *office hours*.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on <u>October 13, 2021</u> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of; Php 5,000.00 for ABC of more than 1 Million up to 5 Million. The Procuring Entity shall allow the bidder to present its proof of payment



for the fees which will be presented in person, by facsimile, or through electronic means.

- 6. The **Department of Social Welfare and Development Field Office XII** will hold a Pre-Bid Conference¹ on *October 21, 2021, 1:30 p.m.* at *DSWD FO XII Office*, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before *November 03, 2021, 10:00 a.m.* at *DSWD FO XII Procurement Section Office*. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on *November 03, 2021, 1:30 p.m.* at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The **Department of Social Welfare and Development Field Office XII** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

DSWD FO XII-BAC Secretariat Administrative Division-Procurement Section Department of Social Welfare and Development FO XII Purok Bumanaag, Brgy. Zone III, Koronadal City Email Address: procurement.fo12@dswd.gov.ph Telephone No. +63 (083)-228-8637

October 13, 2021

(Signed)JACKIYA A. LAO BAC Chairperson DSWD FO XII

1





Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, **Department of Social Welfare and Development Field Office XII** wishes to receive Bids for the **Bidding for the Supply and Installation of ICT Equipment of Regional Operation Center**, with Project Reference No. 21-014.

The Procurement Project (referred to herein as "Project"), the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for *FY 2021* in the amount of **Three Million Pesos Only (Php 3,000,000.00).**
- 2.2. The source of funding is DSWD FO XII, National Expenditure Program FY 2021

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an **SLCC** that is at least one (1) contract similar to the **Project** the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to twenty-five percent (25%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Procuring Entity has prescribed that **Subcontracting** is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on <u>October 21, 2021</u>, <u>1:30 p.m.</u> at <u>DSWD FO XII Office</u> as indicated in paragraph 6 of the IB.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the ITB, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in ITB Clause 5.3 should have been completed within *two (2) years* prior to the deadline for the submission and receipt of bids.

10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - 11. The cost of all customs duties and sales and other taxes already paid or payable;
 - 111. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iV. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:

- 1. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in Section VII (Technical Specifications).

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration² or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *March 03, 2022*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

- 15.1. Bidders shall enclose their original eligibility and technical documents described in ITB Clause 12, in one sealed envelope marked "ORIGINAL TECHNICAL COMPONENT," and the original of their financial component in another sealed envelope marked "ORIGINAL FINANCIAL COMPONENT," sealing them all in an outer envelope marked "ORIGINAL BID."
- 15.2. Each copy of the first and second envelopes shall be similarly sealed duly marking the inner envelopes as "COPY NO. ___ TECHNICAL COMPONENT" and "COPY NO. ___ FINANCIAL COMPONENT" and the outer envelope as "COPY NO. ___," respectively. These envelopes

² In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

- containing the original and the copies shall then be enclosed in one single envelope.
- 15.3. The original and the number of copies of the bid as indicated in the BDS shall be typed or written in ink and shall be signed by the Bidder or its duly authorized representative/s.
- 15.4. All envelopes shall:
 - (a) contain the name of the contract to be bid in capital letters;
 - (b) bear the name and address of the Bidder in capital letters;
 - (c) be addressed to the Procuring Entity's BAC in accordance with ITB Clause 20.1;
 - (d) bear the specific identification of this bidding process indicated in the ITB Clause 1.2; and
 - (e) bear a warning "DO NOT OPEN BEFORE..." the date and time for the opening of bids, in accordance with ITB Clause 21.
- 15.5. Bid envelopes that are not properly sealed and marked, as required in the bidding documents, shall not be rejected, but the Bidder or its duly authorized representative shall acknowledge such condition of the bid as submitted. The BAC or the Procuring Entity shall assume no responsibility for the misplacement of the contents of the improperly sealed or marked bid, or for its premature opening.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on or before <u>November 03, 2021, 10:00 a.m.</u> at <u>DSWD FO XII Procurement Section Office</u> as indicated in paragraph 7 of the IB.

17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.
 - In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately. (**Partial Bid is not Allowed**)
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
 - 19.4. The Project shall be awarded as One Project having several items grouped into one lot, which shall be awarded as a single contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.

SS

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITB	
Clause 5.3	For this purpose, contracts similar to the Project shall be:
3.3	For this purpose, contracts similar to the Project shall be.
	a. Goods and Services similar or within the definitions of the items to be procured.
	b. Completed within two (2) years prior to the deadline for the submission and receipt of bids.
7.1	Subcontracting is not allowed
12	The price of the Goods shall be quoted DDP <i>Region XII</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than <i>two percent (2%) of ABC</i> , if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than <i>five percent (5%) of ABC</i> if bid security is in Surety Bond.
19.3	21-014 Bidding for the Supply and Installation of ICT Equipment of Regional Operation Center
	- ICT Equipment with an ABC amounting to Php3,000,000.00
20.2	The Lowest Calculated Bid shall submit ALL of the following post-qualification
	requirements: 1. Photocopy of Single Largest Completed Contract or Purchase Order, which
	should be signed by both parties.
	2. The corresponding proof of completion, which could either be:
	 i. Certificate of Final Acceptance/Completion from bidder's client; or ii. Official Receipt or Sales Invoice of the bidder covering the full amount of the contract.
	3. Latest Income and Business Tax Returns, filed and paid through the
	Electronic Filing and Payments System (EFPS), consisting of the following: i. 2019 Income Tax Return with proof of payment; and
	ii. VAT Returns (Form 2550M and 2550Q) or Percentage Tax Returns
	(2551M) with proof of payment covering the months from October 2020
	to March 2021. * Failure to submit a copy of the Single Largest Completed Contract with proof
	of completion is a valid ground for disqualification of the bidder.
	** In case the updated PhilGEPS Platinum Certificate of Registration is not available during bid submission, it shall be submitted as a post-qualification requirement, in accordance with Section 34.2 of the 2016 Revised IRR of R.A.
	No. 9184.
	*** In case the valid updated Mayor's Permit is not available during bid submission, it shall be submitted after award of contract but before payment in accordance with item 6.2 of GPPB Resolution No. 09-2020.

	****In case Mayor's Permit and Registration is expired during bid submission, the same shall be included in the bidding documents with attached proof or evidences of renewal. ****Erasures or tampering found on every documents shall be an automatic ground for disqualification unless countersigned by the authorized person/representative		
21.2	No further instructions		

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- **2.1.** Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- **2.2.** The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- **6.2.** The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Special Conditions of Contract

	Special Conditions of Contract				
GCC Clause					
1					
	Delivery and Documents –				
	To be delivered at DSWD FO XII				
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:				
	"The delivery terms applicable to the Contract are DDP delivered in <i>Region XII</i> . In accordance with INCOTERMS."				
	"The delivery terms applicable to this Contract are delivered <i>Region XII</i> . Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."				
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).				
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is the End-user or the PPD RICTMS				
	Packaging – Not applicable				
	The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.				
	The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.				
	The outer packaging must be clearly marked on at least four (4) sides as follows:				

Name of the Procuring Entity Name of the Supplier Contract Description Final Destination

Gross weight

Any special lifting instructions

Any special handling instructions

Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation –

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

Intellectual Property Rights –

	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	"The terms of payment shall be every 15 th and 30 th day of the month. After the complete delivery and installation of the equipment.
4	The inspections and approval as to the acceptability of the services on its compliance with the technical specifications as scheduled will be conducted by the DSWD Inspection Committee with the presence of end-user.

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
1	ICT EQUIPMENT	1 lot	1 lot	
	VIDEO WALL SYSTEM			
	Module			
	Dimension at least 250mmx250mm			
	Pixel Pitch: 2.5			
	LED Lamp: SMD 2121			
	Resolution: 100x100			
	Pixel Density: 160000			
	Standard Panel			
	Dimensions(w x h x d) (mm): 500 X 1000 X 62.5			
	Physical Resolution (w x h) 200 X 400			
	Average Power/sqm: 150 watts			D 1: 1 T . 11 .:
	Module Quantity: 8			Delivery and Installation
	Physical Pixels (total) 80000			will commence and be completed within Forty-
	Material: Die Cast Aluminum			five (45) calendar days
	Max Power/sqm(watts): 450			upon the receipt of Purchase Order
	Display Data			Turemuse Studi
	Panel Quantity(pcs): 3 X 4			
	Screen Area Dimension(m): 3 X 2 Screen Resolution(pixels): 1600 X 1000			
	Total Net Weight (kgs): not more than 230			
	Total Average Power (watts): 1500			
	Total Max Power (watts): 4500			
	Parameters			
	Brightness: at least 700 cd/m²			
	Viewing Angle: Horizontal 160(80/80) deg.; Vertical 160 deg.			
	Grayscale: 8192 – 16384 or higher			
	Minimum Viewing Distance: 2.5 meters			
	Contrast Ratio: 5000:1			
	Driving Type: 1/50			

Color Temperature: at least 6500K		
Refresh frequency: at least 3840 Hertz		
Input power frequency: 50 or 60 Hertz		
Input Voltage: 110 ~ 240 V		
LED lifetime: at least 100000 hours		
Lifetime at 50% brightness: 100000 hours		
Ingress Protection: Front IP40, Rear IP21		
Operating temperature: 10 % ~ 40 % Operating humidity: 10 % ~ 90 %		
Control distance: CAT6 cable: < 100 m; Single mode fiber: < 10 km		
Signal input format: AV, S-Video, VGA, DVI, YPbPr, HDMI, SDI		
Operating system: Windows (7/8/10)		
Item List		
LED Screen Display – 6 sqm. (LED		
Panel 12 pcs) Sending Card – 1 piece Receiving Card – 12 pieces LED software – 1 set		
 Video Processor – 1 set Customized input and output resolution 		
-Lock input resolution for DVI		
Seamless splicing		
-Supports infinity DVI signal LOOP		
• Seamless switching		
-Up to 20 switching effect including		
Fade In/Fade out		
• Dual channel image crop		
• Test overlay		
• Support USB disk play		
(MOV, MP4, MKV, 3GP, AVI)		
Save and load mode		
• 7 inputs		
(2 AV, 2 VGA, 1 DVI, 1 HDMI, 1 DP)		
Accurate brightness control		
Image enhancement		
• Upper computer software control		
-Connect computer and video processor		
through USB cable		
Console specification:		
• Power supply: 100-240V AC 50/60HZ		
• Power consumption: 20W		
Operation Temperature: 0~45°C		

	I	I
AUDIO AND DISCUSSION SYSTEM		
12 Channel Mixer (Branded, High		_
Quality) – 1 unit		
• Multi-point signal channel status		
monitoring with proportional		
illumination		
• Precision mic pre- amps		
• True, professional +48V phantom		
power for condenser microphones		
• Choice of frame sizes, each with 2		
stereo inputs		
• Aux sends globally switchable pre or		
post fade		
• Universal internal power supply		
 Simple rack mounting options		
Powered Speaker 2000 Watts		
(Branded, High Quality) – 2 units		
• 12" LF woofer		
• 1.25" HF titanium compression		
driver		
• 2000 W Class D power amplifier		
with integrated FIR-Drive DSP		
• 135 dB peak SPL		
• w/ wall mount bracket		
Confessor Mis O mag With		
Conference Mic, 8 pcs. With accessories & 1 Chairman Mic		
		<u> </u>
• 18 inch (45.7 cm), Attached Preamp, Mute Switch		
Mule Switch		
XX/* 1 XX* */1		
Wireless Mic with accessories (4		
pieces)		_
Cardioid Mic/Transmitters		
• Single-Channel Tabletop Receiver		
• 123 Auto-Scan Frequencies		
• Internal Antenna Diversity		
• 14-Hour AA Batteries		
• Expandable to 12 Mic Channels/300'		
Range		-
CAMERA - 1 unit		-
		_
Ultra HD imaging system supports:		
4K, 1440p, 1080p, 900p, 720p, and		

most	
SD resolutions at 30fps	
-1080p,720p at 30fps and 60fps	
Smooth motorized pan, tilt and zoom	
Pan: ±90°	
Tilt: +50°/-90°	
15x HD zoom	
90° field of view	
Automatically ensure that people and	
objects are clearly focus where the	
camera is pointed	
3 Camera presets	
_	
Security Slot that accommodates anti-	
theft lock to help secure the camera	
Video Mute / Unmute LED indicator	
Multiple installation options	
Remote control that operates the	
camera from anywhere in the room	
without pointing it directly to the	
camera.	
Automatically moves and adjusts the	
,	
lens to comfortably frame meeting	
participants in rooms of all shapes and	
sizes. Hands-free convenience or take	
manual control: participants are	
always in view and optimally pictured	
on-screen.	
Whether in low light or bright	
sunshine/backlit conditions with Wide	
Dynamic Range (WDR) optimizes	
light balance and prioritizes faces over	
object and surfaces to render natural-	
1 3	
looking skin tones	
Compatible with Windows 7,	
Windows 8.1 or Windows 10, Mac OS	
X 10.10 or higher	
Chrome OS	
Connectivity: USB 3.0 Type-C cable,	
MIPI Connector, Expansion Slot	
PROJECTOR – 1 unit	
• Lamp life	
High-efficiency E-TORL lamp lasts up	
to 5,000 hours in normal mode and up	
to 10,000 hours in ECO Mode.	
HDMI Connectivity	
Includes all-digital, HDMI audio and	
video connection, for HD quality with	
just one cable.	
Just one cavie.	

Wireless Ready	
Includes a high-speed LAN module	
for wireless connectivity.	
Multi-PC Projection and Moderator	
Function	
Connect up to 50 devices over a	
network, and select up to 4 displays to	
project simultaneously – great for	
comparing students' work.	
Projection Technology:	
RGB liquid crystal shutter projection	
system (3LCD)	
• Brightness:	
White Light Output (Normal/Eco):	
3,400lm / 1,900lm	
Colour Light Output: 3,400lm	
• Connectivity	
,	
Analog Input: D-Sub 15 pin; 2 (Blue)	
Composite; RCA x 1 (Yellow) S-	
Video; 1	
• Contrast Ration: 16,000:1	
• Power Supply Voltage: 100 - 240 V	
$AC \pm 10\%$, 50/60 Hz	
• Internal Speaker: 16W Monaural	
• Start-Up Period: Less than 7 seconds,	
Warm-up period: 30 seconds	
• Cool Down Period: Instant Off	
• Weight: 3.7kg	
• Operating Temperature: 5 - 35 °C	
<41 - 95 °F>	
×41 - 93 T>	-
BIOMETRIC RFID – 1 unit	
Display: 24-inch TFT LCD Color	1
Screen	
Fingerprint Capacity: 3000	
Card Capacity: 5000 (Optional) ID or	
IC Card	
Transaction Capacity: 30,000	
Sensor: BioID Sensor/SilkID Sensor	
(optional)	
Algorithm Version: Finger VX10.0	
Communication: RS232/485, TCP/IP,	
USB-host, Wi-Fi	
Access Control Interface: 3rd Party	
Electric Lock, Door Sensor, Exit	
Button, Alarm	
Wiegand Signal: Input, Output	
Aux Input: 1ea for linkage function	
1	
Functions: DST, Automatic Status	

Switch, Record query, T9 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software	
A DESCRIPTION AS DECOMPOSITION OF THE PROPERTY	
ADDITIONAL REQUIREMENTS	
The audio discussion system and camera should be able to integrate with the video wall controller.	
• The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo	
GENERAL SERVICES	
•Includes mobilization/demobilization, O&M manual, engineering supervision, testing and commissioning.	
• Installation, cabling, cable pulling, connectors, labor and materials	
• Includes pipes, hangers/support, junction boxes, screws, nuts, bolts, end-connectors and other hardware materials. Includes labor, such as masonry and drilling works.	
• Includes installation of electrical requirements such as panel boards, circuit breakers and feeder line. Should have a manual on/off for the video wall systems.	
• LED wall system should be installed on wall mount frames.	

-		
	•Includes 42 RU server rack, 5kva AVR.	
	• Conduct a hands-on training for 2 to 3 days upon completion of the project to selected IT personnel of DSWD.	
	• The manufacturer certifies manuals, brochure of the product and specifications.	
	IMPLEMENTASTION PERIOD	
	• Delivery and installation period: 45 calendar days	
	QUALIFICATION OF THE SERVICE PROVIDER	
	• The Service Provider should have done at least three (5) successful projects for LED Wall and Audio Systems with certifications and proof of very satisfactory from the clients.	
	• The service provider must be in the business of providing audio-video solutions for more than 10 years.	
	• The service provider must provide a certification of the LED manufacturer as one of the Top Listed Company in the country of its origin which entitles the manufacturer to be a stable company that can support products spare parts for more than 5 years.	
	• Manufacturer must have a 5 Star Service Certificate for After – Sales Service for the Commodity from their country of origin.	
	• The proposed brand for the LED Wall, Video Controller, and Audio Systems should have at least 5 deployments each (quantity should be equal or more) in the Philippines with proof of very satisfactory from the	

clients.			
• Provide at least five (5) Technical Support Engineers with a certification from the manufacturer that they are capable and certified engineers to do and install the equipment.			
• Must have a branch or office in major cities in Mindanao for aftersales support.			
WARRANTY			
• Two (2) years on parts, accessories and services upon signing of certificate of completion and acceptance.			
• Includes quarterly preventive maintenance of the units supported by a signed technical report.			
F + C (45) C 1 1 1			
Forty-five (45) Calendar days			
DSWD FO XII			
	 Provide at least five (5) Technical Support Engineers with a certification from the manufacturer that they are capable and certified engineers to do and install the equipment. Must have a branch or office in major cities in Mindanao for aftersales support. WARRANTY Two (2) years on parts, accessories and services upon signing of certificate of completion and acceptance. Includes quarterly preventive maintenance of the units supported by 	 Provide at least five (5) Technical Support Engineers with a certification from the manufacturer that they are capable and certified engineers to do and install the equipment. Must have a branch or office in major cities in Mindanao for aftersales support. WARRANTY Two (2) years on parts, accessories and services upon signing of certificate of completion and acceptance. Includes quarterly preventive maintenance of the units supported by a signed technical report. Forty-five (45) Calendar days 	Provide at least five (5) Technical Support Engineers with a certification from the manufacturer that they are capable and certified engineers to do and install the equipment. Must have a branch or office in major cities in Mindanao for aftersales support. WARRANTY Two (2) years on parts, accessories and services upon signing of certificate of completion and acceptance. Includes quarterly preventive maintenance of the units supported by a signed technical report. Forty-five (45) Calendar days

I hereby certify to comply and deliver all the above requirements.

Name of the Company/Bidder	Signature Over Printed Name of the Representative	Date

^{*} The performance of the obligations under the Contract shall not go beyond the validity of the appropriation for the Project.

Section VII. Technical Specifications

Technical Specifications

Item	Specification	Statement of Compliance
1	ICT EQUIPMENT	[Bidders must state here either "Comply"
	VIDEO WALL SYSTEM	or "Not Comply" against each of the
	Module	individual parameters of each Specification
	Dimension at least 250mmx250mm	stating the corresponding performance
	Pixel Pitch: 2.5	parameter of the equipment offered.
	LED Lamp: SMD 2121	Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders
	Resolution: 100x100	Bid and cross-referenced to that evidence.
	Pixel Density: 160000	Evidence shall be in the form of
		manufacturer's un-amended sales
	Standard Panel	literature, unconditional statements of
	Dimensions(w x h x d) (mm): 500 X	specification and compliance issued by the
	1000 X 62.5	manufacturer, samples, independent test
	Physical Resolution (w x h) 200 X 400	data etc., as appropriate. A statement that is
	Average Power/sqm: 150 watts	not supported by evidence or is
	Module Quantity: 8	subsequently found to be contradicted by the evidence presented will render the Bid
	Physical Pixels (total) 80000	under evaluation liable for rejection. A
	Material: Die Cast Aluminum	statement either in the Bidder's statement
	Max Power/sqm(watts): 450	of compliance or the supporting evidence
		that is found to be false either during Bid
	Display Data	evaluation, post-qualification or the
	Panel Quantity(pcs): 3 X 4	execution of the Contract may be regarded
	Screen Area Dimension(m): 3 X 2	as fraudulent and render the Bidder or
	Screen Resolution(pixels): 1600 X 1000	supplier liable for prosecution subject to
		the applicable laws and issuances.]
	Total Net Weight (kgs): not more than 230	
	Total Average Power (watts): 1500	
	Total Max Power (watts): 4500	
	Parameters	
	Brightness: at least 700 cd/m²	
	Viewing Angle: Horizontal 160(80/80) deg.; Vertical 160 deg.	
	Grayscale: 8192 – 16384 or higher	
	Minimum Viewing Distance: 2.5 meters	
	Contrast Ratio: 5000:1	
	Driving Type: 1/50	
	Color Temperature: at least 6500K	
	Refresh frequency: at least 3840 Hertz	
	Input power frequency: 50 or 60 Hertz	
	Input Voltage: 110 ~ 240 V	
	LED lifetime: at least 100000 hours	

Lifetime at 50% brightness: 100000 hours	
Ingress Protection: Front IP40, Rear IP21	
Operating temperature: 10 % ~ 40 % Operating humidity: 10 % ~ 90 %	
Control distance: CAT6 cable: < 100 m; Single mode fiber: < 10 km	
Signal input format: AV, S-Video, VGA, DVI, YPbPr, HDMI, SDI	
Operating system: Windows (7/8/10)	
Item List	
LED Screen Display – 6 sqm. (LED Panel 12	
pcs)	
Sending Card – 1 piece	
Receiving Card – 12 pieces LED software – 1 set	
Video Processor – 1 set	
Customized input and output resolution	
-Lock input resolution for DVI	
Seamless splicing	
-Supports infinity DVI signal LOOP	
• Seamless switching	
-Up to 20 switching effect including Fade In/Fade out	
• Dual channel image crop	
• Test overlay	
Support USB disk play	
(MOV, MP4, MKV, 3GP, AVI)	
• Save and load mode	
• 7 inputs	
(2 AV, 2 VGA, 1 DVI, 1 HDMI, 1 DP) • Accurate brightness control	
• Image enhancement	
Upper computer software control	
-Connect computer and video processor through	
USB cable	
Console specification:	
 Power supply: 100-240V AC 50/60HZ Power consumption: 20W 	
Operation Temperature: 0~45°C	
Operation Temperature, 0 45 C	
AUDIO AND DISCUSSION SYSTEM	
12 Channel Mixer (Branded, High	
Quality) – 1 unit	
Multi-point signal channel status	
monitoring with proportional illumination	
Precision mic pre- amps	
• True, professional +48V phantom power for	

	condenser microphones	
	• Choice of frame sizes, each with 2 stereo	
	inputs	
	• Aux sends globally switchable pre or post	
	fade	
	• Universal internal power supply	
	Simple rack mounting options	
	Powered Speaker 2000 Watts (Branded,	
	High Quality) – 2 units	
	• 12'' LF woofer	
	• 1.25" HF titanium compression driver	
	• 2000 W Class D power amplifier with	
	integrated FIR-Drive DSP	
	• 135 dB peak SPL	
	• w/ wall mount bracket	
	- w/ wan mount bracket	
	Conference Mic, 8 pcs. With accessories &	
	1 Chairman Mic	
	• 18 inch (45.7 cm), Attached Preamp, Mute	
	Switch	
	2.1.333	
	Wireless Mic with accessories (4 pieces)	
	Cardioid Mic/Transmitters	
	 Single-Channel Tabletop Receiver 	
	• 123 Auto-Scan Frequencies	
	• Internal Antenna Diversity	
	• 14-Hour AA Batteries	
	• Expandable to 12 Mic Channels/300' Range	
	5	
	CAMERA – 1 unit	
	Ultra HD imaging system supports: 4K,	
	1440p, 1080p, 900p, 720p, and most	
	SD resolutions at 30fps	
	-1080p,720p at 30fps and 60fps	
	Smooth motorized pan, tilt and zoom	
	Pan: ±90°	
	Tilt: +50°/-90°	
	15x HD zoom	
	90° field of view	
	Automatically ensure that people and objects	
	are clearly focus where the camera is pointed	
	3 Camera presets	
	Security Slot that accommodates anti-theft	
	lock to help secure the camera	
	Video Mute / Unmute LED indicator	
	Multiple installation options	
1		
1	Remote control that operates the camera from	

directly to the camera.

Automatically moves and adjusts the lens to comfortably frame meeting participants in rooms of all shapes and sizes. Hands-free convenience or take manual control: participants are always in view and optimally pictured on-screen.

Whether in low light bright or sunshine/backlit conditions with Wide Dynamic Range (WDR) optimizes light balance and prioritizes faces over object and surfaces to render natural-looking skin tones Compatible with Windows 7, Windows 8.1 or Windows 10, Mac OS X 10.10 or higher Chrome OS

Connectivity: USB 3.0 Type-C cable, MIPI Connector, Expansion Slot

PROJECTOR - 1 unit

• Lamp life

High-efficiency E-TORL lamp lasts up to 5,000 hours in normal mode and up to 10,000 hours in ECO Mode.

• HDMI Connectivity

Includes all-digital, HDMI audio and video connection, for HD quality with just one cable.

• Wireless Ready

Includes a high-speed LAN module for wireless connectivity.

• Multi-PC Projection and Moderator Function

Connect up to 50 devices over a network, and select up to 4 displays to project simultaneously – great for comparing students' work.

• Projection Technology:

RGB liquid crystal shutter projection system (3LCD)

• Brightness:

White Light Output (Normal/Eco): 3,400lm / 1,900lm

Colour Light Output: 3,400lm

Connectivity

Analog Input: D-Sub 15 pin; 2 (Blue) Composite; RCA x 1 (Yellow) S-Video; 1

• Contrast Ration: 16,000:1

• Power Supply Voltage: 100 - 240 V AC $\pm 10\%$, 50/60 Hz

• Internal Speaker: 16W Monaural

• Start-Up Period: Less than 7 seconds, Warm-up period: 30 seconds • Cool Down Period: Instant Off • Weight: 3.7kg • Operating Temperature: 5 - 35 °C <41 - 95 °F> BIOMETRIC RFID – 1 units Display: 24-inch TFI LCD Color Screen Fingerprint Capacity: 3000 Card Capacity: 3000 Card Capacity: 5000 (Optional) ID or IC Card Transaction Capacity: 30,000 Sensor: BioID Sensor/SilkID Sensor (optional) Algorithm Version: Finger VX10.0 Communication: RS232/485, TCP/IP, USB-host, Wi-Fi Access Control Interface: 3rd Party Electric Lock, Door Sensor, Exit Button, Alarm Wiegand Signal: Input, Output Aux Input: lea for linkage function Functions: DST, Automatic Status Switch, Record query, 79 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco® , Google®, Hangouts Meet, Zoom, Blueleams, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M manual, engineering supervision, testing and		
Cool Down Period: Instant Off Weight: 3. 7kg Operating Temperature: 5 - 35 °C <41 - 95 °F> BIOMETRIC RFID − 1 units Display: 24-inch TFT LCD Color Screen Fingerprint Capacity: 3000 Card Capacity: 3000 Card Capacity: 30,000 Sensor: BioID Sensor/SilkID Sensor (optional) Algorithm Version: Finger VX10.0 Communication: RS232/485, TCP/IP, USB-host, Wi-Fi Access Control Interface: 3rd Party Electric Lock, Door Sensor, Exit Button, Alarm Wicgand Signal: Input, Output Aux Input: 1ea for linkage function Functions: DST, Automatic Status Switch, Record query, T9 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (1.xWxiI): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M		
Weight: 3.7kg	1 1 1	
Operating Temperature: 5 - 35 °C <41 - 95	Cool Down Period: Instant Off	
BIOMETRIC RFID – 1 units Display: 24-inch TFT LCD Color Screen Fingerprint Capacity: 3000 Card Capacity: 5000 (Optional) ID or IC Card Transaction Capacity: 30,000 Sensor: BioID Sensor/SilkID Sensor (optional) Algorithm Version: Finger VX10.0 Communication: R\$232/485, TCP/IP, USB-host, Wi-Fi Access Control Interface: 3rd Party Electric Lock, Door Sensor, Exit Button, Alarm Wiegand Signal: Input, Output Aux Input: lea for linkage function Functions: DST, Automatic Status Switch, Record query, T9 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC.3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (1xWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco® , Google®, Hangouts Mect, Zoom, Blucleans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M		
BIOMETRIC RFID − 1 units Display: 24-inch TFT LCD Color Screen Fingerprint Capacity: 3000 Card Capacity: 5000 (Optional) ID or IC Card Transaction Capacity: 30,000 Sensor: BioID Sensor/SilkID Sensor (optional) Algorithm Version: Finger VX10.0 Communication: R\$232/485, TCP/IP, USB-host, Wi-Fi Access Control Interface: 3rd Party Electric Lock, Door Sensor, Exit Button, Alarm Wiegand Signal: Input, Output Aux Input: 1ca for linkage function Functions: D\$T, Automatic Status Switch, Record query, 79 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxRI): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco® , Google®, Hangouts Meet, Zoom, Blucleans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M	• Operating Temperature: 5 - 35 °C <41 - 95	
Display: 24-inch TFT LCD Color Screen Fingerprint Capacity: 3000 Card Capacity: 5000 (Optional) ID or IC Card Transaction Capacity: 30,000 Sensor: BioID Sensor/SilkID Sensor (optional) Algorithm Version: Finger VX10.0 Communication: RS232/485, TCP/IP, USB-host, Wi-Fi Access Control Interface: 3rd Party Electric Lock, Door Sensor, Exit Button, Alarm Wicgand Signal: Input, Output Aux Input: 1ea for linkage function Functions: DST, Automatic Status Switch, Record query, T9 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-4.5°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Mect, Zoom, Blueleans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M	°F>	
Display: 24-inch TFT LCD Color Screen Fingerprint Capacity: 3000 Card Capacity: 5000 (Optional) ID or IC Card Transaction Capacity: 30,000 Sensor: BioID Sensor/SilkID Sensor (optional) Algorithm Version: Finger VX10.0 Communication: RS232/485, TCP/IP, USB-host, Wi-Fi Access Control Interface: 3rd Party Electric Lock, Door Sensor, Exit Button, Alarm Wicgand Signal: Input, Output Aux Input: 1ea for linkage function Functions: DST, Automatic Status Switch, Record query, T9 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-4.5°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Mect, Zoom, Blueleans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M		
Fingerprint Capacity: 3000 Card Capacity: 5000 (Optional) ID or IC Card Transaction Capacity: 30,000 Sensor: BioID Sensor/SilkID Sensor (optional) Algorithm Version: Finger VX10.0 Communication: RS232/485, TCP/IP, USB-host, Wi-Fi Access Control Interface: 3rd Party Electric Lock, Door Sensor, Exit Button, Alarm Wiegand Signal: Input, Output Aux Input: 1ea for linkage function Functions: DST, Automatic Status Switch, Record query, T9 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco® ogogle®, Hangouts Meet, Zoom, Blueleans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M	BIOMETRIC RFID – 1 units	
Card Capacity: 5000 (Optional) ID or IC Card Transaction Capacity: 30,000 Sensor: BioID Sensor/SilkID Sensor (optional) Algorithm Version: Finger VX10.0 Communication: RS232/485, TCP/IP, USB-host, Wi-Fi Access Control Interface: 3rd Party Electric Lock, Door Sensor, Exit Button, Alarm Wiegand Signal: Input, Output Aux Input: 1ca for linkage function Functions: DST, Automatic Status Switch, Record query, 79 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco® , Google®, Hangouts Mect, Zoom, Blueleans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M	1 * "	
Card Transaction Capacity: 30,000 Sensor: BioID Sensor/SilkID Sensor (optional) Algorithm Version: Finger VX10.0 Communication: RS232/485, TCP/IP, USB-host, Wi-Fi Access Control Interface: 3rd Party Electric Lock, Door Sensor, Exit Button, Alarm Wiegand Signal: Input, Output Aux Input: lea for linkage function Functions: DST, Automatic Status Switch, Record query, T9 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco® , Google®, Hangouts Meet, Zoom, BlucJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M	Fingerprint Capacity: 3000	
Transaction Capacity: 30,000 Sensor: BioID Sensor/SilkID Sensor (optional) Algorithm Version: Finger VX10.0 Communication: RS232/485, TCP/IP, USB-host, Wi-Fi Access Control Interface: 3rd Party Electric Lock, Door Sensor, Exit Button, Alarm Wiegand Signal: Input, Output Aux Input: lea for linkage function Functions: DST, Automatic Status Switch, Record query, T9 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: o°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco® , Google®, Hangouts Meet, Zoom, Blucleans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M	Card Capacity: 5000 (Optional) ID or IC	
Sensor: BioID Sensor/SilkID Sensor (optional) Algorithm Version: Finger VX10.0 Communication: RS232/485, TCP/IP, USB-host, Wi-Fi Access Control Interface: 3rd Party Electric Lock, Door Sensor, Exit Button, Alarm Wiegand Signal: Input, Output Aux Input: lea for linkage function Functions: DST, Automatic Status Switch, Record query, T9 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M	Card	
(optional) Algorithm Version: Finger VX10.0 Communication: RS232/485, TCP/IP, USB-host, Wi-Fi Access Control Interface: 3rd Party Electric Lock, Door Sensor, Exit Button, Alarm Wiegand Signal: Input, Output Aux Input: lea for linkage function Functions: DST, Automatic Status Switch, Record query, T9 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Mect, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M	Transaction Capacity: 30,000	
Algorithm Version: Finger VX10.0 Communication: RS232/485, TCP/IP, USB-host, Wi-Fi Access Control Interface: 3rd Party Electric Lock, Door Sensor, Exit Button, Alarm Wiegand Signal: Input, Output Aux Input: lea for linkage function Functions: DST, Automatic Status Switch, Record query, T9 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco® , Google®, Hangouts Mect, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M	Sensor: BioID Sensor/SilkID Sensor	
Algorithm Version: Finger VX10.0 Communication: RS232/485, TCP/IP, USB-host, Wi-Fi Access Control Interface: 3rd Party Electric Lock, Door Sensor, Exit Button, Alarm Wiegand Signal: Input, Output Aux Input: lea for linkage function Functions: DST, Automatic Status Switch, Record query, T9 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco® , Google®, Hangouts Mect, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M	(optional)	
Communication: RS232/485, TCP/IP, USB-host, Wi-Fi Access Control Interface: 3rd Party Electric Lock, Door Sensor, Exit Button, Alarm Wiegand Signal: Input, Output Aux Input: lea for linkage function Functions: DST, Automatic Status Switch, Record query, T9 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco® , Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M		
host, Wi-Fi Access Control Interface: 3rd Party Electric Lock, Door Sensor, Exit Button, Alarm Wiegand Signal: Input, Output Aux Input: 1ea for linkage function Functions: DST, Automatic Status Switch, Record query, T9 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skypc® for Business and ready for Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M		
Access Control Interface: 3rd Party Electric Lock, Door Sensor, Exit Button, Alarm Wiegand Signal: Input, Output Aux Input: lea for linkage function Functions: DST, Automatic Status Switch, Record query, T9 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M		
Lock, Door Sensor, Exit Button, Alarm Wiegand Signal: Input, Output Aux Input: lea for linkage function Functions: DST, Automatic Status Switch, Record query, T9 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC, 3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco® , Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M		
Wiegand Signal: Input, Output Aux Input: 1ea for linkage function Functions: DST, Automatic Status Switch, Record query, T9 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco® , Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M	1	
Aux Input: lea for linkage function Functions: DST, Automatic Status Switch, Record query, T9 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M		
Functions: DST, Automatic Status Switch, Record query, T9 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco® , Google®, Hangouts Meet, Zoom, Blueleans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M		
Record query, T9 input, 14 digit user ID, Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco® , Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M	_	
Anti-passback, Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M		
Scheduled-Bell, Printer (Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M		
(Optional), ADMS (Optional) Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco® , Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M	<u> </u>	
Power Supply: 12V DC,3A Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco® , Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M		
Operating Temperature: 0°C-45°C Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software **ADDITIONAL REQUIREMENTS** • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco® , Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo **GENERAL SERVICES** •Includes mobilization/demobilization, O&M**		
Operating Humidity: 20% - 80% Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco® , Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M		
Dimension (LxWxH): 158.5 x 78.0 x 19.4mm SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M	-	
SDK and Software: PUSH AC SDK, BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M		
BioAccess Software ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M		
ADDITIONAL REQUIREMENTS • The audio discussion system and camera should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M	_	
 The audio discussion system and camera should be able to integrate with the video wall controller. The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES Includes mobilization/demobilization, O&M 	BioAccess Software	
 The audio discussion system and camera should be able to integrate with the video wall controller. The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES Includes mobilization/demobilization, O&M 	ADDITIONAL DECLUDEMENTS	
should be able to integrate with the video wall controller. • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M		
 • The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M 		
The discussion system, video wall controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES Includes mobilization/demobilization, O&M	_	
controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M	wan controller.	
controller, and camera should be compatible with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M	• The discussion system video well	
with Skype® for Business and ready for Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M		
Teams, Cisco®, Google®, Hangouts Meet, Zoom, BlueJeans, Broadsoft, GoToMeeting™, Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M	1 * * * * * * * * * * * * * * * * * * *	
Zoom, BlueJeans, Broadsoft, GoToMeeting TM , Vidyo GENERAL SERVICES •Includes mobilization/demobilization, O&M	1	
General Services •Includes mobilization/demobilization, O&M		
GENERAL SERVICES •Includes mobilization/demobilization, O&M		
•Includes mobilization/demobilization, O&M	Go1oMeeting ^{1M} , Vidyo	
•Includes mobilization/demobilization, O&M	CEMEDAL CEDALCES	
manual, engineering supervision, testing and		
	manual, engineering supervision, testing and	

commissioning. Installation, cabling, cable pulling, connectors, labor and materials • Includes pipes, hangers/support, junction boxes, screws, nuts, bolts, end-connectors and other hardware materials. Includes labor, such as masonry and drilling works. Includes installation of electrical requirements such as panel boards, circuit breakers and feeder line. Should have a manual on/off for the video wall systems. • LED wall system should be installed on wall mount frames. •Includes 42 RU server rack, 5kva AVR. • Conduct a hands-on training for 2 to 3 days upon completion of the project to selected IT personnel of DSWD. The manufacturer certifies manuals, brochure of the product and specifications. **IMPLEMENTATION PERIOD** • Delivery and installation period: 45 calendar days **OUALIFICATION OF THE SERVICE PROVIDER** • The Service Provider should have done at least three (5) successful projects for LED Wall and Audio Systems with certifications and proof of very satisfactory from the clients. • The service provider must be in the business of providing audio-video solutions for more than 10 years. • The service provider must provide a certification of the LED manufacturer as one of the Top Listed Company in the country of its origin which entitles the manufacturer to be a stable company that can support products spare parts for more than 5 years.

	• Manufacturer must have a 5 Star Service Certificate for After – Sales Service for the Commodity from their country of origin.	
	• The proposed brand for the LED Wall, Video Controller, and Audio Systems should have at least 5 deployments each (quantity should be equal or more) in the Philippines with proof of very satisfactory from the clients.	
	• Provide at least five (5) Technical Support Engineers with a certification from the manufacturer that they are capable and certified engineers to do and install the equipment.	
	Must have a branch or office in major cities in Mindanao for aftersales support.	
	WARRANTY	
	• Two (2) years on parts, accessories and services upon signing of certificate of completion and acceptance.	
	• Includes quarterly preventive maintenance of the units supported by a signed technical report.	
Delivery Term:	Forty-five (45) Calendar days	
Place of Delivery	DSWD FO XII	

I hereby certify to comply and deliver all the above requirements.

Name of the Company/Bidder Signature Over Printed Name of the Representative Date

Section VIII. Checklist of Technical and Financial Documents

Checklist of Technical and Financial Documents


I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

<u>Leg</u>	al Do	<u>cuments</u>
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
	(b)	Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document, And
	(c)	Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas; And
	(d)	Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
<u>Tec</u>	hnica	<u>l Documents</u>
	(f)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and
	(g)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
	(h)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or Original copy of Notarized Bid Securing Declaration; and
	(i)	Conformity with the Technical Specifications,
	(j)	production/delivery schedule,
	(k)	manpower requirements, and
	(1)	after-sales/parts requirement; and
	(m)	

corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents
(n) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and
(o) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
Class "B" Documents
(p) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
Other documentary requirements under RA No. 9184 (as applicable)
[(q) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
(r) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.
Other documentary requirements of the Procuring Entity
☐ (p) Photos of the offered brand or product
EINANCIAL COMPONENT ENVELOPE
FINANCIAL COMPONENT ENVELOPE (a) Original of duly signed and accomplished Financial Bid Form; and
(b) Original of duly signed and accomplished Price Schedule(s).



Omnibus Sworn Statement

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF) S.S.

AFFIDAVIT

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1. Select one, delete the other:

If a sole proprietorship: I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

If a partnership, corporation, cooperative, or joint venture: I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. Select one, delete the other:

If a sole proprietorship: As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. Select one, delete the rest:

If a sole proprietorship: The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the enduser unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a partnership or cooperative: None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a corporation or joint venture: None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. [Name of Bidder] complies with existing labor laws and standards; and

	Serial No. of Commission
	Notary Public for until
	Roll of Attorneys No.
[place issued]	PTR No [date issued],
[place issued]	IBP No [date issued],
[place issued]	
Doc. No	
Page No	
Book No Series of	

^{*} This form will not apply for WB funded projects.

List of all Ongoing Government & Private Contracts including contracts awarded but not yet started

Business Name:Business Address:								
Name of Contract/Project Cost	a. Owner's Name b. Address	Nature of Work	Bidder's Ro	le	a. Date Awarded b. Date Started	% Accompl		Value of Outstanding
	c. Telephone Nos.	3.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	Description	%	c. Date of Completion	Planned	Actual	Works/Undelivered Portion
Government								
<u> </u>								
<u>Private</u>								

Total Cost

Note: This statement shall be supported with:

- 1. Notice of Award and/ or Contract
- Notice to Proceed issued by the owner
 Certificate of Accomplishments signed by the owner or authorized representative

Submitted by:		
·	Printed Name & Signature	
Designation:		
Date:		

Statement of all Government & Private Contracts completed which are similar in nature

Business Name:						
Business Address:						
	a. Owner's Name		Bidder's	Role	a. Amount at Award	a. Date Awarded
Name of Contract	b. Addressc. Telephone Nos.	Nature of Work	Description	%	b. Amount at Completion c. Duration	b. Contract Effectivity c. Date Completed
Government						
<u>Private</u>						

Note: This statement shall be supported with:

- 1. Contract
- Certificate of Completion
 Certificate of Acceptance

Submitted by:	
	Printed Name & Signature
Designation: _	
Date :_	

For Goods Offered From Within the Philippines

Name of Bidder	Invitation to Bid ¹	Number .	Page	of .
	 		0	

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and Insurance and all other costs incidental to delivery, per	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
					item				

[signature]	[in the capacity of]	
Duly authorized to sign Bid for and on	behalf of	

¹ If ADB, JICA and WB funded projects, use IFB.

Bid Form

Date: _____ No.____

To:	DSWD Fie Purok Bum Koronadal (anaag, Zon					
Ger	ntlemen and	or Ladies:					
	Having	examined	the Bidding	•	including Bid		
ack	nowledged,	we,	the un	dersigned,	ipt of which offer to		oy duly and
in	conformit	y with	the said	Bidding	Documents	for the	sum
in a		with the So			ther sums as i	•	
the				-	iver the goods lequirements.	in accordar	ice with
fori		-		-	vide a perform e Bidding Docu		y in the
	_	Sheet and	l it shall ren	nain binding	ity Period spec upon us and 1		
					o be paid by u awarded the		
		id address		and	Purpose Commiss Gratuity	sion or	
	none				none		
	tten accepta	nce thereo	f and you're	ared and exe Notice of Av	cuted, this Bid, vard, shall be b accept the low	inding upor	ı us.
Ins		•		mply with the Bidding Doc	he eligibility re	equirements	s as per
Dat	ed this	_ day of		, 2021			
	Signatu	re		_	in the capacity	v of	
Dul	y authorized	l to sign Bi	d for and on	behalf of			

Project Reference Number:	
Name of the Project:	
Location of the Project:	

AUTHORITY OF SIGNATORY

SECRETARY'S CERTIFICATE

I,	_, a duly elected and qualified Corporate a corporation duly organized and existing, DO HEREBY
I am familiar with the facts herein certified	and duly authorized to certify the same;
At the regular meeting of the Board of Dirac and held on at which meeting a the following resolutions were approved, and the amended in any way whatever and are in full force	same have not been annulled, revoked and
participate in the bidding of	be, as it hereby is, authorized to Project ID-No; and that if
awarded the project shall enter into a contract and in connection therewith hereby appoint as duly authorized and designated representatives power and authority to do, execute and perforepresent in t	with the;
RESOLVED FURTHER THAT, the President to:	hereby authorizes its
	whereby the hereby of he Philippine government and hereby isdiction of the Philippine courts;
obtain writ of injunctions or prohib any other agency in connection w	shall not seek and pition or restraining order against the AFP or with this project to prevent and restrain the po, the negotiating of and award of a contract trying out of the awarded contract.
	lersigned as such officer of the said
	(Corporate Secretary)
ACKNOWLED	DGMENT
SUBSCRIBED AND SWORN to before me affiant exhibited to me his/her Community Tax at	
	Notary Public Until 31 December 20 PTR No Issued at: Issued on: TIN No
Doc. No Page No Book No Series of	

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

<u>Legal Do</u>	
\Box (a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
☐ (b)	Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document, And
(c)	Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas; And
☐ (d)	Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
Technica	al Documents
☐ (f)	Statement of the prospective bidder of all its ongoing government and private contracts , including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and
☐ (g)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
☐ (h)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
☐ (i) (j)	or Original copy of Notarized Bid Securing Declaration; and Conformity with the Technical Specifications, production/delivery schedule, manpower requirements, and
(k) (l)	after-sales/parts requirement; and
(m)	Original duly signed Omnibus Sworn Statement (OSS);
	and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of
	Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Ridder

 □ (n) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and □ (o) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation. (10% of the ABC) Class "B" Documents □ (p) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. Other documentary requirements under RA No. 9184 (as applicable) □ (q) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product. □ (r) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity. Other documentary requirements of the Procuring Entity □ (p) Photos of the offered brand or product FINANCIAL COMPONENT ENVELOPE □ (a) Original of duly signed and accomplished Financial Bid Form; and □ (b) Original of Ouly signed and accomplished Price Schedule(s). 			
calendar year which should not be earlier than two (2) years from the date of bid submission; and □ (o) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); Or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation. (10% of the ABC) Class "B" Documents □ (p) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; Or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. Other documentary requirements under RA No. 9184 (as applicable) □ (q) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product. □ (r) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity. Other documentary requirements of the Procuring Entity □ (p) Photos of the offered brand or product FINANCIAL COMPONENT ENVELOPE □ (a) Original of duly signed and accomplished Financial Bid Form; and		(n)	Supplier's total and current assets and liabilities, stamped "received" by the
□ (o) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); OT			
Capacity (NFCC); or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation. (10% of the ABC) Class "B" Documents (p) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. Other documentary requirements under RA No. 9184 (as applicable) (q) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product. (r) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity. Other documentary requirements of the Procuring Entity (p) Photos of the offered brand or product FINANCIAL COMPONENT ENVELOPE (a) Original of duly signed and accomplished Financial Bid Form; and			bid submission; and
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation. (10% of the ABC) Class "B" Documents If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. Other documentary requirements under RA No. 9184 (as applicable) (q) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product. (r) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity. Other documentary requirements of the Procuring Entity (p) Photos of the offered brand or product FINANCIAL COMPONENT ENVELOPE (a) Original of duly signed and accomplished Financial Bid Form; and		(0)	Capacity (NFCC);
Class "B" Documents Class "B" Documents If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; Or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. Other documentary requirements under RA No. 9184 (as applicable) (q) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product. (r) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity. Other documentary requirements of the Procuring Entity (p) Photos of the offered brand or product FINANCIAL COMPONENT ENVELOPE (a) Original of duly signed and accomplished Financial Bid Form; and			
 □ (p) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. Other documentary requirements under RA No. 9184 (as applicable) □ (q) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product. □ (r) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity. Other documentary requirements of the Procuring Entity □ (p) Photos of the offered brand or product FINANCIAL COMPONENT ENVELOPE □ (a) Original of duly signed and accomplished Financial Bid Form; and 			
 □ (p) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. Other documentary requirements under RA No. 9184 (as applicable) □ (q) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product. □ (r) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity. Other documentary requirements of the Procuring Entity □ (p) Photos of the offered brand or product FINANCIAL COMPONENT ENVELOPE □ (a) Original of duly signed and accomplished Financial Bid Form; and 			Class "B" Documents
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. Other documentary requirements under RA No. 9184 (as applicable)		(p)	
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. **Other documentary requirements under RA No. 9184 (as applicable)** [(q) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product. [(r) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity. **Other documentary requirements of the Procuring Entity** [(p) Photos of the offered brand or product* **FINANCIAL COMPONENT ENVELOPE** [(a) Original of duly signed and accomplished Financial Bid Form; and the instance of the provisions of the			venture is already in existence;
that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. **Other documentary requirements under RA No. 9184 (as applicable)** [(q) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product. [(r) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity. **Other documentary requirements of the Procuring Entity** [(p) Photos of the offered brand or product ** FINANCIAL COMPONENT ENVELOPE** [(a) Original of duly signed and accomplished Financial Bid Form; and			
Other documentary requirements under RA No. 9184 (as applicable) ☐ (q) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product. ☐ (r) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity. Other documentary requirements of the Procuring Entity ☐ (p) Photos of the offered brand or product FINANCIAL COMPONENT ENVELOPE ☐ (a) Original of duly signed and accomplished Financial Bid Form; and			
 □ (q) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product. □ (r) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity. Other documentary requirements of the Procuring Entity □ (p) Photos of the offered brand or product FINANCIAL COMPONENT ENVELOPE □ (a) Original of duly signed and accomplished Financial Bid Form; and 			, <u>, , , , , , , , , , , , , , , , , , </u>
 □ (q) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product. □ (r) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity. Other documentary requirements of the Procuring Entity □ (p) Photos of the offered brand or product FINANCIAL COMPONENT ENVELOPE □ (a) Original of duly signed and accomplished Financial Bid Form; and 	Oth	er doo	cumentary requirements under RA No. 9184 (as applicable)
office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product. ☐ (r) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity. ☐ (p) Photos of the offered brand or product ☐ (p) Photos of the offered brand or product ☐ (a) Original of duly signed and accomplished Financial Bid Form; and			
government procurement activities for the same item or product. (r) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity. Other documentary requirements of the Procuring Entity (p) Photos of the offered brand or product FINANCIAL COMPONENT ENVELOPE (a) Original of duly signed and accomplished Financial Bid Form; and			
 □ (r) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity. Other documentary requirements of the Procuring Entity □ (p) Photos of the offered brand or product FINANCIAL COMPONENT ENVELOPE □ (a) Original of duly signed and accomplished Financial Bid Form; and 			
Bidder or Domestic Entity. **Other documentary requirements of the Procuring Entity** [(p) Photos of the offered brand or product **FINANCIAL COMPONENT ENVELOPE* [(a) Original of duly signed and accomplished Financial Bid Form; and		(r)	
 □ (p) Photos of the offered brand or product FINANCIAL COMPONENT ENVELOPE □ (a) Original of duly signed and accomplished Financial Bid Form; and 	ш	(1)	•
 □ (p) Photos of the offered brand or product FINANCIAL COMPONENT ENVELOPE □ (a) Original of duly signed and accomplished Financial Bid Form; and 	Oth	er do	cumentary reauirements of the Procuring Entity
FINANCIAL COMPONENT ENVELOPE (a) Original of duly signed and accomplished Financial Bid Form; and			
☐ (a) Original of duly signed and accomplished Financial Bid Form; and		(p) Pł	notos of the offered brand or product
☐ (a) Original of duly signed and accomplished Financial Bid Form; and	DIE	T A BT C	HAL COMPONENT ENIZELODE
	FIN		
		(a) (b)	Original of duly signed and accomplished Price Schedule(s).

Financial Documents

25