

DEPARTMENT OF SOCIAL WELFARE AND DEVELOPMENT FIELD OFFICE XII Purok Bumanaag, Brgy. Zone III, Koroandal City, 9506

# PHILIPPINE BIDDING DOCUMENTS FOR THE Procurement of Semi-Expendable ICT Equipment for the use of ICTMS, for distribution and upgrading of ICT Equipment

Project Identification No. DSWD12-ICTMS-2024-06-014

Government of the Republic of the Philippines

Sixth Edition July 2020

### Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "*name of the Procuring Entity*" and "*address for bid submission*," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

### **Table of Contents**

Glossa	ary of Acronyms, Terms, and Abbreviations	4
Sectio	n I. Invitation to Bid	7
Sectio	n II. Instructions to Bidders	11
1.	Scope of Bid	12
2.	Funding Information	
3.	Bidding Requirements	
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	
5.	Eligible Bidders	
6.	Origin of Goods	13
7.	Subcontracts	
8.	Pre-Bid Conference	
9.	Clarification and Amendment of Bidding Documents	14
10.	Documents comprising the Bid: Eligibility and Technical Components	14
11.	Documents comprising the Bid: Financial Component	14
12.	Bid Prices	14
13.	Bid and Payment Currencies	
14.	Bid Security	
15.	Sealing and Marking of Bids	
16.	Deadline for Submission of Bids	
17.	Opening and Preliminary Examination of Bids	
18.	Domestic Preference	
19.	Detailed Evaluation and Comparison of Bids	
20.	Post-Qualification	
21.	Signing of the Contract	
Sectio	n III. Bid Data Sheet	18
Sectio	n IV. General Conditions of Contract	22
1.	Scope of Contract	23
2.	Advance Payment and Terms of Payment	23
3.	Performance Security	23
4.	Inspection and Tests	
5.	Warranty	
6.	Liability of the Supplier	
Sectio	n V. Special Conditions of Contract	25
Sectio	n VI. Schedule of Requirements	28
	n VII. Technical Specifications	
	n VIII. Checklist of Technical and Financial Documents	

## Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA -** Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

NFCC – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS -** Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

### Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



#### **INVITATION TO BID FOR THE**

#### DSWD12-ICTMS-2024-06-014 PROCUREMENT OF SEMI-EXPENDABLE ICT EQUIPMENT FOR THE USE OF ICTMS, FOR DISTRIBUTION AND UPGRADING OF ICT EQUIPMENT

- The Department of Social Welfare and Development Field Office XII, through the GENERAL APPROPRIATIONS ACT FY 2024 intends to apply the sum of One Million Nine Hundred Ninety-seven Thousand and One Hundred Eighteen Pesos Only (₱1,997,118.00) being the ABC to payments under the contract for DSWD12-ICTMS-2024-06-014 Procurement of Semi-Expendable ICT Equipment for the use of ICTMS, for distribution and upgrading of ICT Equipment. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The Department of Social Welfare and Development Field Office XII now invites bids for the above Procurement Project. Delivery of the Goods is required by One Time Delivery and Within Thirty (30) Days upon the Receipt of the Purchase Order. Bidders should have completed, within Two (2) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a nondiscretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
  - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from **Department of Social** Welfare and Development Field Office XII – Bids and Awards Committee Secretariat Office and inspect the Bidding Documents at the address given below during office hours (8:00a.m. to 5:00 p.m.).
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on *June* 29, 2024 to July 19, 2024, 05:00 p.m from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of:

Approved Budget for the Contract	Bid Docs Amount
₱1,997,118.00	Php 5,000.00

The Procuring Entity shall allow the bidder to present its proof of payment for the fees *in person, by facsimile, or through electronic means.* 

- 6. The **Department of Social Welfare and Development Field Office XII** will hold a Pre-Bid Conference<sup>1</sup> on *July 05, 2024, 10:00 a.m.* at *DSWD Field Office 12, Regional Center, Brgy. Carpenter Hill, Koronadal City*, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the office address indicated below on or before *July 22, 2024, 09:00 a.m.* Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening and evaluation shall be on *July 22, 2024, 10:00 a.m.* at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. Prospective bidders are hereby reminded, as follows:
  - a. Bidding documents for Eligibility and Financial Envelopes shall comprise the following:
    - i. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).

\*One (1) mother Envelope for Technical Component Documents, composed of three (3) sub envelopes for (ORIGINAL, COPY 1, and COPY 2).

ii. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).

\*One (1) mother Envelope for Financial Component Documents, composed of three (3) sub envelopes for (ORIGINAL, COPY 1, and COPY 2).

11. The **Department of Social Welfare and Development Field Office XII** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.

<sup>&</sup>lt;sup>1</sup> May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.

12. For further information, please refer to:

DSWD 12 – BAC Secretariat Head Administrative Division – Procurement Section DSWD Field Office 12, Regional Center, Brgy. Carpenter Hills, Koronadal City, 9506 procurement.fo12@dswd.gov.ph

13. You may visit the following websites:

For downloading of Bidding Documents: <u>https://fo12.dswd.gov.ph/bid-bulletin/</u> <u>https://www.philgeps.gov.ph</u>

June 28, 2024

JACKIYA A. LAO BAC Chairperson

## Section II. Instructions to Bidders

#### Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

#### 1. Scope of Bid

The Procuring Entity, **Department of Social Welfare and Development Field Office XII** wishes to receive Bids for the *Procurement of Semi-Expendable ICT Equipment for the use of ICTMS, for distribution and upgrading of ICT Equipment* with identification number *DSWD12-ICTMS-2024-06-014*.

The Procurement Project (referred to herein as "Project") is composed of one lot or item, the details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2024 Approved in the amount of One Million Nine Hundred Ninety-seven Thousand and One Hundred Eighteen Pesos Only (₱1,997,118.00)
- 2.2. The source of funding the **General Appropriations Act**.

#### **3.** Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
  - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
  - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - iii. When the Goods sought to be procured are not available from local suppliers; or
  - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
  - a. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

#### 7. Subcontracts

7.1. The Procuring Entity has prescribed that:

#### a. Subcontracting is not allowed.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on July 05, 2024, 10:00 a.m. and at its physical address DEPARTMENT OF SOCIAL WELFARE AND DEVELOPMENT FIELD OFFICE 12, Regional Center, Brgy. Carpenter Hill, Koronadal City as indicated in paragraph 6 of the IB.

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, on/or before July 12, 2024 or at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### **10.** Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *Two (2) Years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 12. Bid Prices

12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- a. For Goods offered from within the Procuring Entity's country:
  - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
  - ii. The cost of all customs duties and sales and other taxes already paid or payable;
  - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
  - iv. The price of other (incidental) services, if any, listed in the **BDS**.
- b. For Goods offered from abroad:
  - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
  - ii. The price of other (incidental) services, if any, as listed in the **BDS**.

#### **13. Bid and Payment Currencies**

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
  - a. Philippine Pesos.

#### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>2</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *November 22, 2024*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

 $<sup>^{2}</sup>$  In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

#### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### **16. Deadline for Submission of Bids**

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

#### 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### **18. Domestic Preference**

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

#### **19. Detailed Evaluation and Comparison of Bids**

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.

- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as One Project having several items, which shall be awarded as separate contracts per item.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the participated in by the prospective Bidder.

#### 20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.

#### 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

## Section III. Bid Data Sheet

### Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

ITB	
Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. Supply and delivery of consumables and expendable <b>ICT Equipment.</b>
	b. Completed within <b>at least two (2) years</b> prior to the deadline for the submission and receipt of bids.
7.1	Subcontracting is not allowed
12	The price of the Goods shall be quoted DDP or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	<ul> <li>a. The amount of not less than ₱39,942.36 or the amount equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> </ul>
	<ul> <li>b. The amount of not less than ₱99,855.90 or the amount equivalent to five percent (5%) of ABC if bid security is in Surety Bond.</li> </ul>
19.1	1. All forms must be submitted using the prescribed format provided by the Procuring Entity and completed without any alterations to their format, and no substitute form shall be accepted. All blank spaces shall be filled in with the information requested.
- 20.2	<ol> <li>Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the duly authorized representative/s of the Bidder, otherwise, bids shall be subject to an outright disqualification.</li> </ol>
20.2	Within a non-extendible period of five (5) calendar days from receipt by the supplier of the Notice of Post Qualification from the BAC that the supplier has the Lowest Calculated Bid (LCB) or Single Calculated Bid (SCB), the Supplier shall submit and/or present the following requirements for Post Qualification in accordance to Section 34 of the 2016 Revised Implementing Rules and Regulations (IRR) of RA9184:
	1. Present original copy of the following:
	<ul> <li>a. Latest Income Tax Return and Business Tax Return (<u>1<sup>st</sup> Quarter of</u></li> <li><u>2024</u>)</li> </ul>
	b. b. Latest Value Added Tax (VAT) Return ( <u>1<sup>st</sup> Quarter of 2024,</u> if applicable)

# **Bid Data Sheet**

	Only tax returns filed and taxes paid through the BIR Electronic Filing & Payment System (EFPS) shall be accepted.
	c. Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages)
	d.Valid Registration Certificate from Securities and Exchange Commission (SEC) for corporations, or from Department of Trade and Industry (DTI) for sole proprietorship, or from Cooperative Development Authority (CDA) for cooperatives;
	e.Valid Business/Mayor's permit issued by the city or municipality where the principal place of business of the bidder is located;
	f. Valid Tax Clearance per EO 398, Series of 2005, as finally reviewed and approved by the BIR;
	g. Bureau of Internal Revenue (BIR) Registration Certificate.
	h. Copy of Contracts or PO's, Notice of Award (NOA) and Notice to Proceed (NTP) for all On-going contracts
	i. End-User's Acceptance, Official Receipt (duplicate or triplicate copy) or Sales Invoice with Collection Receipt/s (duplicate or triplicate copy) relative to Single Largest Completed Contract
	j. Company profile and Organizational Chart. Company printed brochure may be included.
	k. Vicinity Map/Location of the business.
	<ol> <li>Other appropriate licenses and permits required by law and stated in the Bidding Documents.</li> </ol>
	Failure to submit any of the post-qualification requirements on time, or a finding against the veracity thereof, shall disqualify the bidder for award. Provided in the event that a finding against the veracity of any of the documents submitted is made, it shall cause the forfeiture of the bid security in accordance with Section 69 of the IRR of RA 9184.
	NOTE: FOR POST QUALIFICATION PURPOSES ONLY
20.3	Each Bidder shall submit the following in one (1) "mother" envelope duly sealed and labeled, containing two (2) sets of envelopes:
	First envelope containing three (3) sets of Eligibility and Technical documents duly sealed and marked as Original Copy, Copy One and Copy Two.
	Second envelope containing three (3) sets of Financial Bid documents duly sealed and marked as Original Copy, Copy One and Copy Two.
	-

20.4	All envelopes shall be labeled/marked as follows:
	TO : JACKIYA A. LAO
	CHAIRPERSON
	BIDS AND AWARDS COMMITTEE DSWD-FIELD OFFICE 12
	FROM : (Name of Bidder in Capital Letters)
	ADDRESS: (Address of Bidder in Capital Letters)
	PROJECT:
	Procurement of Semi-Expendable ICT Equipment for the use of ICTMS, for distribution and upgrading of ICT Equipment
	BID REF NO.: ITB NO.
	DSWD12-ICTMS-2024-06-014
	Approved Budget for the Contract :
	₱1,997,118.00
	DO NOT OPEN BEFORE: July 22, 2024; 10:00 A.M.
21.2	No further instructions

# Section IV. General Conditions of Contract

### **Notes on the General Conditions of Contract**

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

#### **1.** Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

#### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

#### **3.** Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

#### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### 5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

# Section V. Special Conditions of Contract

### **Notes on the Special Conditions of Contract**

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

### GCC Clause **Delivery and Documents –** For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: Delivery Term: One Time Delivery and Within Thirty (30) Days upon the Receipt of the Purchase Order Place of Delivery / Venue: DSWD Region XII – Koronadal City Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). Incidental Services – The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services. Spare Parts – Not applicable Packaging – Not Applicable The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit. Transportation – Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

### **Special Conditions of Contract**

	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. <b>Intellectual Property Rights</b> – The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the
2.2	Goods or any part thereof.         The terms of payment shall be as follows:
	Partial payment must correspond to the value of goods delivered and accepted after the appropriate inspection and acceptance procedures.
	Proof of deliveries (delivery receipts or acknowledgement receipts) must be signed by an authorized person to support claims for payment.
4	The inspections and tests that will be conducted by the Inspection (DSWD Inspection Committee), Designated Inspectorate at the Regional Level, Final Acceptance by the DSWD Acceptance Committee, and End-User

# Section VI. Schedule of Requirements

# DSWD12-ICTMS-2024-06-014 Procurement of Semi-Expendable ICT Equipment for the use of ICTMS, for distribution and upgrading of ICT Equipment

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
	Digital Voice Recorder	5 units		Delivery of the
	Product details & Specification			Goods is required One Time
	BATTERY TYPE (PROVIDED) Built-In Lithium Battery			Delivery and Within Thirty (30) Days Upon
	BUILT-IN MEMORY 4 GB			the Receipt of the Purchase
	BUILT-IN MICROPHONE Stereo (S-Mic)			Order
	CALENDAR SEARCH Yes			
	LCD BACKLIGHT Yes			
	MAXIMUM FILES PER FOLDER 199 MAXIMUM FILES (TOTAL) 5,000 files (including number of folder)			
	PC CONNECTIVITY Yes			
	PLAYBACK FORMAT LPCM/MP3/AAC/WMA			
	RECORDING FORMAT Linear PCM/MP3			
	USB CONNECTION CHARGING Yes Recording Features			
	SCENE SELECT Yes			
	SYNC RECORDING FUNCTION Yes			
	RECORDING MONITOR Yes			
	LOW-CUT FILTER Yes			
	FM RADIO RECORDING Yes			
	VOR Yes			
	Playback & Edit Features			
	A-B REPEAT Yes			
	DIGITAL PITCH CONTROL (SPEED CONTROL) Yes			
1	DIVIDE Yes			

	EASY SEARCH Yes			
	ERASE Yes			
	FILE COPY Yes			
	FOLDER NAME CHANGE (WITHOUT USING PC) Yes			
	GRAPHIC EQUALIZER Yes			
	MOVE FILE Yes			
	NOISE CUT Yes (Clear Voice)			
	TRACK MARK Yes			
	Presentation Clicker	10 units		
	Product details & Specification			
	*Dimensions*			
	Presentation remote			
	Height: 131.3 mm			
	Width: 28.1 mm			
	Depth: 12.1 mm			
	Weight: 49.2 g included Battery			
	*Receiver*			
	Height: 40.4 mm			
	Width: 17.2 mm			
	Depth: 6.8 mm			
	Weight: 3.3 g			
	Charging cable			
	Length: 140 mm			
	*Technical Specifications*			
	Motion sensor			
	3D accelerometer and Gyroscope			
2	Battery Life (rechargeable): 3 months May vary based on usage.			

	Pottony Dotailos Dechargeshie			-
	Battery Details: Rechargeable Lithium Polymer, 85 mAh			
	Connection Type: Bluetooth Low Energy and 2.4 GHz wireless			
	Wireless range: 30 m 2May vary based on environmental and computing conditions.			
	Indicator Lights			
	LED: Battery and Connectivity			
	Printer With Adf And Scanner	20 units		
	Product Features & Specification			
	Functions: Print, copy, scan, fax, ADF, wireless			
	Print speed black (ISO) Up to 11 ppm			
	Print speed black (draft, A4) Up to 22 ppm			
	Print speed black (ISO, A4) Up to 11 ppm			
	Print speed color (ISO) Up to 5 ppm			
	Print speed color (draft, A4) Up to 16 ppm			
	Print Speed Color (ISO) Up to 5 ppm			
	First page out black (A4, ready) As fast as 14 sec			
	First page out color (A4, ready) As fast as 21 sec			
	Duplex printing Manual (driver support provided)			
	Duty cycle (monthly, letter) Up to 1000 pages			
	Duty cycle (monthly, A4) Up to 1000 pages			
3	Print quality black (best) Up to 1200 x 1200 rendered dpi			

		,
	Media sizes, custom 76.2 x 127 mm to 215.9 x 355.6 mm	
	Borderless printing Yes (up to 8.5 x 11 in, 210 x 297 mm)	
	Media weight, recommended 75 g/m <sup>2</sup>	
	File Format Supported BMP; PDF; JPG; PNG; TIF	
	Scanner type Flatbed, ADF (optional)	
	Scan file format JPEG, TIFF, PDF, BMP, PNG	
	Enhanced scanning resolution Up to 1200 dpi	
	Scan resolution, optical Up to 1200 dpi	
	Scan size (ADF), maximum 216 x 356 mm	
	Scan size, maximum 216 x 297 mm	
	Scan speed (normal, A4)	
	Up to 3 ppm (200 ppi, colour); Up to 5 ppm (200 ppi, monochrome)	
	Automatic document feeder capacity Standard, Up to 35 sheets	
	Scan technology Contact Image Sensor (CIS)	
	Copy Speed Black (maximum, A4) Up to 22 cpm 3	
	Copy speed black (ISO) Up to 10 cpm 3	
	Copy speed color (ISO) Up to 2 cpm 3	
	Copy Speed Color (maximum, A4) Up to 14 cpm 3	
	Copy resolution (black text) Up to 600 dpi	
L	1	1

	Copy resolution (color text and			
	graphics) Up to 600 dpi			
	Copy resolution (black graphics) Up to 600 dpi			
	Copies, maximum Up to 99 copies			
	Copy reduce / enlarge settings fit to page			
	Copier settings Number of Copies, Resize, Quality, Lighter/Darker, Papersize, Papertype, ID Copy, Enhancement			
	Faxing Yes, color			
	Fax Transmission Speed 33.6 kbps			
	Fax Resolution Black (best) Up to 300 x 300 dpi			
	Fax Speed Dials, Maximum Number Up to 99 numbers			
	Minimum dimensions (W x D x H) 449 x 373 x 198 mm 5			
	Maximum dimensions (W x D x H) 449 x 605.65 x 258.7 mm 5			
	Number of print cartridges 4 (1 each black bottle, set of 3 color bottles)			
	Manufacturer Warranty One year standard			
	Document Scanner	2 units		
	Scanning:			
	Scanner Type:			
	A4 sheet-fed, one-pass duplex colour scanner			
	Sensor Type:			
	Contact Image Sensor (CIS) x 2			
	Scanning Method:			
4	Fixed carriage and moving document			

Light Source:
RGB LED
Optical Resolution:
600 x 600 dpi*1
Output Resolution:
50 - 1,200 dpi (in 1 dpi increments)
Scanner Bit Depth (Colour):
48-bit input, 24-bit output
Scanner Bit Depth (Grayscale):
16-bit input, 8-bit output
Scanner Bit Depth (Black & White):
16-bit input, 1-bit output
Min Document Size:
50.8 x 50.8 mm
Max Document Size:
215.9 x 3,048 mm
Supported Paper Weight:
50 - 209 g/m2, Less than A8 size: 127 - 209g/m2
Output File Formats:
Scan: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP, PNG
Document Capture Pro (Win): JPEG, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX
Scan Speed:
Resolution (Simplex / Duplex):
200dpi: 26 ppm / 52 ipm (Monochrome, Colour)

	300dpi: 26 ppm / 52 ipm (Monochrome, Colour)		
	600dpi: 21 ppm / 42 ipm (Monochrome), 7.0 ppm / 14 ipm (Colour)		
	ADF Specifications:		
	ADF Capacity:		
	50 sheets (80g/m2)		
	Daily Duty Cycle:		
	up to 3,000 sheets / day		
	Multi-feed Detection:		
	Length Detection		
	3 In One Printer	20 units	
	Product Features & Specification		
	Print technology : Thermal Inkjet		
	Duplex printing: Manual (driver support provided)		
	Print speed (black, draft, Letter): Up to 5 ppm		
	Print speed (color, draft, Letter): Up to 8 ppm		
	Print speed black (ISO): Up to 8 ppm		
	Print speed color (ISO): Up to 5 ppm		
	Print resolution (best): Up to 1200 x 1200 rendered dpi		
	Maximum print area (metric): 216 x 355 mm		
	Maximum print area (U.S. standard): 8.5 x 13.97 in		
	Monthly duty cycle: Up to 1000 pages		
5	Printer smart software features: Manual Duplex		

	Coop to share low a Constant Image		
	Scan technology: Contact Image Sensor (CIS)		
	Scan resolution: Up to 1200 x 1200 dpi		
	Maximum flatbed scan size (metric): 216 x 297 mm		
	Maximum flatbed scan size (U.S. standard): 8.5 x 11.69 in		
	Connectivity: Ports atleast 1 Hi- Speed USB 2.0		
	Color copy capability: Yes		
	Number of copies: atleast 9ppm		
	Copy resolution: atleast Up to 600 x 300 dpi		
	Paper handling		
	Input capacity : atleast Up to 60 sheets		
	Output capacity : atleast Up to 25 sheets		
	Media sizes supported (U.S. standard) : Letter; legal; 4 x 6 in; 5 x 7 in; 8 x 10 in; No. 10 envelopes.		
	(Note: Many other sizes are also suppoted. Any size between 3 x 5" and 8.5 x 14")		
	Media types : Plain Paper, Photo Papers, Matte Brochure or Professional Paper,		
	Matte Presentation Paper, Glossy Brochure or Professional Paper, Photo Inkjet Papers,		
	Matte Inkjet Papers, Glossy Inkjet Papers		
	Media weight supported (metric): 75 g/m <sup>2</sup>		
	Borderless printing : Yes, up to 8.5 x 11 in (US letter), 210 x 297 mm (A4)		
L		I	1

	Number of print cartridges :1 black bottle, set of 3 color bottles	
	Replacement cartridges: Black Original Ink Bottle (~6,000 pages); Cyan Original Ink Bottle (~8,000 pages);	
	Magenta Original Ink Bottle (~8,000 pages);Yellow Original Ink Bottle (~8,000 pages). Actual yield varies considerably based on content of printed pages and other factors.	
	Uninterrupted Power Supply (ups)	30 units
	Output Capacity: 650VA/360W	
	Output (on battery): 230V +/- 10%, 50/60Hz +/- 1Hz	
	Input Voltage Range: 140V-300V, 50/60Hz +/- 5Hz (auto sensing)	
	Surge: 156 J	
	Battery recharge time: ≤ 8 hours	
	No. of Outlets: 4 NEMA 5-15R Battery Backup Outlets	
	Dimension: 14.2 cm x 10.1 cm x 30 cm	
6	Battery Type: Lead-Acid	
	Biometric Device	3 units
	Fingerprint Capacity 3000	
	Card Capacity 10,000 (Optional)	
	Record Capacity 100,000	
	Display 2.8-inch Screen	
	Communication TCP/IP, USB- host, WiFi	
	Standard Functions	
	Workcode, SMS, DST, Schedule Bell, Self-Service Query, Automatic Status	

	Optional Functions			
	· Photo ID,ADMS, ID / IC / HID, Webserver, External Printer and Bell, WiFi, Multiple Verify Modes			
	Power Supply			
	DC 5V 0.8A			
	Verification Speed			
	≤ 1 Sec.			
	Operating Temperature			
	0 °C - 45 °C			
	Operating Humidity			
	20% - 80%			
	Dimension			
	190 × 135.8 × 51.5mm (L × W × T)			
	Net Weight			
	0.9 kg			
	Projector With Projector Screen	2 units		
	Projection Technology:			
	RGB liquid crystal shutter projection system (3LCD)			
	Brightness2:			
	White Light Output (Normal/Eco):			
	4,000 lm			
	Colour Light Output:			
	4,000 lm			
	Connectivity:			
	USB Interface:			
8	USB Type A: 1 (For Wireless LAN, Firmware Update, Copy OSD Settings)			

9	Tablet With Keyboard	15 units	
	Weight is 4.8kg		
	Package dimensions are W 1140 x D 198 x H 135 mm		
	screen		
	Tripod is height adjustable from 300mm to 800mm, floor to bottom of		
	tension to the screen		
	Additional mechanism for applying		
	Matte white PVC screen with 3- legged aluminium steel stand		
	Screen viewing area of 1771 x 996 mm makes it perfect for use with widescreen projectors		
	This widescreen, portable floor- standing projector screen packs down easily and comes with a shoulder bag for easy transport and storage		
	Tripod Screen is a compact projector screen that comes with a shoulder bag for convenient transportation. With a screen viewing area of 1771 x 996 mm it's perfect for use with widescreen projectors.		
	PROJECTOR SCREEN		
	2RCA (White & Red): 1		
	Audio Input:		
	HDMI: 1		
	Digital Input:		
	D-Sub 15pin: 1		
	Composite: 1 RCA		
	Analog Input:		
	Wireless: Optional (ELPAP11)		
	Network:		
	USB Type B: 1 (For Firmware Update, Copy OSD Settings)		

Processor			٦
2.4 GHz, 2 GHz			
СРИ Туре			
Octa-Core			
Display			
10.9" (277.0mm)			
Rear Camera - Resolution			
8.0 MP			
Weight (g)			
523			
Battery Capacity (mAh, Typical)			
8,000 mAh			
Specifications Detail			
Processor			
CPU Speed			
2.4 GHz, 2 GHz			
СРИ Туре			
Octa-Core			
Display			
Size (Main Display)			
10.9" (277.0mm)			
Resolution (Main Display)			
2304 x 1440 (WUXGA+)			
Technology (Main Display)			
TFT			
Color Depth (Main Display)			
16M			
Camera			
		1	

Rear Camera - Resolution	8.0 MP		
Rear Camera - Auto Focus	Yes		
Front Camera - Resolution	n 12.0		
Rear Camera - Flash	No		
Video Recording Resolution	n		
UHD 4K (3840 x 2160) @ 3	30fps		
Storage/Memory			
Memory (GB)	6		
Storage (GB)	128		
Available Storage (GB)	99.9		
External Storage Support			
MicroSD (Up to 1TB)			
Connectivity			
USB Version			
USB 2.0			
Location Technology			
GPS, Glonass, Beidou, QZSS	Galileo,		
Earjack			
USB Type-C			
MHL			
No			
Wi-Fi			
802.11 a / b / g / n / ac / 5GHz, HE80, MIMO, 1024-	ax 2.4G+ QAM		
Wi-Fi Direct			
Yes			
Bluetooth Version			

Bluetooth v5.3
NFC
No
Bluetooth Profiles
A2DP, AVRCP, DI, HID, HOGP, OPP, PAN
PC Sync.
Smart Switch (PC version)
OS
Android
General Information
Form Factor
Tablet
Sensors
Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
Physical specification
Dimension (HxWxD, mm)
165.8 x 254.3 x 6.5
Weight (g)
523
Battery
Internet Usage Time(Wi-Fi) (Hours)
Up to 16
Video Playback Time (Hours, Wireless)
Up to 18
Battery Capacity (mAh, Typical)
8000

	Removable		
	No		
	Audio Playback Time (Hours, Wireless)		
	Up to 113		
	Portable Hard Drive - 4tb		
	Technical Specification		
	Storage Capacity: 4 TB		
	Connection Interface: 1 x USB 3.2 / USB 3.1 Gen 1 (USB Micro-B)		
	Pre-Format: exFAT\		
	Internal Drive		
10	Internal Interface: SATA (Unspecified)	5 pcs	
	Type: Hard Disk Drive		
	Form Factor: 2.5"		
	External Enclosure		
	Power Source: USB Bus Power		
	Dimensions (L x W x H) 4.5 x 3.1 x 0.8" / 114.3 x 78.7 x 20.3 mm		
	Weight: 0.58 lb / 0.26 kg		
	Portable Hard Drive - 1tb		
	Specifications		
11	Whether its business files or personal photos, videos and music, you'll be able to save it all with the stylish HD- B1 1 TB external hard drive. The super-fast transfer speeds of 5 GB/s (via a USB 3.0 connection) and 480 Mbps (via USB 2.0) make saving files easy, while preloaded automatic backup software keeps them secure.	10 pcs	
	USB 3.0 compatible		

	5 GB/s with USB 3.0 port, or 480 mbps with USB 2.0 port		
	1 TB storage capacity in a pocket- sized device		
	NTFS formatted for better performance and security		
	Portable SSD 500gb Type-A&Type- C connectors in 1 drive		
	Dimensions 71.3 mm x 20 mm x 7.8 mm (2.81" x 0.79" x 0.31")		
	Weight 11 g (0.39 oz)		
	Color		
	Black/Silver/Pink		
	Interface		
	USB Type		
	USB Type-A&USB Type-C		
	Connection Interface		
	USB 10Gbps		
12	Storage	20 pcs	
	Flash Type		
	3D NAND flash		
	Capacity		
	512 GB/1 TB/2 TB		
	Operating Environment		
	Operating Temperature 0°C (32°F) ~ 60°C (140°F)		
	Operating Voltage		
	5V±5%		
	Note		
	Due to the product's high-speed property, elevated temperatures during data transmission may be		

				_
observed. This does not affect SSD functionality.				
Performance				
Read Speed (Max.) Up to 1,050 MB/s				
Write Speed (Max.) Up to 950 MB/s				
Note				
Speed may vary due to host hardware, software, usage, and storage capacity.				
To reach the maximum performance, please make sure your device supports USB 10Gbps (USB 3.2 Gen 2x1).				
Mouse wired				
SPECIFICATIONS				
SYSTEM REQUIREMENTS				
• Windows Vista or Windows 7, Windows 8, Windows 10				
• Linux kernel 2.4+				
• Mac OS X 10.3.9 or later				
USB Port				
SPECIFICATIONS	20 pcs			
Corded Mouse				
• 3 buttons				
USB connectivity				
Optical tracking				
• DPI (Min/Max): 1000±				
• Cable: 5-ft 9-in (180 cm) approx				
• Works with Windows Vista®, Windows® 7, Windows 8, Windows 10				
	functionality. Performance Read Speed (Max.) Up to 1,050 MB/s Write Speed (Max.) Up to 950 MB/s Note Speed may vary due to host hardware, software, usage, and storage capacity. To reach the maximum performance, please make sure your device supports USB 10Gbps (USB 3.2 Gen 2x1). <b>Mouse wired</b> <b>SPECIFICATIONS</b> <b>SYSTEM REQUIREMENTS</b> • Windows Vista or Windows 7, Windows Vista or Windows 7, Windows 8, Windows 10 • Linux kernel 2.4+ • Mac OS X 10.3.9 or later • USB Port <b>SPECIFICATIONS</b> • Corded Mouse • 3 buttons • USB connectivity • Optical tracking • DPI (Min/Max): 1000± • Cable: 5-ft 9-in (180 cm) approx • Works with Windows Vista®, Windows® 7, Windows 8, Windows	functionality. Performance Read Speed (Max.) Up to 1,050 MB/s Write Speed (Max.) Up to 950 MB/s Note Speed may vary due to host hardware, software, usage, and storage capacity. To reach the maximum performance, please make sure your device supports USB 10Gbps (USB 3.2 Gen 2x1). Mouse wired SPECIFICATIONS SYSTEM REQUIREMENTS • Windows Vista or Windows 7, Windows 8, Windows 10 • Linux kernel 2.4+ • Mac OS X 10.3.9 or later • USB Port SPECIFICATIONS • Corded Mouse • 3 buttons • USB connectivity • Optical tracking • DPI (Min/Max): 1000± • Cable: 5-ft 9-in (180 cm) approx • Works with Windows Vista®, Windows® 7, Windows 8, Windows	functionality. Performance Read Speed (Max.) Up to 1,050 MB/s Write Speed (Max.) Up to 950 MB/s Note Speed may vary due to host hardware, software, usage, and storage capacity. To reach the maximum performance, please make sure your device supports USB 10Gbps (USB 3.2 Gen 2x1). Mouse wired SPECIFICATIONS SYSTEM REQUIREMENTS • Windows Vista or Windows 7, Windows 8, Windows 10 • Linux kernel 2.4+ • Mac OS X 10.3.9 or later • USB Port SPECIFICATIONS • Corded Mouse • 3 buttons • USB connectivity • Optical tracking • DPI (Min/Max): 1000± • Cable: 5-ft 9-in (180 cm) approx • Works with Windows Vista®, Windows® 7, Windows 8, Windows	functionality. Performance Read Speed (Max.) Up to 1,050 MB/s Write Speed (Max.) Up to 950 MB/s Note Speed may vary due to host hardware, software, usage, and storage capacity. To reach the maximum performance, please make sure your device supports USB 10Gbps (USB 3.2 Gen 2x1). Mouse wired SPECIFICATIONS SYSTEM REQUIREMENTS • Windows Vista or Windows 7, Windows 8, Windows 10 • Linux kernel 2.4+ • Mac OS X 10.3.9 or later • USB Port SPECIFICATIONS SPECIFICATIONS • Corded Mouse • 3 buttons • USB connectivity • Optical tracking • DPI (Min/Max): 1000± • Cable: 5-ft 9-in (180 cm) approx • Works with Windows Vista®, Windows® 7, Windows 8, Windows

	Chrome OS			
	Keyboard Wired			
	Port: USB wired			
	Material: Plastic			
	Working Frequency: 2450MHz- 2476MHz			
	Rated Operating Voltage: 3V			
	Rated Operating Current: 1.5mA			
14	Compatible with Windows 2000 / XP / Vista / Win7 / Win8 / Win10 / Linux / iOS	10 pcs		
	Package Included: Slim USB Keyboard For Desktop PC Laptop.			
	Light On/Off Key: SL Key			
	BENEFITS:			
	A standard 104 keys full-size keyboard layout, Easy to operate.			
	Ergonomic design, feel comfortable, reduce hand fatigue.			
	Wireless Keyboard and Mouse Combo			
	Technical Specifications			
	Keyboard			
	Spill-resistant design 1Tested under limited conditions (maximum of 60 ml liquid spillage).			
15	Tilt legs	10 pcs		
	10-Key Number pad			
	Special Keys: 15 function keys			
	Up to 5 million keystrokes			
	2 AAA batteries			
	Battery life: 36 months 2Keyboard battery life calculation based on an estimated two million keystrokes/year			

Mouse         Sensor technology: Smooth Optical tracking         Number of buttons: 3 (Left/Right-click, Middle click)         Scrolling: line-by-line         Scroll Wheel: Yes, 2D, optical         Connect/Power: On/Off power button         1 AA batteries         Battery life: 12 months 3Keyboard battery life calculation based on an estimated two million keystokes/year in an office environment. User experience may vary. Mouse battery life may vary based on user and computing conditions. <b>2.5" SSD - 1tb</b> Form factor       2.5"         Interface       SATA Rev. 3.0 (6Gb/s) - with backwards compatibility to SATA Rev. 2.0 (3Gb/s)         Capacities2       960GB         NAND       3D         Baseline Performance1       Data Transfer (ATTO)         960GB — up to 500MB/s Read and 450MB/s Write         Power Consumption       0.195W Idle / 0.279W Ayg / 0.642W ((MAX) Read / 1.535W (MAX) Write         Storage temperature       -40°C-85°C         16       Operating temperature       0°C-70°C		in an office environment. User experience may vary. Mouse battery life may vary based on user and computing conditions.			
tracking Number of buttons: 3 (Left/Right-click, Middle click) Scrolling: line-by-line Scroll Wheel: Yes, 2D, optical Connect/Power: On/Off power button 1 AA batteries Battery life: 12 months 3Keyboard battery life calculation based on an estimated two million keystrokes/year in an office environment. User experience may vary. Mouse battery life may vary based on user and computing conditions. <b>2.5" SSD - 1tb</b> Form factor 2.5" Interface SATA Rev. 3.0 (6Gb/s) – with backwards compatibility to SATA Rev. 2.0 (3Gb/s) Capacities2 960GB NAND 3D Baseline Performance1 Data Transfer (ATTO) 960GB — up to 500MB/s Read and 450MB/s Write Power Consumption 0.195W Idle / 0.279W Avg / 0.642W (MAX) Read / 1.535W (MAX) Write Storage temperature -40°C-85°C		Mouse			
Middle click) Scrolling: line-by-line Scroll Wheel: Yes, 2D, optical Connect/Power: On/Off power button 1 AA batteries Battery life: 12 months 3Keyboard battery life calculation based on an estimated two million keystrokes/year in an office environment. User experience may vary. Mouse battery life may vary based on user and computing conditions. 2.5" SSD - 1tb Form factor 2.5" Interface SATA Rev. 3.0 (6Gb/s) – with backwards compatibility to SATA Rev. 2.0 (3Gb/s) Capacities2 960GB NAND 3D Baseline Performance1 Data Transfer (ATTO) 960GB — up to 500MB/s Read and 450MB/s Write Power Consumption 0.195W Idle / 0.279W Avg / 0.642W (MAX) Read / 1.535W (MAX) Write Storage temperature -40°C-85°C		<b>•</b> .			
Scroll Wheel: Yes, 2D, optical         Connect/Power: On/Off power button         1 AA batteries         Battery life: 12 months 3Keyboard         battery life calculation based on an         estimated two million keystrokes/year         in an office environment. User         experience may vary. Mouse battery         life may vary based on user and         computing conditions.         2.5" SSD - 1tb         Form factor       2.5"         Interface       SATA Rev. 3.0 (6Gb/s)         - with backwards compatibility to         SATA Rev. 2.0 (3Gb/s)         Capacities2       960GB         NAND       3D         Baseline Performance1       Data         20 pcs         Transfer (ATTO)       960GB — up to 500MB/s Read and         450MB/s Write       Power Consumption       0.195W Idle         Poxery On G42W (MAX) Read / 1.535W (MAX) Write       Storage temperature       -40°C-85°C					
Connect/Power: On/Off power button         1 AA batteries         Battery life: 12 months 3Keyboard         battery life calculation based on an         estimated two million keystrokes/year         in an office environment. User         experience may vary. Mouse battery         life may vary based on user and         computing conditions.         2.5" SSD - 1tb         Form factor       2.5"         Interface       SATA Rev. 3.0 (6Gb/s)         – with backwards compatibility to         SATA Rev. 2.0 (3Gb/s)         Capacities2       960GB         NAND       3D         Baseline Performance1       Data         Transfer (ATTO)       960GB — up to 500MB/s Read and         960GB — up to 500MB/s Read and       450MB/s Write         Power Consumption       0.195W Idle         /0.279W Avg / 0.642W (MAX) Read /       1.535W (MAX) Write         Storage temperature       -40°C85°C		Scrolling: line-by-line			
1 AA batteries         Battery life: 12 months 3Keyboard         battery life calculation based on an         estimated two million keystrokes/year         in an office environment. User         experience may vary. Mouse battery         life may vary based on user and         computing conditions.         2.5" SSD - 1tb         Form factor       2.5"         Interface       SATA Rev. 3.0 (6Gb/s)         - with backwards compatibility to         SATA Rev. 2.0 (3Gb/s)         Capacities2       960GB         NAND       3D         Baseline Performance1       Data         Transfer (ATTO)       20 pcs         960GB — up to 500MB/s Read and         450MB/s Write         Power Consumption       0.195W Idle         /0.279W Avg / 0.642W (MAX) Read /         1.535W (MAX) Write         Storage temperature       -40°C85°C		Scroll Wheel: Yes, 2D, optical			
Battery life: 12 months 3Keyboard battery life calculation based on an estimated two million keystrokes/year in an office environment. User experience may vary. Mouse battery life may vary based on user and computing conditions. <b>2.5" SSD - 1tb</b> Form factor2.5"InterfaceSATA Rev. 3.0 (6Gb/s) - with backwards compatibility to SATA Rev. 2.0 (3Gb/s)Capacities2960GBNAND3DBaseline Performance1Data Transfer (ATTO)960GB — up to 500MB/s Read and 450MB/s Write20 pcsPower Consumption0.195W Idle (0.279W Avg / 0.642W (MAX) Read / 1.535W (MAX) WriteStorage temperature-40°C85°C		Connect/Power: On/Off power button			
batterý life calculation based on an estimated two million keystrokes/year in an office environment. User experience may vary. Mouse battery life may vary based on user and computing conditions. 2.5" SSD - 1tb Form factor 2.5" Interface SATA Rev. 3.0 (6Gb/s) – with backwards compatibility to SATA Rev. 2.0 (3Gb/s) Capacities2 960GB NAND 3D Baseline Performance1 Data Transfer (ATTO) 960GB — up to 500MB/s Read and 450MB/s Write Power Consumption 0.195W Idle / 0.279W Avg / 0.642W (MAX) Read / 1.535W (MAX) Write Storage temperature -40°C85°C		1 AA batteries			
Form factor2.5"InterfaceSATA Rev. 3.0 (6Gb/s) - with backwards compatibility to SATA Rev. 2.0 (3Gb/s)Capacities2960GBNAND3DBaseline Performance1Data Transfer (ATTO)960GB		battery life calculation based on an estimated two million keystrokes/year in an office environment. User experience may vary. Mouse battery life may vary based on user and			
Interface SATA Rev. 3.0 (6Gb/s) - with backwards compatibility to SATA Rev. 2.0 (3Gb/s) Capacities2 960GB NAND 3D Baseline Performance1 Data Transfer (ATTO) 960GB — up to 500MB/s Read and 450MB/s Write Power Consumption 0.195W Idle / 0.279W Avg / 0.642W (MAX) Read / 1.535W (MAX) Write Storage temperature -40°C~85°C		2.5" SSD - 1tb			
<ul> <li>with backwards compatibility to SATA Rev. 2.0 (3Gb/s)</li> <li>Capacities2 960GB</li> <li>NAND 3D</li> <li>Baseline Performance1 Data Transfer (ATTO)</li> <li>960GB — up to 500MB/s Read and 450MB/s Write</li> <li>Power Consumption 0.195W Idle / 0.279W Avg / 0.642W (MAX) Read / 1.535W (MAX) Write</li> <li>Storage temperature -40°C~85°C</li> </ul>		Form factor 2.5"			
NAND3DBaseline Performance1Data Transfer (ATTO)20 pcs960GB — up to 500MB/s Read and 450MB/s Write20 pcsPower Consumption0.195W Idle (.279W Avg / 0.642W (MAX) Read / 1.535W (MAX) WriteStorage temperature-40°C~85°C		- with backwards compatibility to			
Baseline Performance1Data20 pcsTransfer (ATTO)960GB — up to 500MB/s Read and 450MB/s Write20 pcsPower Consumption0.195W Idle (0.279W Avg / 0.642W (MAX) Read / 1.535W (MAX) Write1.535W (MAX) WriteStorage temperature-40°C~85°C		Capacities2 960GB			
Transfer (ATTO)960GB — up to 500MB/s Read and 450MB/s WritePower Consumption0.195W Idle / 0.279W Avg / 0.642W (MAX) Read / 1.535W (MAX) WriteStorage temperature-40°C~85°C		NAND 3D			
450MB/s Write Power Consumption 0.195W Idle / 0.279W Avg / 0.642W (MAX) Read / 1.535W (MAX) Write Storage temperature -40°C~85°C			20 pcs		
/ 0.279W Avg / 0.642W (MAX) Read / 1.535W (MAX) Write Storage temperature -40°C~85°C					
		/ 0.279W Avg / 0.642W (MAX) Read /			
16 Operating temperature 0°C~70°C		Storage temperature -40°C~85°C			
	16	Operating temperature 0°C~70°C			

· · · · · · · · · · · · · · · · · · ·			
	Dimensions 100.0mm x 69.9mm x 7.0mm (2.5")		
	Weight 39g (120GB – 2.5")		
	41g (240-480GB – 2.5")		
	41.9g (960GB – 2.5")		
	Vibration operating 2.17G Peak (7–800Hz)		
	Vibration non-operating 20G Peak (10–2000Hz)		
	Life expectancy 2 million hours MTBF		
	Total Bytes Written (TBW)4		
	960GB — 300TB		
	Digital Portable Distance Meter Ruler Measurement		
	Type: Handheld Laser Rangefinder		
	Measurement unit: m,ft,in		
	Area unit: m²,ft²,in²		
	Measuring range: 0.03-100(m)		
	Measurement accuracy: +/-1.5mm		
	Measurement Time: 0.1~3s		
	Power Type: Battery powered	2 pcs	
	Battery type: 1.5v*2		
	Resolution: 0.001		
	Dust and splash proof: IP54		
	Data storage : 50 groups		
	Automatic laser shut down: After 60s		
	Automatic device shut down: After 480s		
17	Laser type: 635nm		

	Logar place: $Clace \Pi < 4 - 10$			
	Laser class: Class II ,<1mW			
	Single measurement time: 0.25s			
	Working temperature: 0 ~ +40°C			
	Storage temperature: -25 ~ +60°C			
	Dimensions (LxWxH) :125x58x30mm			
	Net weight: 104g			
	Material: ABS			
	Wifi Adapter			
	Technical Specification			
	HARDWARE FEATURES			
	Interface: USB 3.0			
	Button: WPS button			
	Dimensions ( W x D x H ): 3.64×1.24×0.55 in. (92.47×31.55×13.9mm)			
	Antenna: 2 High Gain External Antennas			
	Antenna Type: Omni Directional			
	WIRELESS FEATURES	20		
	Wireless Standards:	30 pcs		
	IEEE 802.11ac, IEEE 802.11a,			
	IEEE 802.11n, IEEE 802.11g, IEEE 802.11b			
	Frequency:			
	5GHz			
	2.4GHz			
	Signal Rate			
	5GHz:			
	11ac: Up to 867Mbps(dynamic)			
18	11n: Up to 300Mbps(dynamic)			

	11a: Up to 54Mbps(dynamic)			
	2.4GHz			
	11n: Up to 400Mbps(dynamic)			
	11g: Up to 54Mbps(dynamic)			
	11b: Up to 11Mbps(dynamic)			
	DDR3 Desktop Memory RAM DIMM 1600 MHz			
	Form Factor UDIMM			
	Pins 240			
	XMP Ready No			
	Plug N Play Yes			
	Speeds1* 1600MT/s			
	CAS Latencies 10			
	Voltages 1.5V			
	Module Capacities 8GB	17 pcs		
	Kit Capacities 8GB or 16GB			
	Kit Configuration Dual Channel			
	Operating Temperature 0° C to +85°			
	Storage Temperature -55° to +100° C			
	PCB Color Black			
	Heat Spreader Colors Blue, Black			
19	Module Dimensions 133.35mm x 32.8mm x 7.08mm			
			•	
	Notes:		4	
	The participating bidder should attach brochure or picture for selected item/s			

Delivery Term: One time Delivery and within 30 days upon receipt of Purchase Order. Place of Delivery / Venue: DSWD Region XII - Koronadal City	
General Requirements: The supplier must attach a certification of satisfactory performance for all its completed government projects for the last year. Any unsatisfactory performance will result in disqualification in accordance with the RDC Resolution	

#### **Conforme:**

Name of Company:

Signature of Bidder or Authorized Representative:

Name and Designation:	
-	

Date: \_\_\_\_\_

## Section VII. Technical Specifications

### Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

#### Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent*." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

### **Technical Specifications**

# DSWD12-ICTMS-2024-06-014 Procurement of Semi-Expendable ICT Equipment for the use of ICTMS, for distribution and upgrading of ICT Equipment

Item	Specification	Statement of Compliance			
individa parame support shall b stateme indeper or is su under e complia evaluat fraudul	[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]				
	Digital Voice Recorder - 5 units				
	Product details & Specification				
	BATTERY TYPE (PROVIDED) Built-In Lithium Battery				
	BUILT-IN MEMORY 4 GB				
	BUILT-IN MICROPHONE Stereo (S-Mic)				
	CALENDAR SEARCH Yes				
	LCD BACKLIGHT Yes				
	MAXIMUM FILES PER FOLDER 199 MAXIMUM FILES (TOTAL) 5,000 files (including number of folder)				
	PC CONNECTIVITY Yes				
	PLAYBACK FORMAT LPCM/MP3/AAC/WMA				
	RECORDING FORMAT Linear PCM/MP3				
	USB CONNECTION CHARGING Yes Recording Features				
	SCENE SELECT Yes				
	SYNC RECORDING FUNCTION Yes				
	RECORDING MONITOR Yes				
	LOW-CUT FILTER Yes				
1	FM RADIO RECORDING Yes				

	VOR Yes
	Playback & Edit Features
	A-B REPEAT Yes
	DIGITAL PITCH CONTROL (SPEED CONTROL) Yes
	DIVIDE Yes
	EASY SEARCH Yes
	ERASE Yes
	FILE COPY Yes
	FOLDER NAME CHANGE (WITHOUT USING PC) Yes
	GRAPHIC EQUALIZER Yes
	MOVE FILE Yes
	NOISE CUT Yes (Clear Voice)
	TRACK MARK Yes
	Presentation Clicker - 10 units
	Product details & Specification
	*Dimensions*
	Presentation remote
	Height: 131.3 mm
	Width: 28.1 mm
	Depth: 12.1 mm
	Weight: 49.2 g included Battery
	*Receiver*
	Height: 40.4 mm
	Width: 17.2 mm
	Depth: 6.8 mm
	Weight: 3.3 g
	Charging cable
	Length: 140 mm
2	*Technical Specifications*

	Motion sensor
	3D accelerometer and Gyroscope
	Battery Life (rechargeable): 3 months May vary based on usage.
	Battery Details: Rechargeable Lithium Polymer, 85 mAh
	Connection Type: Bluetooth Low Energy and 2.4 GHz wireless
	Wireless range: 30 m 2May vary based on environmental and computing conditions.
	Indicator Lights
	LED: Battery and Connectivity
	Printer With Adf And Scanner - 20 units
	Product Features & Specification
	Functions: Print, copy, scan, fax, ADF, wireless
	Print speed black (ISO) Up to 11 ppm
	Print speed black (draft, A4) Up to 22 ppm
	Print speed black (ISO, A4) Up to 11 ppm
	Print speed color (ISO) Up to 5 ppm
	Print speed color (draft, A4) Up to 16 ppm
	Print Speed Color (ISO) Up to 5 ppm
	First page out black (A4, ready) As fast as 14 sec
	First page out color (A4, ready) As fast as 21 sec
	Duplex printing Manual (driver support provided)
	Duty cycle (monthly, letter) Up to 1000 pages
	Duty cycle (monthly, A4) Up to 1000 pages
	Print quality black (best) Up to 1200 x 1200 rendered dpi
	Print quality color (best) Up to 4800 x 1200 optimised dpi colour
3	Print technology Thermal Inkjet

	Connectivity, standard Hi-Speed USB 2.0, Wi-Fi, Bluetooth LE	
٦	Mobile printing capability Wi-Fi Direct Printing	
1	Network capabilities Yes (via Wi-Fi)	
	Wireless capability Yes, built-in self-healing dual band Wi-Fi 802.11b/g/n, Wireless direct, BLE	
8	Minimum System Requirements Windows 11,10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer.	
	Digital sending standard features Everyday scan (scan to PDF);	
F	Processor speed 800 MHz	
٢	Maximum Memory 256 MB	
ſ	Memory 256 MB; Integrated memory	
1	Compatible Operating Systems Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; macOS 10.11 El Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave	
F	Paper handling input, standard 100 sheet input tray	
F	Paper handling output, standard 30-sheet output tray	
F	Finished output handling Sheetfed	
(	Media types Plain paper, Matte Brochure Papers, Glossy Brochure Papers, Photo papers, Envelopes, other specialty inkjet papers	
٢	Media sizes supported A4; B5; A6; DL envelope	
	Media sizes, custom 76.2 x 127 mm to 215.9 x 355.6 mm	
	Borderless printing Yes (up to 8.5 x 11 in, 210 x 297 mm)	
Γ	Media weight, recommended 75 g/m <sup>2</sup>	
F	File Format Supported BMP; PDF; JPG; PNG; TIF	
S	Scanner type Flatbed, ADF (optional)	
S	Scan file format JPEG, TIFF, PDF, BMP, PNG	
E	Enhanced scanning resolution Up to 1200 dpi	

Scan resolution, optical Up to 1200 dpi
Scan size (ADF), maximum 216 x 356 mm
Scan size, maximum 216 x 297 mm
Scan speed (normal, A4)
Up to 3 ppm (200 ppi, colour); Up to 5 ppm (200 ppi, monochrome)
Automatic document feeder capacity Standard, Up to 35 sheets
Scan technology Contact Image Sensor (CIS)
Copy Speed Black (maximum, A4) Up to 22 cpm 3
Copy speed black (ISO) Up to 10 cpm 3
Copy speed color (ISO) Up to 2 cpm 3
Copy Speed Color (maximum, A4) Up to 14 cpm 3
Copy resolution (black text) Up to 600 dpi
Copy resolution (color text and graphics) Up to 600 dpi
Copy resolution (black graphics) Up to 600 dpi
Copies, maximum Up to 99 copies
Copy reduce / enlarge settings fit to page
Copier settings Number of Copies, Resize, Quality, Lighter/Darker, Papersize, Papertype, ID Copy, Enhancement
Faxing Yes, color
Fax Transmission Speed 33.6 kbps
Fax Resolution Black (best) Up to 300 x 300 dpi
Fax Speed Dials, Maximum Number Up to 99 numbers
Minimum dimensions (W x D x H) 449 x 373 x 198 mm 5
Maximum dimensions (W x D x H) 449 x 605.65 x 258.7 mm 5
Number of print cartridges 4 (1 each black bottle, set of 3 color bottles)

	Manufacturer Warranty One year standard
	Document Scanner - 2 units
	Scanning:
	Scanner Type:
	A4 sheet-fed, one-pass duplex colour scanner
	Sensor Type:
	Contact Image Sensor (CIS) x 2
	Scanning Method:
	Fixed carriage and moving document
	Light Source:
	RGB LED
	Optical Resolution:
	600 x 600 dpi*1
	Output Resolution:
	50 - 1,200 dpi (in 1 dpi increments)
	Scanner Bit Depth (Colour):
	48-bit input, 24-bit output
	Scanner Bit Depth (Grayscale):
	16-bit input, 8-bit output
	Scanner Bit Depth (Black & White):
	16-bit input, 1-bit output
	Min Document Size:
	50.8 x 50.8 mm
	Max Document Size:
	215.9 x 3,048 mm
	Supported Paper Weight:
	50 - 209 g/m2, Less than A8 size: 127 - 209g/m2
4	Output File Formats:

	Scan: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP, PNG	
	Document Capture Pro (Win): JPEG, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX	
	Scan Speed:	
	Resolution (Simplex / Duplex):	
	200dpi: 26 ppm / 52 ipm (Monochrome, Colour)	
	300dpi: 26 ppm / 52 ipm (Monochrome, Colour)	
	600dpi: 21 ppm / 42 ipm (Monochrome), 7.0 ppm / 14 ipm (Colour)	
	ADF Specifications:	
	ADF Capacity:	
	50 sheets (80g/m2)	
	Daily Duty Cycle:	
	up to 3,000 sheets / day	
	Multi-feed Detection:	
	Length Detection	
	3 In One Printer - 20 units	
	Product Features & Specification	
	Print technology : Thermal Inkjet	
	Duplex printing: Manual (driver support provided)	
	Print speed (black, draft, Letter): Up to 5 ppm	
	Print speed (color, draft, Letter): Up to 8 ppm	
	Print speed black (ISO): Up to 8 ppm	
	Print speed color (ISO): Up to 5 ppm	
	Print resolution (best): Up to 1200 x 1200 rendered dpi	
	Maximum print area (metric): 216 x 355 mm	
	Maximum print area (U.S. standard): 8.5 x 13.97 in	
5	Monthly duty cycle: Up to 1000 pages	

Printer smart software features: Manual Duplex
Scan technology: Contact Image Sensor (CIS)
Scan resolution: Up to 1200 x 1200 dpi
Maximum flatbed scan size (metric): 216 x 297 mm
Maximum flatbed scan size (U.S. standard): 8.5 x 11.69 in
Connectivity: Ports atleast 1 Hi-Speed USB 2.0
Color copy capability: Yes
Number of copies: atleast 9ppm
Copy resolution: atleast Up to 600 x 300 dpi
Paper handling
Input capacity : atleast Up to 60 sheets
Output capacity : atleast Up to 25 sheets
Media sizes supported (U.S. standard) : Letter; legal; 4 x 6 in; 5 x 7 in; 8 x 10 in; No. 10 envelopes.
(Note: Many other sizes are also suppoted. Any size between 3 x 5" and 8.5 x 14")
Media types : Plain Paper, Photo Papers, Matte Brochure or Professional Paper,
Matte Presentation Paper, Glossy Brochure or Professional Paper, Photo Inkjet Papers,
Matte Inkjet Papers, Glossy Inkjet Papers
Media weight supported (metric): 75 g/m <sup>2</sup>
Borderless printing : Yes, up to 8.5 x 11 in (US letter), 210 x 297 mm (A4)
Number of print cartridges :1 black bottle, set of 3 color bottles
Replacement cartridges: Black Original Ink Bottle (~6,000 pages); Cyan Original Ink Bottle (~8,000 pages);
Magenta Original Ink Bottle (~8,000 pages);Yellow Original Ink Bottle (~8,000 pages). Actual yield varies considerably based on content of printed pages and other factors.

	Uninterrunted Deven Complex (see -) 00 cm i(s
	Uninterrupted Power Supply (ups) - 30 units
	Output Capacity: 650VA/360W
	Output (on battery): 230V +/- 10%, 50/60Hz +/- 1Hz
	Input Voltage Range: 140V-300V, 50/60Hz +/- 5Hz (auto sensing)
	Surge: 156 J
	Battery recharge time: ≤ 8 hours
	No. of Outlets: 4 NEMA 5-15R Battery Backup Outlets
	Dimension: 14.2 cm x 10.1 cm x 30 cm
6	Battery Type: Lead-Acid
	Biometric Device - 3 units
	Fingerprint Capacity 3000
	Card Capacity 10,000 (Optional)
	Record Capacity 100,000
	Display 2.8-inch Screen
	Communication TCP/IP, USB-host, WiFi
	Standard Functions
	Workcode, SMS, DST, Schedule Bell, Self-Service Query, Automatic Status Switch, 9-digit User ID
	Optional Functions
	Photo ID,ADMS, ID / IC / HID, Webserver, External Printer and Bell, WiFi, Multiple Verify Modes
	Power Supply
	DC 5V 0.8A
	Verification Speed
	≤ 1 Sec.
	Operating Temperature
	0 °C - 45 °C
7	Operating Humidity

	20% - 80%
	Dimension
	190 × 135.8 × 51.5mm (L × W × T)
	Net Weight
	0.9 kg
	Projector With Projector Screen - 2 units
	Projection Technology:
	RGB liquid crystal shutter projection system (3LCD)
	Brightness2:
	White Light Output (Normal/Eco):
	4,000 lm
	Colour Light Output:
	4,000 lm
	Connectivity:
	USB Interface:
	USB Type A: 1 (For Wireless LAN, Firmware Update, Copy OSD Settings)
	USB Type B: 1 (For Firmware Update, Copy OSD Settings)
	Network:
	Wireless: Optional (ELPAP11)
	Analog Input:
	Composite: 1 RCA
	D-Sub 15pin: 1
	Digital Input:
	HDMI: 1
	Audio Input:
	2RCA (White & Red): 1
8	PROJECTOR SCREEN

	Tripod Screen is a compact projector screen that comes with a shoulder bag for convenient transportation. With a screen viewing area of 1771 x 996 mm it's perfect for use with widescreen projectors. This widescreen, portable floor-standing projector screen packs down easily and comes with a shoulder bag for easy transport and storage Screen viewing area of 1771 x 996 mm makes it perfect for use with widescreen projectors Matte white PVC screen with 3-legged aluminium steel stand Additional mechanism for applying tension to the
	screen Tripod is height adjustable from 300mm to 800mm, floor
	to bottom of screen Package dimensions are W 1140 x D 198 x H 135 mm
	Weight is 4.8kg
	Tablet With Keyboard - 15 units
	Processor
	2.4 GHz, 2 GHz
	СРИ Туре
	Octa-Core
	Display
	10.9" (277.0mm)
	Rear Camera - Resolution
	8.0 MP
	Weight (g)
	523
	Battery Capacity (mAh, Typical)
	8,000 mAh
	Specifications Detail
9	Processor

CPU Speed		
2.4 GHz, 2 GHz		
СРИ Туре		
Octa-Core		
Display		
Size (Main Display)		
10.9" (277.0mm)		
Resolution (Main Display)		
2304 x 1440 (WUXGA+)		
Technology (Main Display)		
TFT		
Color Depth (Main Display)		
16M		
Camera		
Rear Camera - Resolution	8.0 MP	
Rear Camera - Auto Focus	Yes	
Front Camera - Resolution	12.0 MP	
Rear Camera - Flash	No	
Video Recording Resolution		
UHD 4K (3840 x 2160) @ 30f	ps	
Storage/Memory		
Memory (GB)	6	
Storage (GB)	128	
Available Storage (GB)	99.9	
External Storage Support		
MicroSD (Up to 1TB)		
Connectivity		
USB Version		
		1

USB 2.0	
Location Technology	
GPS, Glonass, Beidou, Galileo, QZSS	
Earjack	
USB Type-C	
MHL	
No	
Wi-Fi	
802.11 a / b / g / n / ac / ax 2.4G+ 5GHz, HE80, MIMO, 1024-QAM	
Wi-Fi Direct	
Yes	
Bluetooth Version	
Bluetooth v5.3	
NFC	
No	
Bluetooth Profiles	
A2DP, AVRCP, DI, HID, HOGP, OPP, PAN	
PC Sync.	
Smart Switch (PC version)	
OS	
Android	
General Information	
Form Factor	
Tablet	
Sensors	
Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor	
Physical specification	

	Dimension (HxWxD, mm)
	165.8 x 254.3 x 6.5
	Weight (g)
	523
	Battery
	Internet Usage Time(Wi-Fi) (Hours)
	Up to 16
	Video Playback Time (Hours, Wireless)
	Up to 18
	Battery Capacity (mAh, Typical)
	8000
	Removable
	No
	Audio Playback Time (Hours, Wireless)
	Up to 113
	Portable Hard Drive - 4tb - 5 pcs
	Technical Specification
	Storage Capacity: 4 TB
	Connection Interface: 1 x USB 3.2 / USB 3.1 Gen 1 (USB Micro-B)
	Pre-Format: exFAT\
10	Internal Drive
10	Internal Interface: SATA (Unspecified)
	Type: Hard Disk Drive
	Form Factor: 2.5"
	External Enclosure
	Power Source: USB Bus Power
	Dimensions (L x W x H) 4.5 x 3.1 x 0.8" / 114.3 x 78.7 x 20.3 mm

	Weight: 0.58 lb / 0.26 kg
	Portable Hard Drive - 1tb - 10 pcs
	Specifications
11	Whether its business files or personal photos, videos and music, you'll be able to save it all with the stylish HD-B1 1 TB external hard drive. The super-fast transfer speeds of 5 GB/s (via a USB 3.0 connection) and 480 Mbps (via USB 2.0) make saving files easy, while preloaded automatic backup software keeps them secure.
	USB 3.0 compatible
	5 GB/s with USB 3.0 port, or 480 mbps with USB 2.0 port
	1 TB storage capacity in a pocket-sized device
	NTFS formatted for better performance and security
	Portable SSD 500gb Type-A&Type-C connectors in 1 drive - 20 pcs
	Dimensions 71.3 mm x 20 mm x 7.8 mm (2.81" x 0.79" x 0.31")
	Weight 11 g (0.39 oz)
	Color
	Black/Silver/Pink
	Interface
12	USB Type
	USB Type-A&USB Type-C
	Connection Interface
	USB 10Gbps
	Storage
	Flash Type
	3D NAND flash
	Capacity

	512 GB/1 TB/2 TB
	Operating Environment
	Operating Temperature 0°C (32°F) ~ 60°C (140°F)
	Operating Voltage
	5V±5%
	Note
	Due to the product's high-speed property, elevated temperatures during data transmission may be observed. This does not affect SSD functionality.
	Performance
	Read Speed (Max.) Up to 1,050 MB/s
	Write Speed (Max.) Up to 950 MB/s
	Note
	Speed may vary due to host hardware, software, usage, and storage capacity.
	To reach the maximum performance, please make sure your device supports USB 10Gbps (USB 3.2 Gen 2x1).
	Mouse wired - 20 pcs
	SPECIFICATIONS
	SYSTEM REQUIREMENTS
	• Windows Vista or Windows 7, Windows 8, Windows 10
	• Linux kernel 2.4+
13	• Mac OS X 10.3.9 or later
	USB Port
	USB Port SPECIFICATIONS
	SPECIFICATIONS
	SPECIFICATIONS  • Corded Mouse
	SPECIFICATIONS         • Corded Mouse         • 3 buttons

<ul> <li>Cable: 5-ft 9-in (180 cm) approx</li> <li>Works with Windows Vista®, Windows® 7, Windows 8, Windows 10</li> <li>Chrome OS</li> <li>Keyboard Wired - 10 pcs</li> <li>Port: USB wired</li> <li>Material: Plastic</li> <li>Working Frequency: 2450MHz-2476MHz</li> <li>Rated Operating Voltage: 3V</li> <li>Rated Operating Current: 1.5mA</li> <li>Compatible with Windows 2000 / XP / Vista / Win7 / Win8 / Win10 / Linux / iOS</li> <li>Package Included: Slim USB Keyboard For Desktop PC Laptop.</li> <li>Light On/Off Key: SL Key</li> </ul>	
<ul> <li>8, Windows 10</li> <li>Chrome OS</li> <li>Keyboard Wired - 10 pcs</li> <li>Port: USB wired</li> <li>Material: Plastic</li> <li>Working Frequency: 2450MHz-2476MHz</li> <li>Rated Operating Voltage: 3V</li> <li>Rated Operating Current: 1.5mA</li> <li>Compatible with Windows 2000 / XP / Vista / Win7 / Win8 / Win10 / Linux / iOS</li> <li>Package Included: Slim USB Keyboard For Desktop PC Laptop.</li> </ul>	
Keyboard Wired - 10 pcs         Port: USB wired         Material: Plastic         Working Frequency: 2450MHz-2476MHz         Rated Operating Voltage: 3V         Rated Operating Current: 1.5mA         Compatible with Windows 2000 / XP / Vista / Win7 / Win8 / Win10 / Linux / iOS         Package Included: Slim USB Keyboard For Desktop PC Laptop.	
Port: USB wired Material: Plastic Working Frequency: 2450MHz-2476MHz Rated Operating Voltage: 3V Rated Operating Current: 1.5mA Compatible with Windows 2000 / XP / Vista / Win7 / Win8 / Win10 / Linux / iOS Package Included: Slim USB Keyboard For Desktop PC Laptop.	
Material: Plastic Working Frequency: 2450MHz-2476MHz Rated Operating Voltage: 3V Rated Operating Current: 1.5mA Compatible with Windows 2000 / XP / Vista / Win7 / Win8 / Win10 / Linux / iOS Package Included: Slim USB Keyboard For Desktop PC Laptop.	
<ul> <li>Working Frequency: 2450MHz-2476MHz</li> <li>Rated Operating Voltage: 3V</li> <li>Rated Operating Current: 1.5mA</li> <li>Compatible with Windows 2000 / XP / Vista / Win7 / Win8 / Win10 / Linux / iOS</li> <li>Package Included: Slim USB Keyboard For Desktop PC Laptop.</li> </ul>	
Rated Operating Voltage: 3V Rated Operating Current: 1.5mA Compatible with Windows 2000 / XP / Vista / Win7 / Win8 / Win10 / Linux / iOS Package Included: Slim USB Keyboard For Desktop PC Laptop.	
Rated Operating Current: 1.5mA Compatible with Windows 2000 / XP / Vista / Win7 / Win8 / Win10 / Linux / iOS Package Included: Slim USB Keyboard For Desktop PC Laptop.	
Compatible with Windows 2000 / XP / Vista / Win7 / Win8 / Win10 / Linux / iOS Package Included: Slim USB Keyboard For Desktop PC Laptop.	
14 Win8 / Win10 / Linux / iOS Package Included: Slim USB Keyboard For Desktop PC Laptop.	
Laptop.	
Light On/Off Key: SL Key	
BENEFITS:	
A standard 104 keys full-size keyboard layout, Easy to operate.	
Ergonomic design, feel comfortable, reduce hand fatigue.	
Wireless Keyboard and Mouse Combo - 10 pcs	
Technical Specifications	
Keyboard	
Spill-resistant design 1Tested under limited conditions (maximum of 60 ml liquid spillage).	
<sup>15</sup> Tilt legs	
10-Key Number pad	
Special Keys: 15 function keys	
Up to 5 million keystrokes	
2 AAA batteries	

	Battery life: 36 months 2Keyboard battery life calculation based on an estimated two million keystrokes/year in an office environment. User experience may vary. Mouse battery life may vary based on user and computing conditions. Mouse Sensor technology: Smooth Optical tracking Number of buttons: 3 (Left/Right-click, Middle click) Scrolling: line-by-line Scroll Wheel: Yes, 2D, optical Connect/Power: On/Off power button 1 AA batteries Battery life: 12 months 3Keyboard battery life calculation based on an estimated two million keystrokes/year in an office environment. User experience may vary. Mouse battery life may vary based on user and computing conditions.	
	<b>2.5" SSD - 1tb -</b> 20 pcs	
	Form factor 2.5"	
	Interface SATA Rev. 3.0 (6Gb/s) – with backwards compatibility to SATA Rev. 2.0 (3Gb/s)	
	Capacities2 960GB	
	NAND 3D	
	Baseline Performance1 Data Transfer (ATTO)	
	960GB — up to 500MB/s Read and 450MB/s Write	
	Power Consumption         0.195W Idle / 0.279W Avg /           0.642W (MAX) Read / 1.535W (MAX) Write	
	Storage temperature -40°C~85°C	
	Operating temperature 0°C~70°C	
	Dimensions 100.0mm x 69.9mm x 7.0mm (2.5")	
16	Weight 39g (120GB – 2.5") 41g (240-480GB – 2.5")	

	41.9g (960GB – 2.5")
	Vibration operating 2.17G Peak (7–800Hz)
	Vibration non-operating 20G Peak (10–2000Hz)
	Life expectancy 2 million hours MTBF
	Total Bytes Written (TBW)4
	960GB — 300TB
	Digital Portable Distance Meter Ruler Measurement - 2 pcs
	Type: Handheld Laser Rangefinder
	Measurement unit: m,ft,in
	Area unit: m²,ft²,in²
	Measuring range: 0.03-100(m)
	Measurement accuracy: +/-1.5mm
	Measurement Time: 0.1~3s
	Power Type: Battery powered
	Battery type: 1.5v*2
	Resolution: 0.001
	Dust and splash proof: IP54
	Data storage : 50 groups
	Automatic laser shut down: After 60s
	Automatic device shut down: After 480s
	Laser type: 635nm
	Laser class: Class II , <1mW
	Single measurement time: 0.25s
	Working temperature: $0 \sim +40^{\circ}C$
	Storage temperature: -25 ~ +60°C
	Dimensions (LxWxH) :125x58x30mm
17	Net weight: 104g

	Material: ABS
	Wifi Adapter -30 pcs
	Technical Specification
	HARDWARE FEATURES
	Interface: USB 3.0
	Button: WPS button
	Dimensions ( W x D x H ): 3.64×1.24×0.55 in. (92.47×31.55×13.9mm)
	Antenna: 2 High Gain External Antennas
	Antenna Type: Omni Directional
	WIRELESS FEATURES
	Wireless Standards:
	IEEE 802.11ac, IEEE 802.11a,
	IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
	Frequency:
	5GHz
	2.4GHz
	Signal Rate
	5GHz:
	11ac: Up to 867Mbps(dynamic)
	11n: Up to 300Mbps(dynamic)
	11a: Up to 54Mbps(dynamic)
	2.4GHz
	11n: Up to 400Mbps(dynamic)
	11g: Up to 54Mbps(dynamic)
18	11b: Up to 11Mbps(dynamic)
	DDR3 Desktop Memory RAM DIMM 1600 MHz -17 pcs
19	Form Factor UDIMM

Pins 240
XMP Ready No
Plug N Play Yes
Speeds1* 1600MT/s
CAS Latencies 10
Voltages 1.5V
Module Capacities 8GB
Kit Capacities 8GB or 16GB
Kit Configuration Dual Channel
Operating Temperature 0° C to +85°
Storage Temperature -55° to +100° C
PCB Color Black
Heat Spreader Colors Blue, Black
Module Dimensions 133.35mm x 32.8mm x 7.08mm
Notes:
The participating bidder should attach brochure or picture for selected item/s
Delivery Term: One time Delivery and within 30 days upon receipt of Purchase Order.
Place of Delivery / Venue: DSWD Region XII - Koronadal City
General Requirements: The supplier must attach a certification of satisfactory performance for all its completed government projects for the last year. Any unsatisfactory performance will result in disqualification in accordance with the RDC Resolution

## Conforme:

Name of Company:

Signature of Bidder or Authorized	Representative:	 
Name and Designation:		 
Date:		

# Section VIII. Checklist of Technical and Financial Documents

## Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

## **Checklist of Technical and Financial Documents**

## I. TECHNICAL COMPONENT ENVELOPE

#### Class "A" Documents

## <u>Legal Documents</u>

□ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

#### Technical Documents

- □ (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- □ (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
- □ (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission <u>or</u> Original copy of Notarized Bid Securing Declaration; <u>and</u>
- □ (e) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- □ (f) Original duly signed Omnibus Sworn Statement (OSS) <u>and</u> if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

□ (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) <u>or</u> A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

#### Class "B" Documents

 $\Box$  (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence <u>or</u> duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

#### **II. FINANCIAL COMPONENT ENVELOPE**

- $\Box$  (i) Original of duly signed and accomplished Financial Bid Form; and
- $\Box$  (j) Original of duly signed and accomplished Price Schedule(s).

#### Other documentary requirements under RA No. 9184 (as applicable)

- (k) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- □ (1) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

Project Reference Number: \_\_\_\_\_\_ Name of the Project: \_\_\_\_\_ Location of the Project: \_\_\_\_\_

#### **AUTHORITY OF SIGNATORY**

#### SECRETARY'S CERTIFICATE

I, \_\_\_\_\_, a duly elected and qualified Corporate Secretary of \_\_\_\_\_, a corporation duly organized and existing under and by virtue of the law of the \_\_\_\_\_, DO HEREBY CERTIFY, that:

I am familiar with the facts herein certified and duly authorized to certify the same;

At the regular meeting of the Board of Directors of the said Corporation duly convened and held on \_\_\_\_\_\_\_ at which meeting a quorum was present and acting throughout, the following resolutions were approved, and the same have not been annulled, revoked and amended in any way whatever and are in full force and effect on the date hereof:

RESOLVED, that	be, as it hereby is, authorized to participate in the bidding
of	_ Project ID-No by the
; and	that if awarded the project shall enter into a contract with the
;	and in connection therewith hereby appoint
	, acting as duly authorized and designated representatives of
, are granted	full power and authority to do, execute and perform any and all acts
necessary and/or to represent	in the bidding as fully and effectively as the
	might do if personally present with full power of substitution and
revocation and hereby satisfying and done by virtue hereof;	confirming all that my said representative shall lawfully do or cause to be

RESOLVED FURTHER THAT, the \_\_\_\_\_\_\_ hereby authorizes its President to:

- (1) execute a waiver of jurisdiction whereby the \_\_\_\_\_\_ hereby submits itself to the jurisdiction of he Philippine government and hereby waives its right to question the jurisdiction of the Philippine courts;
- (2) execute a waiver that the \_\_\_\_\_\_ shall not seek and obtain writ of injunctions or prohibition or restraining order against the AFP or any other agency in connection with this project to prevent and restrain the bidding procedures related thereto, the negotiating of and award of a contract to a successful bidder, and the carrying out of the awarded contract.

WITNESS	the	signature	of	the	undersigned	as	such	officer	of	the	said
				this							

(Corporate Secretary)

#### ACKNOWLEDGMENT

	SUBSCRIBED	AND SW	ORN to befor	e me this	day of		, 20	affiant exhibited to me
his/her	Community	Tax	Certificate	No		issued	on	at
		, Ph	ilippines.					

Notary Public
Until 31 December 20
PTR No
Issued at:
Issued on:
TIN No

Doc. No.	
Page No.	
Book No.	
Series of	

## **Bid Form for the Procurement of Goods**

[shall be submitted with the Bid]

#### BID FORM

Date : \_\_\_\_\_ Project Identification No. :

To: **DEPARTMENT OF SOCIAL WELFARE AND DEVELOPMENT REGIONAL OFFICE XII** Brgy. Carpenter Hill, Koronadal City

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers <u>[insert numbers]</u>, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform]

*[description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties],* which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address Amount and Purpose of of agentCurrencyCommission or gratuity

(if none, state "None") ]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

	The	undersigne	ed is	authorized	to	submit	the	bid c	on be	half	of
						[name	e of	the	bidd	er]	as
evidenced	by the	e attached						[stai	te the	writ	ten
authority].											

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: \_\_\_\_\_

Legal capacity:

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

Date: \_\_\_\_\_

REPUBLIC OF THE PHILIPPINES) CITY OF \_\_\_\_\_\_) S.S.

#### BID SECURING DECLARATION Project Identification No.:

To: **DEPARTMENT OF SOCIAL WELFARE AND DEVELOPMENT REGIONAL OFFICE XII** Brgy. Carpenter Hill, Koronadal City

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of \_\_\_\_\_[month] \_\_\_\_\_[year] at \_\_\_\_\_\_[place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat] [Format shall be based on the latest Rules on Notarial Practice]

## List of all Ongoing Government & Private Contracts including contracts awarded but not yet started

Business Name:

Business Address:

Name of Contract/Project	a. Owner's Name		Bidder's Role		a. Date Awarded	% of Accomplishment			
Cost	b. Address c. Telephone Nos.	Nature of Work	Description	%	b. Date Started c. Date of Completion	Planned	Actual	Value of Outstanding Works/Undelivered Portion	
Government									
Private									

Note: This statement shall be supported with:

- 1. Notice of Award and/ or Contract
- 2. Notice to Proceed issued by the owner
- 3. Certificate of Accomplishments signed by the owner or authorized representative

Submitted by: \_\_\_\_\_\_ Printed Name & Signature

Designation:

Date:

REPUBLIC OF THE PHILIPPINES ) CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

## AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

*[If a sole proprietorship:]* I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

*[If a partnership, corporation, cooperative, or joint venture:]* I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

*[If a sole proprietorship:]* As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, <u>by itself or by</u> <u>relation, membership, association, affiliation, or controlling interest with another</u> <u>blacklisted person or entity as defined and provided for in the Uniform Guidelines</u> <u>on Blacklisting;</u>
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

*[If a sole proprietorship:]* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical

Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a partnership or cooperative:]* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a corporation or joint venture:]* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

**IN WITNESS WHEREOF**, I have hereunto set my hand this \_\_\_\_ day of \_\_\_\_, 20\_\_\_ at \_\_\_\_, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat] [Format shall be based on the latest Rules on Notarial Practice]

## Price Schedule for Goods Offered from Abroad [shall be submitted with the Bid if bidder is offering goods from Abroad]

#### For Goods Offered from Abroad

Name of Bidder \_\_\_\_\_ Project ID No. \_\_\_\_\_ Page \_\_\_ of \_\_\_\_

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

Name:
Legal Capacity:
Signature:
Duly authorized to sign the Bid for and behalf of:

# Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

#### For Goods Offered from Within the Philippines

Name of Bidder \_\_\_\_\_ Project ID No. \_\_\_\_\_ Page \_\_\_of \_\_\_ 3 4 7 2 5 6 8 9 10 1 Description Country Quantity Unit Transportation Total Price Item Sales and Cost of Total of origin and all other Incidental Price, delivered price other costs taxes Services, if per unit Final EXW incidental to payable if applicable, Destination per delivery, per Contract per item item (col item is 5+6+7+ (col 9) x awarded, (col 4) 8) per item

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of:

## Single Largest Completed Government & Private Contracts which are similar in nature

Business Name:

Business Address:

Name of Completed Contract	<ul><li>a. Owner's Name</li><li>b. Address</li><li>c. Telephone Nos.</li></ul>	Nature of Work/Goods	Bidder's I	Role %	<ul><li>a. Amount at Award</li><li>b. Amount at Completion</li><li>c. Duration</li></ul>	<ul><li>a. Date Awarded</li><li>b. Contract Effectivity</li><li>c. Date Completed</li></ul>

Note: This statement shall be supported with:

- 1. Contract
- 2. Certificate of Completion
- 3. Certificate of Acceptance

Submitted by: \_\_\_\_\_\_ Printed Name & Signature

Designation:

Date : Statement of all Government & Private Contracts completed which are similar in nature

Business Name:

Business Address:

		a. Owner's Name	Nature of Work	Bidder's Role		a. Amount at Award	a. Date Awarded	
Nam	ne of Contract	b. Address c. Telephone Nos.		Description	%	b. Amount at Completion c. Duration	<ul><li>b. Contract Effectivity</li><li>c. Date Completed</li></ul>	
Governmen	nt							
Private								

Note: This statement shall be supported with:

- 1. Contract
- 2. Certificate of Completion
- 3. Certificate of Acceptance

Submitted by: \_\_\_\_\_\_ Printed Name & Signature

Designation:

:\_\_\_\_\_ Date