



Bid Notice Abstract

Invitation to Bid (ITB)

Reference Number 11001312
Procuring Entity DEPARTMENT OF SOCIAL WELFARE AND DEVELOPMENT - REGION XII
Title DSWD12-ICTMS-2024-06-014 Procurement of Semi-Expendable ICT Equipment for the use of ICTMS, for distribution and upgrading of ICT Equipment
Area of Delivery South Cotabato

Solicitation Number:	2024-05-0514 RICTMS	Status	Pending
Trade Agreement:	Implementing Rules and Regulations	Associated Components	1
Procurement Mode:	Public Bidding	Bid Supplements	0
Classification:	Goods	Document Request List	0
Category:	Information Technology Parts & Accessories & Perip	Date Published	30/06/2024
Approved Budget for the Contract:	PHP 1,997,118.00	Last Updated / Time	29/06/2024 00:13 AM
Delivery Period:	30 Day/s	Closing Date / Time	22/07/2024 10:00 AM
Client Agency:			
Contact Person:	Loreto Jr. Vargas Cabaya Regional Director Regional Center, Brgy. Carpenter Hill Koronadal City South Cotabato Philippines 9506 63-228-3180 Ext.81 63-228-3180 fo12@dswd.gov.ph		

Description

DEPARTMENT OF SOCIAL WELFARE AND DEVELOPMENT FIELD OFFICE XII
Purok Bumanaag, Brgy. Zone III, Koroandal City, 9506

PHILIPPINE BIDDING DOCUMENTS
FOR THE
Procurement of Semi-Expendable ICT Equipment for the use of ICTMS, for distribution and upgrading of ICT Equipment
Project Identification No. DSWD12-ICTMS-2024-06-014

Government of the Republic of the Philippines

Sixth Edition
July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	4
Section I. Invitation to Bid.....	7
Section II. Instructions to Bidders.....	11
1. Scope of Bid	12
2. Funding Information.....	12
3. Bidding Requirements	12
4. Corrupt, Fraudulent, Collusive, and Coercive Practices.....	12
5. Eligible Bidders.....	12
6. Origin of Goods	13
7. Subcontracts	13
8. Pre-Bid Conference	13
9. Clarification and Amendment of Bidding Documents	14
10. Documents comprising the Bid: Eligibility and Technical Components	14
11. Documents comprising the Bid: Financial Component	14
12. Bid Prices	14
13. Bid and Payment Currencies	15
14. Bid Security	15
15. Sealing and Marking of Bids	16
16. Deadline for Submission of Bids	16

17. Opening and Preliminary Examination of Bids	16
18. Domestic Preference	16
19. Detailed Evaluation and Comparison of Bids	16
20. Post-Qualification	17
21. Signing of the Contract	17
Section III. Bid Data Sheet	18
Section IV. General Conditions of Contract	22
1. Scope of Contract	23
2. Advance Payment and Terms of Payment	23
3. Performance Security	23
4. Inspection and Tests	23
5. Warranty	24
6. Liability of the Supplier	24
Section V. Special Conditions of Contract	25
Section VI. Schedule of Requirements	28
Section VII. Technical Specifications	52
Section VIII. Checklist of Technical and Financial Documents	75

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as Proposal and Tender. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s)

granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)
GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as civil works or works. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS – Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (e.g., the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.

INVITATION TO BID FOR THE

DSWD12-ICTMS-2024-06-014 PROCUREMENT OF SEMI-EXPENDABLE ICT EQUIPMENT FOR THE USE OF ICTMS, FOR DISTRIBUTION AND UPGRADING OF ICT EQUIPMENT

1. The Department of Social Welfare and Development Field Office XII, through the GENERAL APPROPRIATIONS ACT FY 2024 intends to apply the sum of One Million Nine Hundred Ninety-seven Thousand and One Hundred Eighteen Pesos Only (₱1,997,118.00) being the ABC to payments under the contract for DSWD12-ICTMS-2024-06-014 Procurement of Semi-Expendable ICT Equipment for the use of ICTMS, for distribution and upgrading of ICT Equipment. Bids received in excess of the ABC shall be automatically rejected at bid opening.

2. The Department of Social Welfare and Development Field Office XII now invites bids for the above Procurement Project. Delivery of the Goods is required by One Time Delivery and Within Thirty (30) Days upon the Receipt of the Purchase Order. Bidders should have completed, within Two (2) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).

3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

4. Prospective Bidders may obtain further information from Department of Social Welfare and Development Field Office XII – Bids and Awards Committee Secretariat Office and inspect the Bidding Documents at the address given below during office hours (8:00a.m. to 5:00 p.m.).

5. A complete set of Bidding Documents may be acquired by interested Bidders on June 29, 2024 to July 19, 2024, 05:00 p.m from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of:

Approved Budget for the Contract Bid Docs Amount
₱1,997,118.00 Php 5,000.00

The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.

6. The Department of Social Welfare and Development Field Office XII will hold a Pre-Bid Conference on July 05, 2024, 10:00 a.m. at DSWD Field Office 12, Regional Center, Brgy. Carpenter Hill, Koronadal City, which shall be open to prospective bidders.

7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the office address indicated below on or before July 22, 2024, 09:00 a.m. Late bids shall not be accepted.

8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.

9. Bid opening and evaluation shall be on July 22, 2024, 10:00 a.m. at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

10. Prospective bidders are hereby reminded, as follows:

a. Bidding documents for Eligibility and Financial Envelopes shall comprise the following:

i. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).

*One (1) mother Envelope for Technical Component Documents, composed of three (3) sub envelopes for (ORIGINAL, COPY 1, and COPY 2).

ii. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).

*One (1) mother Envelope for Financial Component Documents, composed of three (3) sub envelopes for (ORIGINAL, COPY 1, and COPY 2).

11. The Department of Social Welfare and Development Field Office XII reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.

12. For further information, please refer to:

DSWD 12 – BAC Secretariat Head
Administrative Division – Procurement Section
DSWD Field Office 12, Regional Center, Brgy. Carpenter Hills, Koronadal City, 9506
procurement.fo12@dswd.gov.ph

13. You may visit the following websites:

For downloading of Bidding Documents:
<https://fo12.dswd.gov.ph/bid-bulletin/>
<https://www.philgeps.gov.ph>

June 28, 2024

JACKIYA A. LAO
BAC Chairperson

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, Department of Social Welfare and Development Field Office XII wishes to receive Bids for the Procurement of Semi-Expendable ICT Equipment for the use of ICTMS, for distribution and upgrading of ICT Equipment with identification number DSWD12-ICTMS-2024-06-014.

The Procurement Project (referred to herein as "Project") is composed of one lot or item, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for 2024 Approved in the amount of One Million Nine Hundred Ninety-seven Thousand and One Hundred Eighteen Pesos Only (₱1,997,118.00)

2.2. The source of funding the General Appropriations Act.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or IB by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:

i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;

ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;

iii. When the Goods sought to be procured are not available from local suppliers; or

iv. When there is a need to prevent situations that defeat competition or restrain trade.

5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

a. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

7. Subcontracts

7.1. The Procuring Entity has prescribed that:

a. Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on July 05, 2024, 10:00 a.m. and at its physical address DEPARTMENT OF SOCIAL WELFARE AND DEVELOPMENT FIELD OFFICE 12, Regional Center, Brgy. Carpenter Hill, Koronadal City as indicated in paragraph 6 of the IB.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the IB, on/or before July 12, 2024 or at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).

10.2. The Bidder's SLCC as indicated in ITB Clause 5.3 should have been completed within Two (2) Years prior to the deadline for the submission and receipt of bids.

10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).

11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.

11.3. Any bid exceeding the ABC indicated in paragraph 1 of the IB shall not be accepted.

11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

a. For Goods offered from within the Procuring Entity's country:

i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);

ii. The cost of all customs duties and sales and other taxes already paid or payable;

iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and

iv. The price of other (incidental) services, if any, listed in the BDS.

b. For Goods offered from abroad:

i. Unless otherwise stated in the BDS, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the BDS. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.

ii. The price of other (incidental) services, if any, as listed in the BDS.

13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in:

a. Philippine Pesos.

14. Bid Security

14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the BDS, which shall be not less than the percentage of the ABC in accordance with the schedule in the BDS.

14.2. The Bid and bid security shall be valid until November 22, 2024. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the IB.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the IB. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by ITB Clause 14 shall be submitted for each lot or item separately.

19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

19.4. The Project shall be awarded as One Project having several items, which shall be awarded as separate contracts per item.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the BDS.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause

5.3 For this purpose, contracts similar to the Project shall be:

a. Supply and delivery of consumables and expendable ICT Equipment.

b. Completed within at least two (2) years prior to the deadline for the submission and receipt of bids.

7.1 Subcontracting is not allowed

12 The price of the Goods shall be quoted DDP or the applicable International Commercial Terms (INCOTERMS) for this Project.

14.1 The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:

a. The amount of not less than ₱39,942.36 or the amount equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or

b. The amount of not less than ₱99,855.90 or the amount equivalent to five percent (5%) of ABC if bid security is in Surety Bond.

19.1 1. All forms must be submitted using the prescribed format provided by the Procuring Entity and completed without any alterations to their format, and no substitute form shall be accepted. All blank spaces shall be filled in with the information requested.

2. Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the duly authorized representative/s of the Bidder, otherwise, bids shall be subject to an outright disqualification.

20.2 Within a non-extendible period of five (5) calendar days from receipt by the supplier of the Notice of Post Qualification from the BAC that the supplier has the Lowest Calculated Bid (LCB) or Single Calculated Bid (SCB), the Supplier shall submit and/or present the following requirements for Post Qualification in accordance to Section 34 of the 2016 Revised Implementing Rules and Regulations (IRR) of RA9184:

1. Present original copy of the following:

a. a. Latest Income Tax Return and Business Tax Return (1st Quarter of 2024)

b. b. Latest Value Added Tax (VAT) Return (1st Quarter of 2024, if applicable)

Only tax returns filed and taxes paid through the BIR Electronic Filing & Payment System (EFPS) shall be accepted.

c. Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages)

d. Valid Registration Certificate from Securities and Exchange Commission (SEC) for corporations, or from Department of Trade and Industry (DTI) for sole proprietorship, or from Cooperative Development Authority (CDA) for cooperatives;

e. Valid Business/Mayor's permit issued by the city or municipality where the principal place of business of the bidder is located;

f. Valid Tax Clearance per EO 398, Series of 2005, as finally reviewed and approved by the BIR;

g. Bureau of Internal Revenue (BIR) Registration Certificate.

h. Copy of Contracts or PO's, Notice of Award (NOA) and Notice to Proceed (NTP) for all On-going contracts

i. End-User's Acceptance, Official Receipt (duplicate or triplicate copy) or Sales Invoice with Collection Receipt/s (duplicate or triplicate copy) relative to Single Largest Completed Contract

j. Company profile and Organizational Chart. Company printed brochure may be included.

k. Vicinity Map/Location of the business.

l. Other appropriate licenses and permits required by law and stated in the Bidding Documents.

Failure to submit any of the post-qualification requirements on time, or a finding against the veracity thereof, shall disqualify the bidder for award. Provided in the event that a finding against the veracity of any of the documents submitted is made, it shall cause the forfeiture of the bid security in accordance with Section 69 of the IRR of RA 9184.

NOTE: FOR POST QUALIFICATION PURPOSES ONLY

20.3 Each Bidder shall submit the following in one (1) "mother" envelope duly sealed and labeled, containing two (2) sets of envelopes:

First envelope containing three (3) sets of Eligibility and Technical documents duly sealed and marked as Original Copy, Copy One and Copy Two.

Second envelope containing three (3) sets of Financial Bid documents duly sealed and marked as Original Copy, Copy One and Copy Two.

20.4 All envelopes shall be labeled/marked as follows:

TO : JACKIYA A. LAO

CHAIRPERSON

BIDS AND AWARDS COMMITTEE DSWD-FIELD OFFICE 12

FROM : _____
(Name of Bidder in Capital Letters)

ADDRESS: _____ (Address of Bidder in Capital Letters)

PROJECT:

Procurement of Semi-Expendable ICT Equipment for the use of ICTMS, for distribution and upgrading of ICT Equipment

BID REF NO.: ITB NO.

DSWD12-ICTMS-2024-06-014

Approved Budget for the Contract :

₱1,997,118.00

DO NOT OPEN BEFORE: July 22, 2024; 10:00 A.M.

21.2 No further instructions

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the Special Conditions of Contract (SCC).

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section VII (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract GCC Clause Delivery and Documents –

For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:

Delivery Term: One Time Delivery and Within Thirty (30) Days upon the Receipt of the Purchase Order
Place of Delivery / Venue: DSWD Region XII – Koronadal City
Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
Incidental Services –

The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts – Not applicable

Packaging – Not Applicable

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit,

and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

Transportation –

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

Intellectual Property Rights –

The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

2.2 The terms of payment shall be as follows:

Partial payment must correspond to the value of goods delivered and accepted after the appropriate inspection and acceptance procedures.

Proof of deliveries (delivery receipts or acknowledgement receipts) must be signed by an authorized person to support claims for payment.

4 The inspections and tests that will be conducted by the Inspection (DSWD Inspection Committee), Designated Inspectorate at the Regional Level, Final Acceptance by the DSWD Acceptance Committee, and End-User

Section VI. Schedule of Requirements

DSWD12-ICTMS-2024-06-014 Procurement of Semi-Expendable ICT Equipment for the use of ICTMS, for distribution and upgrading of ICT Equipment

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number Description Quantity Total Delivered, Weeks/Months

1 Digital Voice Recorder

Product details & Specification

BATTERY TYPE (PROVIDED) Built-In Lithium Battery

BUILT-IN MEMORY 4 GB

BUILT-IN MICROPHONE Stereo (S-Mic)

CALENDAR SEARCH Yes

LCD BACKLIGHT Yes

MAXIMUM FILES PER FOLDER 199 MAXIMUM FILES (TOTAL) 5,000 files (including number of folder)

PC CONNECTIVITY Yes

PLAYBACK FORMAT LPCM/MP3/AAC/WMA

RECORDING FORMAT Linear PCM/MP3

USB CONNECTION CHARGING Yes Recording Features

SCENE SELECT Yes

SYNC RECORDING FUNCTION Yes

RECORDING MONITOR Yes

LOW-CUT FILTER Yes

FM RADIO RECORDING Yes

VOR Yes

Playback & Edit Features

A-B REPEAT Yes

DIGITAL PITCH CONTROL (SPEED CONTROL) Yes

DIVIDE Yes

EASY SEARCH Yes

ERASE Yes

FILE COPY Yes

FOLDER NAME CHANGE (WITHOUT USING PC) Yes

GRAPHIC EQUALIZER Yes

MOVE FILE Yes

NOISE CUT Yes (Clear Voice)

TRACK MARK Yes 5 units Delivery of the Goods is required One Time Delivery and Within Thirty (30) Days Upon the Receipt of the Purchase Order

2 Presentation Clicker

Product details & Specification

Dimensions

Presentation remote

Height: 131.3 mm
 Width: 28.1 mm
 Depth: 12.1 mm
 Weight: 49.2 g included Battery
 Receiver
 Height: 40.4 mm
 Width: 17.2 mm
 Depth: 6.8 mm
 Weight: 3.3 g
 Charging cable
 Length: 140 mm
 Technical Specifications
 Motion sensor
 3D accelerometer and Gyroscope
 Battery Life (rechargeable): 3 months May vary based on usage.
 Battery Details: Rechargeable Lithium Polymer, 85 mAh
 Connection Type: Bluetooth Low Energy and 2.4 GHz wireless
 Wireless range: 30 m 2May vary based on environmental and computing conditions.
 Indicator Lights
 LED: Battery and Connectivity 10 units
 3 Printer With Adf And Scanner
 Product Features & Specification
 Functions: Print, copy, scan, fax, ADF, wireless
 Print speed black (ISO) Up to 11 ppm
 Print speed black (draft, A4) Up to 22 ppm
 Print speed black (ISO, A4) Up to 11 ppm
 Print speed color (ISO) Up to 5 ppm
 Print speed color (draft, A4) Up to 16 ppm
 Print Speed Color (ISO) Up to 5 ppm
 First page out black (A4, ready) As fast as 14 sec
 First page out color (A4, ready) As fast as 21 sec
 Duplex printing Manual (driver support provided)
 Duty cycle (monthly, letter) Up to 1000 pages
 Duty cycle (monthly, A4) Up to 1000 pages
 Print quality black (best) Up to 1200 x 1200 rendered dpi
 Print quality color (best) Up to 4800 x 1200 optimised dpi colour
 Print technology Thermal Inkjet
 Connectivity, standard Hi-Speed USB 2.0, Wi-Fi, Bluetooth LE
 Mobile printing capability Wi-Fi Direct Printing
 Network capabilities Yes (via Wi-Fi)
 Wireless capability Yes, built-in self-healing dual band Wi-Fi 802.11b/g/n, Wireless direct, BLE
 Minimum System Requirements Windows 11,10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer.
 Digital sending standard features Everyday scan (scan to PDF);
 Processor speed 800 MHz
 Maximum Memory 256 MB
 Memory 256 MB; Integrated memory
 Compatible Operating Systems Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; macOS 10.11 El Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave
 Paper handling input, standard 100 sheet input tray
 Paper handling output, standard 30-sheet output tray
 Finished output handling Sheetfed
 Media types Plain paper, Matte Brochure Papers, Glossy Brochure Papers, Photo papers, Envelopes, other specialty inkjet papers
 Media sizes supported A4; B5; A6; DL envelope
 Media sizes, custom 76.2 x 127 mm to 215.9 x 355.6 mm
 Borderless printing Yes (up to 8.5 x 11 in, 210 x 297 mm)
 Media weight, recommended 75 g/m²
 File Format Supported BMP; PDF; JPG; PNG; TIF
 Scanner type Flatbed, ADF (optional)
 Scan file format JPEG, TIFF, PDF, BMP, PNG
 Enhanced scanning resolution Up to 1200 dpi
 Scan resolution, optical Up to 1200 dpi
 Scan size (ADF), maximum 216 x 356 mm
 Scan size, maximum 216 x 297 mm
 Scan speed (normal, A4)
 Up to 3 ppm (200 ppi, colour); Up to 5 ppm (200 ppi, monochrome)
 Automatic document feeder capacity Standard, Up to 35 sheets
 Scan technology Contact Image Sensor (CIS)
 Copy Speed Black (maximum, A4) Up to 22 cpm 3
 Copy speed black (ISO) Up to 10 cpm 3
 Copy speed color (ISO) Up to 2 cpm 3
 Copy Speed Color (maximum, A4) Up to 14 cpm 3
 Copy resolution (black text) Up to 600 dpi
 Copy resolution (color text and graphics) Up to 600 dpi

Copy resolution (black graphics) Up to 600 dpi
Copies, maximum Up to 99 copies
Copy reduce / enlarge settings fit to page
Copier settings Number of Copies, Resize, Quality, Lighter/Darker, Papersize, Papertype, ID Copy, Enhancement
Faxing Yes, color
Fax Transmission Speed 33.6 kbps
Fax Resolution Black (best) Up to 300 x 300 dpi
Fax Speed Dials, Maximum Number Up to 99 numbers
Minimum dimensions (W x D x H) 449 x 373 x 198 mm 5
Maximum dimensions (W x D x H) 449 x 605.65 x 258.7 mm 5
Number of print cartridges 4 (1 each black bottle, set of 3 color bottles)
Manufacturer Warranty One year standard 20 units
4 Document Scanner
Scanning:
Scanner Type:
A4 sheet-fed, one-pass duplex colour scanner
Sensor Type:
Contact Image Sensor (CIS) x 2
Scanning Method:
Fixed carriage and moving document
Light Source:
RGB LED
Optical Resolution:
600 x 600 dpi*1
Output Resolution:
50 - 1,200 dpi (in 1 dpi increments)
Scanner Bit Depth (Colour):
48-bit input, 24-bit output
Scanner Bit Depth (Grayscale):
16-bit input, 8-bit output
Scanner Bit Depth (Black & White):
16-bit input, 1-bit output
Min Document Size:
50.8 x 50.8 mm
Max Document Size:
215.9 x 3,048 mm
Supported Paper Weight:
50 - 209 g/m², Less than A8 size: 127 - 209g/m²
Output File Formats:
Scan: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP, PNG
Document Capture Pro (Win): JPEG, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX
Scan Speed:
Resolution (Simplex / Duplex):
200dpi: 26 ppm / 52 ipm (Monochrome, Colour)
300dpi: 26 ppm / 52 ipm (Monochrome, Colour)
600dpi: 21 ppm / 42 ipm (Monochrome), 7.0 ppm / 14 ipm (Colour)
ADF Specifications:
ADF Capacity:
50 sheets (80g/m²)
Daily Duty Cycle:
up to 3,000 sheets / day
Multi-feed Detection:
Length Detection 2 units
5 3 In One Printer
Product Features & Specification
Print technology : Thermal Inkjet
Duplex printing: Manual (driver support provided)
Print speed (black, draft, Letter): Up to 5 ppm
Print speed (color, draft, Letter): Up to 8 ppm
Print speed black (ISO): Up to 8 ppm
Print speed color (ISO): Up to 5 ppm
Print resolution (best): Up to 1200 x 1200 rendered dpi
Maximum print area (metric): 216 x 355 mm
Maximum print area (U.S. standard): 8.5 x 13.97 in
Monthly duty cycle: Up to 1000 pages
Printer smart software features: Manual Duplex
Scan technology: Contact Image Sensor (CIS)
Scan resolution: Up to 1200 x 1200 dpi
Maximum flatbed scan size (metric): 216 x 297 mm
Maximum flatbed scan size (U.S. standard): 8.5 x 11.69 in
Connectivity: Ports atleast 1 Hi-Speed USB 2.0
Color copy capability: Yes
Number of copies: atleast 9ppm
Copy resolution: atleast Up to 600 x 300 dpi
Paper handling

Input capacity : atleast Up to 60 sheets
 Output capacity : atleast Up to 25 sheets
 Media sizes supported (U.S. standard) : Letter; legal; 4 x 6 in; 5 x 7 in; 8 x 10 in; No. 10 envelopes.
 (Note: Many other sizes are also supported. Any size between 3 x 5" and 8.5 x 14")
 Media types : Plain Paper, Photo Papers, Matte Brochure or Professional Paper,
 Matte Presentation Paper, Glossy Brochure or Professional Paper, Photo Inkjet Papers,
 Matte Inkjet Papers, Glossy Inkjet Papers
 Media weight supported (metric): 75 g/m²
 Borderless printing : Yes, up to 8.5 x 11 in (US letter), 210 x 297 mm (A4)
 Number of print cartridges :1 black bottle, set of 3 color bottles
 Replacement cartridges: Black Original Ink Bottle (~6,000 pages); Cyan Original Ink Bottle (~8,000 pages);
 Magenta Original Ink Bottle (~8,000 pages); Yellow Original Ink Bottle (~8,000 pages). Actual yield varies
 considerably based on content of printed pages and other factors. 20 units
 6 Uninterrupted Power Supply (ups)
 Output Capacity: 650VA/360W
 Output (on battery): 230V +/- 10%, 50/60Hz +/- 1Hz
 Input Voltage Range: 140V-300V, 50/60Hz +/- 5Hz (auto sensing)
 Surge: 156 J
 Battery recharge time: ≤ 8 hours
 No. of Outlets: 4 NEMA 5-15R Battery Backup Outlets
 Dimension: 14.2 cm x 10.1 cm x 30 cm
 Battery Type: Lead-Acid 30 units
 7 Biometric Device
 Fingerprint Capacity 3000
 Card Capacity 10,000 (Optional)
 Record Capacity 100,000
 Display 2.8-inch Screen
 Communication TCP/IP, USB-host, WiFi
 Standard Functions
 Workcode, SMS, DST, Schedule Bell, Self-Service Query, Automatic Status Switch, 9-digit User ID
 Optional Functions
 Photo ID, ADMS, ID / IC / HID, Webserver, External Printer and Bell, WiFi, Multiple Verify Modes
 Power Supply
 DC 5V 0.8A
 Verification Speed
 ≤ 1 Sec.
 Operating Temperature
 0 °C - 45 °C
 Operating Humidity
 20% - 80%
 Dimension
 190 x 135.8 x 51.5mm (L x W x T)
 Net Weight
 0.9 kg 3 units
 8 Projector With Projector Screen
 Projection Technology:
 RGB liquid crystal shutter projection system (3LCD)
 Brightness2:
 White Light Output (Normal/Eco):
 4,000 lm
 Colour Light Output:
 4,000 lm
 Connectivity:
 USB Interface:
 USB Type A: 1 (For Wireless LAN, Firmware Update, Copy OSD Settings)
 USB Type B: 1 (For Firmware Update, Copy OSD Settings)
 Network:
 Wireless: Optional (ELPAP11)
 Analog Input:
 Composite: 1 RCA
 D-Sub 15pin: 1
 Digital Input:
 HDMI: 1
 Audio Input:
 2RCA (White & Red): 1
PROJECTOR SCREEN
 Tripod Screen is a compact projector screen that comes with a shoulder bag for convenient transportation. With a
 screen viewing area of 1771 x 996 mm it's perfect for use with widescreen projectors.
 This widescreen, portable floor-standing projector screen packs down easily and comes with a shoulder bag for easy
 transport and storage
 Screen viewing area of 1771 x 996 mm makes it perfect for use with widescreen projectors
 Matte white PVC screen with 3-legged aluminium steel stand
 Additional mechanism for applying tension to the screen
 Tripod is height adjustable from 300mm to 800mm, floor to bottom of screen
 Package dimensions are W 1140 x D 198 x H 135 mm

Weight is 4.8kg 2 units
9 Tablet With Keyboard
Processor
2.4 GHz, 2 GHz
CPU Type
Octa-Core
Display
10.9" (277.0mm)
Rear Camera - Resolution
8.0 MP
Weight (g)
523
Battery Capacity (mAh, Typical)
8,000 mAh
Specifications Detail
Processor
CPU Speed
2.4 GHz, 2 GHz
CPU Type
Octa-Core
Display
Size (Main Display)
10.9" (277.0mm)
Resolution (Main Display)
2304 x 1440 (WUXGA+)
Technology (Main Display)
TFT
Color Depth (Main Display)
16M
Camera
Rear Camera - Resolution 8.0 MP
Rear Camera - Auto Focus Yes
Front Camera - Resolution 12.0 MP
Rear Camera - Flash No
Video Recording Resolution
UHD 4K (3840 x 2160) @ 30fps
Storage/Memory
Memory (GB) 6
Storage (GB) 128
Available Storage (GB) 99.9
External Storage Support
MicroSD (Up to 1TB)
Connectivity
USB Version
USB 2.0
Location Technology
GPS, Glonass, Beidou, Galileo, QZSS
Earjack
USB Type-C
MHL
No
Wi-Fi
802.11 a / b / g / n / ac / ax 2.4G+ 5GHz, HE80, MIMO, 1024-QAM
Wi-Fi Direct
Yes
Bluetooth Version
Bluetooth v5.3
NFC
No
Bluetooth Profiles
A2DP, AVRCP, DI, HID, HOGP, OPP, PAN
PC Sync.
Smart Switch (PC version)
OS
Android
General Information
Form Factor
Tablet
Sensors
Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
Physical specification
Dimension (HxWxD, mm)
165.8 x 254.3 x 6.5
Weight (g)
523

Battery
 Internet Usage Time(Wi-Fi) (Hours)
 Up to 16
 Video Playback Time (Hours, Wireless)
 Up to 18
 Battery Capacity (mAh, Typical)
 8000
 Removable
 No
 Audio Playback Time (Hours, Wireless)
 Up to 113 15 units
 10 Portable Hard Drive - 4tb
 Technical Specification
 Storage Capacity: 4 TB
 Connection Interface: 1 x USB 3.2 / USB 3.1 Gen 1 (USB Micro-B)
 Pre-Format: exFAT\
 Internal Drive
 Internal Interface: SATA (Unspecified)
 Type: Hard Disk Drive
 Form Factor: 2.5"
 External Enclosure
 Power Source: USB Bus Power
 Dimensions (L x W x H) 4.5 x 3.1 x 0.8" / 114.3 x 78.7 x 20.3 mm
 Weight: 0.58 lb / 0.26 kg 5 pcs
 11 Portable Hard Drive - 1tb

Specifications

Whether its business files or personal photos, videos and music, you'll be able to save it all with the stylish HD-B1 1 TB external hard drive. The super-fast transfer speeds of 5 GB/s (via a USB 3.0 connection) and 480 Mbps (via USB 2.0) make saving files easy, while preloaded automatic backup software keeps them secure.

USB 3.0 compatible

5 GB/s with USB 3.0 port, or 480 mbps with USB 2.0 port
 1 TB storage capacity in a pocket-sized device
 NTFS formatted for better performance and security 10 pcs
 12 Portable SSD 500gb Type-A&Type-C connectors in 1 drive
 Dimensions 71.3 mm x 20 mm x 7.8 mm (2.81" x 0.79" x 0.31")
 Weight 11 g (0.39 oz)

Color

Black/Silver/Pink

Interface

USB Type
 USB Type-A&USB Type-C
 Connection Interface
 USB 10Gbps

Storage

Flash Type
 3D NAND flash

Capacity

512 GB/1 TB/2 TB

Operating Environment

Operating Temperature 0°C (32°F) ~ 60°C (140°F)

Operating Voltage

5V±5%

Note

Due to the product's high-speed property, elevated temperatures during data transmission may be observed. This does not affect SSD functionality.

Performance

Read Speed (Max.) Up to 1,050 MB/s

Write Speed (Max.) Up to 950 MB/s

Note

Speed may vary due to host hardware, software, usage, and storage capacity.

To reach the maximum performance, please make sure your device supports USB 10Gbps (USB 3.2 Gen 2x1). 20 pcs

13 Mouse wired

SPECIFICATIONS

SYSTEM REQUIREMENTS

- Windows Vista or Windows 7, Windows 8, Windows 10
- Linux kernel 2.4+
- Mac OS X 10.3.9 or later
- USB Port

SPECIFICATIONS

- Corded Mouse
- 3 buttons
- USB connectivity
- Optical tracking
- DPI (Min/Max): 1000±

- Cable: 5-ft 9-in (180 cm) approx
- Works with Windows Vista®, Windows® 7, Windows 8, Windows 10
- Chrome OS 20 pcs

14 Keyboard Wired
 Port: USB wired
 Material: Plastic
 Working Frequency: 2450MHz-2476MHz
 Rated Operating Voltage: 3V
 Rated Operating Current: 1.5mA
 Compatible with Windows 2000 / XP / Vista / Win7 / Win8 / Win10 / Linux / iOS
 Package Included: Slim USB Keyboard For Desktop PC Laptop.
 Light On/Off Key: SL Key
 BENEFITS:
 A standard 104 keys full-size keyboard layout, Easy to operate.
 Ergonomic design, feel comfortable, reduce hand fatigue. 10 pcs
 15 Wireless Keyboard and Mouse Combo
 Technical Specifications
 Keyboard
 Spill-resistant design 1Tested under limited conditions (maximum of 60 ml liquid spillage).
 Tilt legs
 10-Key Number pad
 Special Keys: 15 function keys
 Up to 5 million keystrokes
 2 AAA batteries
 Battery life: 36 months 2Keyboard battery life calculation based on an estimated two million keystrokes/year in an office environment. User experience may vary. Mouse battery life may vary based on user and computing conditions.
 Mouse
 Sensor technology: Smooth Optical tracking
 Number of buttons: 3 (Left/Right-click, Middle click)
 Scrolling: line-by-line
 Scroll Wheel: Yes, 2D, optical
 Connect/Power: On/Off power button
 1 AA batteries
 Battery life: 12 months 3Keyboard battery life calculation based on an estimated two million keystrokes/year in an office environment. User experience may vary. Mouse battery life may vary based on user and computing conditions.
 10 pcs
 16 2.5" SSD - 1tb
 Form factor 2.5"
 Interface SATA Rev. 3.0 (6Gb/s) – with backwards compatibility to SATA Rev. 2.0 (3Gb/s)
 Capacities2 960GB
 NAND 3D
 Baseline Performance1 Data Transfer (ATTO)
 960GB – up to 500MB/s Read and 450MB/s Write
 Power Consumption 0.195W Idle / 0.279W Avg / 0.642W (MAX) Read / 1.535W (MAX) Write
 Storage temperature -40°C~85°C
 Operating temperature 0°C~70°C
 Dimensions 100.0mm x 69.9mm x 7.0mm (2.5")

Weight 39g (120GB – 2.5")
 41g (240-480GB – 2.5")
 41.9g (960GB – 2.5")
 Vibration operating 2.17G Peak (7–800Hz)
 Vibration non-operating 20G Peak (10–2000Hz)
 Life expectancy 2 million hours MTBF
 Total Bytes Written (TBW)4
 960GB – 300TB 20 pcs
 17 Digital Portable Distance Meter Ruler Measurement
 Type: Handheld Laser Rangefinder
 Measurement unit: m,ft,in
 Area unit: m²,ft²,in²
 Measuring range: 0.03-100(m)
 Measurement accuracy: +/-1.5mm
 Measurement Time: 0.1~3s
 Power Type: Battery powered
 Battery type: 1.5v*2
 Resolution: 0.001
 Dust and splash proof: IP54
 Data storage : 50 groups
 Automatic laser shut down: After 60s
 Automatic device shut down: After 480s
 Laser type: 635nm
 Laser class: ClassII, < 1mW
 Single measurement time: 0.25s
 Working temperature: 0 ~ +40°C
 Storage temperature: -25 ~ +60°C

Dimensions (LxWxH) :125x58x30mm
 Net weight: 104g
 Material: ABS 2 pcs
 18 Wifi Adapter
 Technical Specification
HARDWARE FEATURES
 Interface: USB 3.0
 Button: WPS button
 Dimensions (W x D x H): 3.64x1.24x0.55 in. (92.47x31.55x13.9mm)
 Antenna: 2 High Gain External Antennas
 Antenna Type: Omni Directional
WIRELESS FEATURES
 Wireless Standards:
 IEEE 802.11ac, IEEE 802.11a,
 IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
 Frequency:
 5GHz
 2.4GHz
 Signal Rate
 5GHz:
 11ac: Up to 867Mbps(dynamic)
 11n: Up to 300Mbps(dynamic)
 11a: Up to 54Mbps(dynamic)
 2.4GHz
 11n: Up to 400Mbps(dynamic)
 11g: Up to 54Mbps(dynamic)
 11b: Up to 11Mbps(dynamic) 30 pcs
 19 DDR3 Desktop Memory RAM DIMM 1600 MHz
 Form Factor UDIMM
 Pins 240
 XMP Ready No
 Plug N Play Yes
 Speeds1* 1600MT/s
 CAS Latencies 10
 Voltages 1.5V
 Module Capacities 8GB
 Kit Capacities 8GB or 16GB
 Kit Configuration Dual Channel
 Operating Temperature 0° C to +85°
 Storage Temperature -55° to +100° C
 PCB Color Black
 Heat Spreader Colors Blue, Black
 Module Dimensions 133.35mm x 32.8mm x 7.08mm 17 pcs

Notes:

The participating bidder should attach brochure or picture for selected item/s
 Delivery Term: One time Delivery and within 30 days upon receipt of Purchase Order.
 Place of Delivery / Venue: DSWD Region XII - Koronadal City
 General Requirements: The supplier must attach a certification of satisfactory performance for all its completed government projects for the last year. Any unsatisfactory performance will result in disqualification in accordance with the RDC Resolution

Conforme:

Name of Company: _____

Signature of Bidder or Authorized Representative: _____

Name and Designation: _____

Date: _____

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (e.g. production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to

be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

DSWD12-ICTMS-2024-06-014 Procurement of Semi-Expendable ICT Equipment for the use of ICTMS, for distribution and upgrading of ICT Equipment

Item Specification Statement of Compliance

[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]

1 Digital Voice Recorder - 5 units

Product details & Specification

BATTERY TYPE (PROVIDED) Built-In Lithium Battery

BUILT-IN MEMORY 4 GB

BUILT-IN MICROPHONE Stereo (S-Mic)

CALENDAR SEARCH Yes

LCD BACKLIGHT Yes

MAXIMUM FILES PER FOLDER 199 MAXIMUM FILES (TOTAL) 5,000 files (including number of folder)

PC CONNECTIVITY Yes

PLAYBACK FORMAT LPCM/MP3/AAC/WMA

RECORDING FORMAT Linear PCM/MP3

USB CONNECTION CHARGING Yes Recording Features

SCENE SELECT Yes

SYNC RECORDING FUNCTION Yes

RECORDING MONITOR Yes

LOW-CUT FILTER Yes

FM RADIO RECORDING Yes

VOR Yes

Playback & Edit Features
 A-B REPEAT Yes
 DIGITAL PITCH CONTROL (SPEED CONTROL) Yes
 DIVIDE Yes
 EASY SEARCH Yes
 ERASE Yes
 FILE COPY Yes
 FOLDER NAME CHANGE (WITHOUT USING PC) Yes
 GRAPHIC EQUALIZER Yes
 MOVE FILE Yes
 NOISE CUT Yes (Clear Voice)
 TRACK MARK Yes
 2 Presentation Clicker - 10 units
 Product details & Specification
 Dimensions
 Presentation remote
 Height: 131.3 mm
 Width: 28.1 mm
 Depth: 12.1 mm
 Weight: 49.2 g included Battery
 Receiver
 Height: 40.4 mm
 Width: 17.2 mm
 Depth: 6.8 mm
 Weight: 3.3 g
 Charging cable
 Length: 140 mm
 Technical Specifications
 Motion sensor
 3D accelerometer and Gyroscope
 Battery Life (rechargeable): 3 months May vary based on usage.
 Battery Details: Rechargeable Lithium Polymer, 85 mAh
 Connection Type: Bluetooth Low Energy and 2.4 GHz wireless
 Wireless range: 30 m 2May vary based on environmental and computing conditions.
 Indicator Lights
 LED: Battery and Connectivity
 3 Printer With Adf And Scanner - 20 units
 Product Features & Specification
 Functions: Print, copy, scan, fax, ADF, wireless
 Print speed black (ISO) Up to 11 ppm
 Print speed black (draft, A4) Up to 22 ppm
 Print speed black (ISO, A4) Up to 11 ppm
 Print speed color (ISO) Up to 5 ppm
 Print speed color (draft, A4) Up to 16 ppm
 Print Speed Color (ISO) Up to 5 ppm
 First page out black (A4, ready) As fast as 14 sec
 First page out color (A4, ready) As fast as 21 sec
 Duplex printing Manual (driver support provided)
 Duty cycle (monthly, letter) Up to 1000 pages
 Duty cycle (monthly, A4) Up to 1000 pages
 Print quality black (best) Up to 1200 x 1200 rendered dpi
 Print quality color (best) Up to 4800 x 1200 optimised dpi colour
 Print technology Thermal Inkjet
 Connectivity, standard Hi-Speed USB 2.0, Wi-Fi, Bluetooth LE
 Mobile printing capability Wi-Fi Direct Printing
 Network capabilities Yes (via Wi-Fi)
 Wireless capability Yes, built-in self-healing dual band Wi-Fi 802.11b/g/n, Wireless direct, BLE
 Minimum System Requirements Windows 11,10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer.
 Digital sending standard features Everyday scan (scan to PDF);
 Processor speed 800 MHz
 Maximum Memory 256 MB
 Memory 256 MB; Integrated memory
 Compatible Operating Systems Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; macOS 10.11 El Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave
 Paper handling input, standard 100 sheet input tray
 Paper handling output, standard 30-sheet output tray
 Finished output handling Sheetfed
 Media types Plain paper, Matte Brochure Papers, Glossy Brochure Papers, Photo papers, Envelopes, other specialty inkjet papers
 Media sizes supported A4; B5; A6; DL envelope
 Media sizes, custom 76.2 x 127 mm to 215.9 x 355.6 mm
 Borderless printing Yes (up to 8.5 x 11 in, 210 x 297 mm)
 Media weight, recommended 75 g/m²
 File Format Supported BMP; PDF; JPG; PNG; TIF

Scanner type Flatbed, ADF (optional)
 Scan file format JPEG, TIFF, PDF, BMP, PNG
 Enhanced scanning resolution Up to 1200 dpi
 Scan resolution, optical Up to 1200 dpi
 Scan size (ADF), maximum 216 x 356 mm
 Scan size, maximum 216 x 297 mm
 Scan speed (normal, A4)
 Up to 3 ppm (200 ppi, colour); Up to 5 ppm (200 ppi, monochrome)
 Automatic document feeder capacity Standard, Up to 35 sheets
 Scan technology Contact Image Sensor (CIS)
 Copy Speed Black (maximum, A4) Up to 22 cpm 3
 Copy speed black (ISO) Up to 10 cpm 3
 Copy speed color (ISO) Up to 2 cpm 3
 Copy Speed Color (maximum, A4) Up to 14 cpm 3
 Copy resolution (black text) Up to 600 dpi
 Copy resolution (color text and graphics) Up to 600 dpi
 Copy resolution (black graphics) Up to 600 dpi
 Copies, maximum Up to 99 copies
 Copy reduce / enlarge settings fit to page
 Copier settings Number of Copies, Resize, Quality, Lighter/Darker, Papersize, Papertype, ID Copy, Enhancement
 Faxing Yes, color
 Fax Transmission Speed 33.6 kbps
 Fax Resolution Black (best) Up to 300 x 300 dpi
 Fax Speed Dials, Maximum Number Up to 99 numbers
 Minimum dimensions (W x D x H) 449 x 373 x 198 mm 5
 Maximum dimensions (W x D x H) 449 x 605.65 x 258.7 mm 5
 Number of print cartridges 4 (1 each black bottle, set of 3 color bottles)
 Manufacturer Warranty One year standard
 4 Document Scanner - 2 units
 Scanning:
 Scanner Type:
 A4 sheet-fed, one-pass duplex colour scanner
 Sensor Type:
 Contact Image Sensor (CIS) x 2
 Scanning Method:
 Fixed carriage and moving document
 Light Source:
 RGB LED
 Optical Resolution:
 600 x 600 dpi*1
 Output Resolution:
 50 - 1,200 dpi (in 1 dpi increments)
 Scanner Bit Depth (Colour):
 48-bit input, 24-bit output
 Scanner Bit Depth (Grayscale):
 16-bit input, 8-bit output
 Scanner Bit Depth (Black & White):
 16-bit input, 1-bit output
 Min Document Size:
 50.8 x 50.8 mm
 Max Document Size:
 215.9 x 3,048 mm
 Supported Paper Weight:
 50 - 209 g/m2, Less than A8 size: 127 - 209g/m2
 Output File Formats:
 Scan: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP, PNG
 Document Capture Pro (Win): JPEG, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX
 Scan Speed:
 Resolution (Simplex / Duplex):
 200dpi: 26 ppm / 52 ipm (Monochrome, Colour)
 300dpi: 26 ppm / 52 ipm (Monochrome, Colour)
 600dpi: 21 ppm / 42 ipm (Monochrome), 7.0 ppm / 14 ipm (Colour)
 ADF Specifications:
 ADF Capacity:
 50 sheets (80g/m2)
 Daily Duty Cycle:
 up to 3,000 sheets / day
 Multi-feed Detection:
 Length Detection
 5 3 In One Printer - 20 units
 Product Features & Specification
 Print technology : Thermal Inkjet
 Duplex printing: Manual (driver support provided)
 Print speed (black, draft, Letter): Up to 5 ppm
 Print speed (color, draft, Letter): Up to 8 ppm

Print speed black (ISO): Up to 8 ppm
 Print speed color (ISO): Up to 5 ppm
 Print resolution (best): Up to 1200 x 1200 rendered dpi
 Maximum print area (metric): 216 x 355 mm
 Maximum print area (U.S. standard): 8.5 x 13.97 in
 Monthly duty cycle: Up to 1000 pages
 Printer smart software features: Manual Duplex
 Scan technology: Contact Image Sensor (CIS)
 Scan resolution: Up to 1200 x 1200 dpi
 Maximum flatbed scan size (metric): 216 x 297 mm
 Maximum flatbed scan size (U.S. standard): 8.5 x 11.69 in
 Connectivity: Ports atleast 1 Hi-Speed USB 2.0
 Color copy capability: Yes
 Number of copies: atleast 9ppm
 Copy resolution: atleast Up to 600 x 300 dpi
 Paper handling
 Input capacity : atleast Up to 60 sheets
 Output capacity : atleast Up to 25 sheets
 Media sizes supported (U.S. standard) : Letter; legal; 4 x 6 in; 5 x 7 in; 8 x 10 in; No. 10 envelopes.
 (Note: Many other sizes are also supported. Any size between 3 x 5" and 8.5 x 14")
 Media types : Plain Paper, Photo Papers, Matte Brochure or Professional Paper,
 Matte Presentation Paper, Glossy Brochure or Professional Paper, Photo Inkjet Papers,
 Matte Inkjet Papers, Glossy Inkjet Papers
 Media weight supported (metric): 75 g/m²
 Borderless printing : Yes, up to 8.5 x 11 in (US letter), 210 x 297 mm (A4)
 Number of print cartridges :1 black bottle, set of 3 color bottles
 Replacement cartridges: Black Original Ink Bottle (~6,000 pages); Cyan Original Ink Bottle (~8,000 pages);
 Magenta Original Ink Bottle (~8,000 pages); Yellow Original Ink Bottle (~8,000 pages). Actual yield varies
 considerably based on content of printed pages and other factors.
 6 Uninterrupted Power Supply (ups) - 30 units
 Output Capacity: 650VA/360W
 Output (on battery): 230V +/- 10%, 50/60Hz +/- 1Hz
 Input Voltage Range: 140V-300V, 50/60Hz +/- 5Hz (auto sensing)
 Surge: 156 J
 Battery recharge time: ≤ 8 hours
 No. of Outlets: 4 NEMA 5-15R Battery Backup Outlets
 Dimension: 14.2 cm x 10.1 cm x 30 cm
 Battery Type: Lead-Acid
 7 Biometric Device - 3 units
 Fingerprint Capacity 3000
 Card Capacity 10,000 (Optional)
 Record Capacity 100,000
 Display 2.8-inch Screen
 Communication TCP/IP, USB-host, WiFi
 Standard Functions
 Workcode, SMS, DST, Schedule Bell, Self-Service Query, Automatic Status Switch, 9-digit User ID
 Optional Functions
 Photo ID,ADMS, ID / IC / HID, Webserver, External Printer and Bell, WiFi, Multiple Verify Modes
 Power Supply
 DC 5V 0.8A
 Verification Speed
 ≤ 1 Sec.
 Operating Temperature
 0 °C - 45 °C
 Operating Humidity
 20% - 80%
 Dimension
 190 x 135.8 x 51.5mm (L x W x T)
 Net Weight
 0.9 kg
 8 Projector With Projector Screen - 2 units
 Projection Technology:
 RGB liquid crystal shutter projection system (3LCD)
 Brightness2:
 White Light Output (Normal/Eco):
 4,000 lm
 Colour Light Output:
 4,000 lm
 Connectivity:
 USB Interface:
 USB Type A: 1 (For Wireless LAN, Firmware Update, Copy OSD Settings)
 USB Type B: 1 (For Firmware Update, Copy OSD Settings)
 Network:
 Wireless: Optional (ELPAP11)
 Analog Input:

Composite: 1 RCA

D-Sub 15pin: 1

Digital Input:

HDMI: 1

Audio Input:

2RCA (White & Red): 1

PROJECTOR SCREEN

Tripod Screen is a compact projector screen that comes with a shoulder bag for convenient transportation. With a screen viewing area of 1771 x 996 mm it's perfect for use with widescreen projectors.

This widescreen, portable floor-standing projector screen packs down easily and comes with a shoulder bag for easy transport and storage

Screen viewing area of 1771 x 996 mm makes it perfect for use with widescreen projectors

Matte white PVC screen with 3-legged aluminium steel stand

Additional mechanism for applying tension to the screen

Tripod is height adjustable from 300mm to 800mm, floor to bottom of screen

Package dimensions are W 1140 x D 198 x H 135 mm

Weight is 4.8kg

9 Tablet With Keyboard - 15 units

Processor

2.4 GHz, 2 GHz

CPU Type

Octa-Core

Display

10.9" (277.0mm)

Rear Camera - Resolution

8.0 MP

Weight (g)

523

Battery Capacity (mAh, Typical)

8,000 mAh

Specifications Detail

Processor

CPU Speed

2.4 GHz, 2 GHz

CPU Type

Octa-Core

Display

Size (Main Display)

10.9" (277.0mm)

Resolution (Main Display)

2304 x 1440 (WUXGA+)

Technology (Main Display)

TFT

Color Depth (Main Display)

16M

Camera

Rear Camera - Resolution 8.0 MP

Rear Camera - Auto Focus Yes

Front Camera - Resolution 12.0 MP

Rear Camera - Flash No

Video Recording Resolution

UHD 4K (3840 x 2160) @ 30fps

Storage/Memory

Memory (GB) 6

Storage (GB) 128

Available Storage (GB) 99.9

External Storage Support

MicroSD (Up to 1TB)

Connectivity

USB Version

USB 2.0

Location Technology

GPS, Glonass, Beidou, Galileo, QZSS

Earjack

USB Type-C

MHL

No

Wi-Fi

802.11 a / b / g / n / ac / ax 2.4G+ 5GHz, HE80, MIMO, 1024-QAM

Wi-Fi Direct

Yes

Bluetooth Version

Bluetooth v5.3

NFC

No

Bluetooth Profiles
A2DP, AVRCP, DI, HID, HOGP, OPP, PAN
PC Sync.
Smart Switch (PC version)
OS
Android
General Information
Form Factor
Tablet
Sensors
Accelerometer, Fingerprint Sensor, Gyro Sensor, Geomagnetic Sensor, Hall Sensor, Light Sensor
Physical specification
Dimension (HxWxD, mm)
165.8 x 254.3 x 6.5
Weight (g)
523
Battery
Internet Usage Time(Wi-Fi) (Hours)
Up to 16
Video Playback Time (Hours, Wireless)
Up to 18
Battery Capacity (mAh, Typical)
8000
Removable
No
Audio Playback Time (Hours, Wireless)
Up to 113
10 Portable Hard Drive - 4tb - 5 pcs
Technical Specification
Storage Capacity: 4 TB
Connection Interface: 1 x USB 3.2 / USB 3.1 Gen 1 (USB Micro-B)
Pre-Format: exFAT\
Internal Drive
Internal Interface: SATA (Unspecified)
Type: Hard Disk Drive
Form Factor: 2.5"
External Enclosure
Power Source: USB Bus Power
Dimensions (L x W x H) 4.5 x 3.1 x 0.8" / 114.3 x 78.7 x 20.3 mm
Weight: 0.58 lb / 0.26 kg
11 Portable Hard Drive - 1tb - 10 pcs
Specifications
Whether its business files or personal photos, videos and music, you'll be able to save it all with the stylish HD-B1 1 TB external hard drive. The super-fast transfer speeds of 5 GB/s (via a USB 3.0 connection) and 480 Mbps (via USB 2.0) make saving files easy, while preloaded automatic backup software keeps them secure.

USB 3.0 compatible
5 GB/s with USB 3.0 port, or 480 mbps with USB 2.0 port
1 TB storage capacity in a pocket-sized device
NTFS formatted for better performance and security
12 Portable SSD 500gb Type-A&Type-C connectors in 1 drive - 20 pcs
Dimensions 71.3 mm x 20 mm x 7.8 mm (2.81" x 0.79" x 0.31")
Weight 11 g (0.39 oz)
Color
Black/Silver/Pink
Interface
USB Type
USB Type-A&USB Type-C
Connection Interface
USB 10Gbps
Storage
Flash Type
3D NAND flash
Capacity
512 GB/1 TB/2 TB
Operating Environment
Operating Temperature 0°C (32°F) ~ 60°C (140°F)
Operating Voltage
5V±5%
Note
Due to the product's high-speed property, elevated temperatures during data transmission may be observed. This does not affect SSD functionality.

Performance
Read Speed (Max.) Up to 1,050 MB/s
Write Speed (Max.) Up to 950 MB/s

Note

Speed may vary due to host hardware, software, usage, and storage capacity.

To reach the maximum performance, please make sure your device supports USB 10Gbps (USB 3.2 Gen 2x1).

13 Mouse wired - 20 pcs

SPECIFICATIONS**SYSTEM REQUIREMENTS**

- Windows Vista or Windows 7, Windows 8, Windows 10
- Linux kernel 2.4+
- Mac OS X 10.3.9 or later
- USB Port

SPECIFICATIONS

- Corded Mouse
- 3 buttons
- USB connectivity
- Optical tracking
- DPI (Min/Max): 1000±
- Cable: 5-ft 9-in (180 cm) approx
- Works with Windows Vista®, Windows® 7, Windows 8, Windows 10
- Chrome OS

14 Keyboard Wired - 10 pcs

Port: USB wired

Material: Plastic

Working Frequency: 2450MHz-2476MHz

Rated Operating Voltage: 3V

Rated Operating Current: 1.5mA

Compatible with Windows 2000 / XP / Vista / Win7 / Win8 / Win10 / Linux / iOS

Package Included: Slim USB Keyboard For Desktop PC Laptop.

Light On/Off Key: SL Key

BENEFITS:

A standard 104 keys full-size keyboard layout, Easy to operate.

Ergonomic design, feel comfortable, reduce hand fatigue.

15 Wireless Keyboard and Mouse Combo - 10 pcs

Technical Specifications**Keyboard**

Spill-resistant design 1Tested under limited conditions (maximum of 60 ml liquid spillage).

Tilt legs

10-Key Number pad

Special Keys: 15 function keys

Up to 5 million keystrokes

2 AAA batteries

Battery life: 36 months 2Keyboard battery life calculation based on an estimated two million keystrokes/year in an office environment. User experience may vary. Mouse battery life may vary based on user and computing conditions.

Mouse

Sensor technology: Smooth Optical tracking

Number of buttons: 3 (Left/Right-click, Middle click)

Scrolling: line-by-line

Scroll Wheel: Yes, 2D, optical

Connect/Power: On/Off power button

1 AA batteries

Battery life: 12 months 3Keyboard battery life calculation based on an estimated two million keystrokes/year in an office environment. User experience may vary. Mouse battery life may vary based on user and computing conditions.

16 2.5" SSD - 1tb - 20 pcs

Form factor 2.5"

Interface SATA Rev. 3.0 (6Gb/s) – with backwards compatibility to SATA Rev. 2.0 (3Gb/s)

Capacities2 960GB

NAND 3D

Baseline Performance1 Data Transfer (ATTO)

960GB — up to 500MB/s Read and 450MB/s Write

Power Consumption 0.195W Idle / 0.279W Avg / 0.642W (MAX) Read / 1.535W (MAX) Write

Storage temperature -40°C~85°C

Operating temperature 0°C~70°C

Dimensions 100.0mm x 69.9mm x 7.0mm (2.5")

Weight 39g (120GB – 2.5")

41g (240-480GB – 2.5")

41.9g (960GB – 2.5")

Vibration operating 2.17G Peak (7–800Hz)

Vibration non-operating 20G Peak (10–2000Hz)

Life expectancy 2 million hours MTBF

Total Bytes Written (TBW)4

960GB — 300TB

17 Digital Portable Distance Meter Ruler Measurement - 2 pcs

Type: Handheld Laser Rangefinder

Measurement unit: m,ft,in

Area unit: m²,ft²,in²

Measuring range: 0.03-100(m)
 Measurement accuracy: +/-1.5mm
 Measurement Time: 0.1~3s
 Power Type: Battery powered
 Battery type: 1.5v*2
 Resolution: 0.001
 Dust and splash proof: IP54
 Data storage : 50 groups
 Automatic laser shut down: After 60s
 Automatic device shut down: After 480s
 Laser type: 635nm
 Laser class: ClassII, < 1mW
 Single measurement time: 0.25s
 Working temperature: 0 ~ +40°C
 Storage temperature: -25 ~ +60°C
 Dimensions (LxWxH) :125x58x30mm
 Net weight: 104g
 Material: ABS
 18 Wifi Adapter -30 pcs
 Technical Specification
HARDWARE FEATURES
 Interface: USB 3.0
 Button: WPS button
 Dimensions (W x D x H): 3.64×1.24×0.55 in. (92.47×31.55×13.9mm)
 Antenna: 2 High Gain External Antennas
 Antenna Type: Omni Directional
WIRELESS FEATURES
 Wireless Standards:
 IEEE 802.11ac, IEEE 802.11a,
 IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
 Frequency:
 5GHz
 2.4GHz
 Signal Rate
 5GHz:
 11ac: Up to 867Mbps(dynamic)
 11n: Up to 300Mbps(dynamic)
 11a: Up to 54Mbps(dynamic)
 2.4GHz
 11n: Up to 400Mbps(dynamic)
 11g: Up to 54Mbps(dynamic)
 11b: Up to 11Mbps(dynamic)
 19 DDR3 Desktop Memory RAM DIMM 1600 MHz -17 pcs
 Form Factor UDIMM
 Pins 240
 XMP Ready No
 Plug N Play Yes
 Speeds1* 1600MT/s
 CAS Latencies 10
 Voltages 1.5V
 Module Capacities 8GB
 Kit Capacities 8GB or 16GB
 Kit Configuration Dual Channel
 Operating Temperature 0° C to +85°
 Storage Temperature -55° to +100° C
 PCB Color Black
 Heat Spreader Colors Blue, Black
 Module Dimensions 133.35mm x 32.8mm x 7.08mm

Notes:

The participating bidder should attach brochure or picture for selected item/s
 Delivery Term: One time Delivery and within 30 days upon receipt of Purchase Order.
 Place of Delivery / Venue: DSWD Region XII - Koronadal City
 General Requirements: The supplier must attach a certification of satisfactory performance for all its completed government projects for the last year. Any unsatisfactory performance will result in disqualification in accordance with the RDC Resolution

Conforme:

Name of Company: _____

Signature of Bidder or Authorized Representative: _____

Name and Designation: _____

Date: _____

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

(a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

Technical Documents

(b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and

(c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and

(d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission or Original copy of Notarized Bid Securing Declaration; and

(e) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; and

(f) Original duly signed Omnibus Sworn Statement (OSS) and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

(g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

(h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

(i) Original of duly signed and accomplished Financial Bid Form; and

(j) Original of duly signed and accomplished Price Schedule(s).

Other documentary requirements under RA No. 9184 (as applicable)

(k) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]

Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.

(l) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

Line Items

Item No.	Product/Service Name	Description	Quantity	UOM	Budget (PHP)
1	ICT EQUIPMENT	Procurement of Semi-Expendable ICT Equipment for the use of ICTMS, for	1	Lot	1,997,118.00

		distribution and upgrading of ICT Equipment			
Pre-bid Conference					
	Date		Time		Venue
	05/07/2024		10:00:00 AM		DSWD Field Office 12, Regional Center, Brgy. Carpenter Hill, Koronadal City

Created by Loreto Jr. Vargas Cabaya

Date Created 29/06/2024

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.