

SUPPLEMENTAL / BID BULLETIN NO. 01

TITLE : Supplemental Bid Bulletin for the **Procurement of Semi-Expendable ICT Equipment for the use of ICTMS, for distribution and upgrading of ICT Equipment**

ITB NO. : **DSWD12-ICTMS-2024-06-014**

DATE : 15 July 2024

This Supplemental/Bid Bulletin is issued to all prospective bidders announcing the following:

PARTICULARS	CLARIFICATION / AMENDMENT / ADDENDUMS
Amendment/Addendum for Section VI Schedule of Requirements and Section VII Technical Specifications	
Upon the conduct of Pre-bid Conference, the product quality of the specifications for the item to be procured was found questionable and unreliable. The End-user was advised to review the identified specifications to avoid outdated or phased out models, and tailor-fitting to a specific brand.	
ORIGINAL SPECIFICATION	AMENDED SPECIFICATION
<p>Item No. 3 - Printer With Adf And Scanner</p> <p>Product Features & Specification Functions: Print, copy, scan, fax, ADF, wireless Print speed black (ISO) Up to 11 ppm Print speed black (draft, A4) Up to 22 ppm Print speed black (ISO, A4) Up to 11 ppm Print speed color (ISO) Up to 5 ppm Print speed color (draft, A4) Up to 16 ppm Print Speed Color (ISO) Up to 5 ppm First page out black (A4, ready) As fast as 14 sec First page out color (A4, ready) As fast as 21 sec Duplex printing Manual (driver support provided) Duty cycle (monthly, letter) Up to 1000 pages Duty cycle (monthly, A4) Up to 1000 pages Print quality black (best) Up to 1200 x 1200 rendered dpi Print quality color (best) Up to 4800 x 1200 optimised dpi colour</p>	<p>Item No. 3 - Printer With Adf And Scanner</p> <p>Copying: Maximum Copy Resolution: 600 x 600 dpi Maximum Copy Size: Legal ISO 29183, A4 Simplex Flatbed (Black / Colour): Up to 10.8 ipm / 5.5 ipm ISO 29183, A4 ADF (Black / Colour): Approx. 60 sec / 82 sec Copy Quality: Standard / High</p> <p>Scanning: Scanner Type: Flatbed colour image scanner Sensor Type: CIS Optical Resolution: 1200 x 2400 dpi Maximum Scan Area: 216 x 297 mm Scanner Bit Depth (Colour): 48-bit input, 24-bit output Scanner Bit Depth (Grayscale): 16-bit input, 8-bit output Scanner Bit Depth (Black & White): 16-bit input, 1-bit output Scan Speed: Scan Speed (Flatbed / ADF (Simplex)):</p>

<p>Print technology Thermal Inkjet Connectivity, standard Hi-Speed USB 2.0, Wi-Fi, Bluetooth LE Mobile printing capability Wi-Fi Direct Printing Network capabilities Yes (via Wi-Fi) Wireless capability Yes, built-in self-healing dual band Wi-Fi 802.11b/g/n, Wireless direct, BLE</p> <p>Media sizes, custom 76.2 x 127 mm to 215.9 x 355.6 mm Borderless printing Yes (up to 8.5 x 11 in, 210 x 297 mm) Media weight, recommended 75 g/m² File Format Supported BMP; PDF; JPG; PNG; TIF Scanner type Flatbed, ADF (optional) Scan file format JPEG, TIFF, PDF, BMP, PNG Enhanced scanning resolution Up to 1200 dpi Scan resolution, optical Up to 1200 dpi Scan size (ADF), maximum 216 x 356 mm Scan size, maximum 216 x 297 mm Scan speed (normal, A4) Up to 3 ppm (200 ppi, colour); Up to 5 ppm (200 ppi, monochrome) Automatic document feeder capacity Standard, Up to 35 sheets Scan technology Contact Image Sensor (CIS) Copy Speed Black (maximum, A4) Up to 22 cpm 3 Copy speed black (ISO) Up to 10 cpm 3 Copy speed color (ISO) Up to 2 cpm 3 Copy Speed Color (maximum, A4) Up to 14 cpm 3 Copy resolution (black text) Up to 600 dpi</p> <p>Copy resolution (color text and graphics) Up to 600 dpi Copy resolution (black graphics) Up to 600 dpi Copies, maximum Up to 99 copies Copy reduce / enlarge settings fit to page Copier settings Number of Copies, Resize, Quality, Lighter/Darker, Papersize, Papertype, ID Copy, Enhancement Faxing Yes, color Fax Transmission Speed 33.6 kbps Fax Resolution Black (best) Up to 300 x 300 dpi Fax Speed Dials, Maximum Number Up to 99 numbers Minimum dimensions (W x D x H) 449 x 373 x 198 mm 5 Maximum dimensions (W x D x H) 449 x 605.65 x 258.7 mm 5 Number of print cartridges 4 (1 each black bottle, set of 3 color bottles)</p>	<p>200dpi, Black: 12 sec / Up to 4.5 ipm 200dpi, Colour: 29 sec / Up to 4.5 ipm</p> <p>ADF Specifications: Support Paper Thickness: 64 – 95 g/m Paper Capacity: 30 sheets Paper Handling: Paper Feed Method: Friction feed Number of Paper Trays: 1 Standard Paper Input Capacity: Up to 100 sheets of Plain Paper (80 g/m²), 20 sheets of Premium Glossy Photo Paper Output Capacity: Up to 30 sheets of Plain Paper (80 g/m²), Up to 20 sheets of Premium Glossy Photo Paper Maximum Paper Size: 215.9 x 1200 mm (8.5 x 47.24") Paper Size: A4, A5, A6, B5, B6, 100 x 148 mm, Indian-Legal (215 x 345 mm), Letter, 8.5 x 13", Legal 8.5 x 14", 3 x 5", 4 x 6", 5 x 7", Envelopes #10, DL, C6</p> <p>Consumables: Black Ink Bottle: Cyan Ink Bottle: Magenta Ink Bottle: Yellow Ink Bottle: Interface: USB: USB 2.0 Network: Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct Network Protocol: TCP/IPv4, TCP/IPv6</p>
--	---

<p>Manufacturer Warranty One year standard</p>	
<p>Item No. 5 - 3 In One Printer</p> <p>Product Features & Specification Print technology : Thermal Inkjet Duplex printing: Manual (driver support provided) Print speed (black, draft, Letter): Up to 5 ppm Print speed (color, draft, Letter): Up to 8 ppm Print speed black (ISO): Up to 8 ppm Print speed color (ISO): Up to 5 ppm Print resolution (best): Up to 1200 x 1200 rendered dpi Maximum print area (metric): 216 x 355 mm Maximum print area (U.S. standard): 8.5 x 13.97 in Monthly duty cycle: Up to 1000 pages Printer smart software features: Manual Duplex Scan technology: Contact Image Sensor (CIS) Scan resolution: Up to 1200 x 1200 dpi Maximum flatbed scan size (metric): 216 x 297 mm Maximum flatbed scan size (U.S. standard): 8.5 x 11.69 in Connectivity: Ports atleast 1 Hi-Speed USB 2.0 Color copy capability: Yes Number of copies: atleast 9ppm Copy resolution: atleast Up to 600 x 300 dpi</p> <p>Paper handling Input capacity : atleast Up to 60 sheets Output capacity : atleast Up to 25 sheets Media sizes supported (U.S. standard) : Letter; legal; 4 x 6 in; 5 x 7 in; 8 x 10 in; No. 10 envelopes. (Note: Many other sizes are also supported. Any size between 3 x 5" and 8.5 x 14") Media types : Plain Paper, Photo Papers, Matte Brochure or Professional Paper, Matte Presentation Paper, Glossy Brochure or Professional Paper, Photo Inkjet Papers, Matte Inkjet Papers, Glossy Inkjet Papers Media weight supported (metric): 75 g/m² Borderless printing : Yes, up to 8.5 x 11 in (US letter), 210 x 297 mm (A4) Number of print cartridges :1 black bottle, set of 3 color bottles Replacement cartridges: Black Original Ink Bottle (~6,000 pages); Cyan Original Ink Bottle (~8,000 pages); Magenta Original Ink Bottle (~8,000 pages);Yellow Original Ink Bottle (~8,000 pages). Actual yield varies considerably based on content of printed pages and other factors.</p>	<p>Item No. 5 - 3 In One Printer</p> <p>Copying: Maximum Copy Resolution: 600 x 600 dpi Maximum Copy Size: A4, LTR ISO 29183, A4 Simplex Flatbed (Black / Colour): Up to 10.8 ipm / 5.5 ipm Copy Quality: Standard</p> <p>Scanning: Scanner Type: Flatbed colour image scanner Sensor Type: CIS Optical Resolution: 1200 x 2400 dpi Maximum Scan Area: 216 x 297 mm Scan Speed: Flatbed (Black / Colour): Black 200 dpi: 11 sec Colour 200 dpi: 28 sec</p> <p>Paper Handling: Paper Feed Method: Friction feed Number of Paper Trays: 1 Standard Paper Input Capacity: Up to 100 sheets of Plain Paper (80 g/m²), 20 sheets of Premium Glossy Photo Paper Output Capacity: Up to 30 sheets of Plain Paper (80 g/m²), Up to 20 sheets of Premium Glossy Photo Paper Maximum Paper Size: 215.9 x 1200 mm (8.5 x 47.24") Paper Size: A4, A5, A6, B5, B6, 100 x 148 mm, Indian-Legal (215 x 345 mm), Letter, 8.5 x 13", Legal 8.5 x 14", 3 x 5", 4 x 6", 5 x 7", Envelopes #10, DL, C6</p> <p>Consumables: Black Ink Bottle: Cyan Ink Bottle: Magenta Ink Bottle: Yellow Ink Bottle: Interface: USB: USB 2.0</p>

<p>Item No. 7 - Biometric Device</p> <p>Fingerprint Capacity 3000 Card Capacity 10,000 (Optional) Record Capacity 100,000 Display 2.8-inch Screen Communication TCP/IP, USB-host, WiFi Standard Functions Workcode, SMS, DST, Schedule Bell, Self-Service Query, Automatic Status Switch, 9-digit User ID Optional Functions Photo ID, ADMS, ID / IC / HID, Webserver, External Printer and Bell, WiFi, Multiple Verify Modes Power Supply DC 5V 0.8A Verification Speed ≤ 1 Sec. Operating Temperature 0 °C - 45 °C Operating Humidity 20% - 80% Dimension 190 × 135.8 × 51.5mm (L × W × T) Net Weight 0.9 kg</p>	<p>Item No. 7 - Biometric Device</p> <p>User Capacity 3000 Fingerprint Capacity 3000 Card Capacity 3000 Record Capacity 50,000 Display 2.8" Screen Communication TCP/IP, WiFi, USB-host</p> <p>Standard Functions 9 Digit User ID, T9 Input, SMS, DST, Self-Service Query, Automatic Status Switch, Ring bell, RS232 External Printer</p> <p>Optional Functions ID/Mifare, ADMS Access Control Interface 3rd Party Electric Lock, Exit Button Power Supply DC 12V/1.5A</p>
<p>Item No. 8 - Projector With Projector Screen</p> <p>Projection Technology: RGB liquid crystal shutter projection system (3LCD) Brightness2: White Light Output (Normal/Eco): 4,000 lm Colour Light Output: 4,000 lm Connectivity: USB Interface: USB Type A: 1 (For Wireless LAN, Firmware Update, Copy OSD Settings) USB Type B: 1 (For Firmware Update, Copy OSD Settings) Network: Wireless: Optional (ELPAP11) Analog Input: Composite: 1 RCA D-Sub 15pin: 1 Digital Input: HDMI: 1 Audio Input: 2RCA (White & Red): 1</p> <p>PROJECTOR SCREEN</p>	<p>Item No. 8 - Projector With Projector Screen</p> <p>Projection Technology: RGB liquid crystal shutter projection system (3LCD) Brightness2: White Light Output (Normal/Eco): 4,000 lm Colour Light Output: 4,000 lm Connectivity: USB Interface: USB Type A: 1 (For Wireless LAN, Firmware Update, Copy OSD Settings) USB Type B: 1 (For Firmware Update, Copy OSD Settings) Network: Wireless: Optional (ELPAP11) Analog Input: Composite: 1 RCA D-Sub 15pin: 1 Digital Input: HDMI: 1 Audio Input: 2RCA (White & Red): 1</p> <p>PROJECTOR SCREEN</p>

<p>Tripod Screen is a compact projector screen for convenient transportation. With a screen viewing area of 1771 x 996 mm it's perfect for use with widescreen projectors.</p> <p>This widescreen, portable floor-standing projector screen packs down easily and comes with a shoulder bag for easy transport and storage</p> <p>Screen viewing area of 1771 x 996 mm makes it perfect for use with widescreen projectors</p> <p>Matte white PVC screen with 3-legged aluminium steel stand</p> <p>Additional mechanism for applying tension to the screen</p> <p>Tripod is height adjustable from 300mm to 800mm, floor to bottom of screen</p> <p>Package dimensions are W 1140 x D 198 x H 135 mm</p> <p>Weight is >= 4.8kg</p>	<p>Tripod Screen Projector Layar 70 Inch / 178 cm x 178cm/ 70 inch</p>
<p>Item No. 10 - Portable Hard Drive - 4tb</p> <p>Technical Specification Storage Capacity: 4 TB</p> <p>Connection Interface: 1 x USB 3.2 / USB 3.1 Gen 1 (USB Micro-B)</p> <p>Pre-Format: exFAT</p> <p>Internal Drive Internal Interface: SATA (Unspecified) Type: Hard Disk Drive Form Factor: 2.5"</p> <p>External Enclosure Power Source: USB Bus Power Dimensions (L x W x H) 4.5 x 3.1 x 0.8" / 114.3 x 78.7 x 20.3 mm Weight: 0.58 lb / 0.26 kg (for deletion)</p>	<p>Item No. 10 - Portable Hard Drive - 4tb</p> <p>Technical Specification Storage Capacity: 4 TB</p> <p>Connection Interface: 1 x USB 3.2 / USB 3.1 Gen 1 (USB Micro-B)</p> <p>Pre-Format: exFAT</p> <p>Internal Drive Internal Interface: SATA (Unspecified) Type: Hard Disk Drive Form Factor: 2.5"</p> <p>External Enclosure Power Source: USB Bus Power</p>
<p>Item No. 11 - Portable Hard Drive - 1tb</p> <p>Specifications Whether its business files or personal photos, videos and music, you'll be able to save it all with the stylish HD-B1 1 TB external hard drive. The super-fast transfer speeds of 5 GB/s (via a USB 3.0 connection) and 480 Mbps (via USB 2.0) make saving files easy, while preloaded automatic backup software keeps them secure. (for deletion)</p> <p>USB 3.0 compatible 5 GB/s with USB 3.0 port, or 480 mbps with USB 2.0 port 1 TB storage capacity in a pocket-sized device</p>	<p>Item No. 11 - Portable Hard Drive - 1tb</p> <p>Specifications USB 3.0 compatible 5 GB/s with USB 3.0 port, or 480 mbps with USB 2.0 port 1 TB storage capacity in a pocket-sized device</p>

<p>NTFS formatted for better performance and security (for deletion)</p>	
<p>Item No. 19 - DDR3 Desktop Memory RAM DIMM 1600 MHz</p> <p>Form Factor UDIMM Pins 240 XMP Ready No Plug N Play Yes Speeds1* 1600MT/s CAS Latencies 10 Voltages 1.5V Module Capacities 8GB Kit Capacities 8GB or 16GB Kit Configuration Dual Channel Operating Temperature 0° C to +85° Storage Temperature -55° to +100° C PCB Color Black Heat Spreader Colors Blue, Black Module Dimensions 133.35mm x 32.8mm x 7.08mm</p>	<p>Item No. 19 - DDR3 Desktop Memory RAM DIMM 1600 MHz</p> <p>Application: Desktop</p> <p>* Memory Type: DDR3</p> <p>* Memory Capacity: 4GB or 8GB</p> <p>* Mail Frequency: atleast 1600MHz</p> <p>* Voltage: 1.5V</p> <p>* Number of Pins: 240 Pins</p>

This Bid Bulletin shall form part of the bidding documents.

Please be guided accordingly.

(Sgd.) JACKIYA A. LAO
*Chairperson, Bids and Awards
Committee*

Please accomplish the portion below and email at procurement.fo12@dswd.gov.ph.

Received from DSWD, **Supplemental/Bid Bulletin No. 01** for the **DSWD12-ICTMS-2024-06-014 Procurement of Semi-Expendable ICT Equipment for the use of ICTMS, for distribution and upgrading of ICT Equipment**

RECEIVED BY : _____ **DATE:** _____
(SIGNATURE OVER PRINTED NAME)

DESIGNATION : _____

COMPANY : _____